





SEPTIN9 - H_sapiens | chr17:77,280,568-77,500,596 | 50 transcript(s) (page 1/13)

idx	start	end
1	77488864	77490742
2	77488864	77490748




Transcript: ENST00000427177.6 | Protein: ENSP00000391249.1 [canonical]

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_junction	alternative_junction	in_cds
added_domain	ENST00000873887.1	1		IPR030379			275.0	0.0	1.0		



Transcript: ENST00000873887.1 | Protein: ENSP00000543946.1 [longest CDS]

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_junction	alternative_junction	in_cds
no_unique_features	ENST00000329047.13										



Transcript: ENST00000329047.13 | Protein: ENSP00000329161.8


event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_junction	alternative_junction	in_cds
no_unique_features	ENST00000423034.6										




Transcript: ENST00000423034.6 | Protein: ENSP00000405877.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.


SEPTIN9 - H_sapiens | chr17:77,280,568-77,500,596 | 50 transcript(s) (page 2/13)




Transcript: ENST00000427180.5 | Protein: ENSP00000504196.1



Transcript: ENST00000427674.6 | Protein: ENSP00000403194.1




Transcript: ENST00000431235.6 | Protein: ENSP00000406987.2



Transcript: ENST00000449803.6 | Protein: ENSP00000400181.2

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

SEPTIN9 - H_sapiens | chr17:77,280,568-77,500,596 | 50 transcript(s) (page 3/13)



event	alternative_transcript_id	group	rank	domain_id	canonical	alternative	canonical	alternative	canonical	junction	alternative	junction	in_cds
no_unique_features	ENST00000541152.6												



Transcript: ENST00000541152.6 | Protein: ENSP00000438089.2

event	alternative_transcript_id	group	rank	domain_id	canonical	alternative	canonical	alternative	canonical	junction	alternative	junction	in_cds
transcript_doesnt_have_features	ENST00000585638.1												



Transcript: ENST00000585638.1 | Protein: N/A [no protein]

event	alternative_transcript_id	group	rank	domain_id	canonical	alternative	canonical	alternative	canonical	junction	alternative	junction	in_cds
transcript_doesnt_have_features	ENST00000585929.5												



Transcript: ENST00000585929.5 | Protein: ENSP00000467780.1


event	alternative_transcript_id	group	rank	domain_id	canonical	alternative	canonical	alternative	canonical	junction	alternative	junction	in_cds
no_unique_features	ENST00000585930.5												



Transcript: ENST00000585930.5 | Protein: ENSP00000468120.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

SEPTIN9 - H_sapiens | chr17:77,280,568-77,500,596 | 50 transcript(s) (page 4/13)



event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	in_cds
transcript_doesnt_have_features	ENST00000586128.5												



No domains

Transcript: ENST00000586128.5 | Protein: ENSP00000467792.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	in_cds
transcript_doesnt_have_features	ENST00000586433.5												



No domains

Transcript: ENST00000586433.5 | Protein: ENSP00000468110.1


event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	in_cds
transcript_doesnt_have_features	ENST00000586456.1												



No domains

Transcript: ENST00000586456.1 | Protein: N/A [no protein]

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	in_cds
transcript_doesnt_have_features	ENST00000586521.5												




No domains


Transcript: ENST00000586521.5 | Protein: ENSP00000466170.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.


SEPTIN9 - H_sapiens | chr17:77,280,568-77,500,596 | 50 transcript(s) (page 5/13)




Transcript: ENST00000586812.1 | Protein: N/A [no protein]



Transcript: ENST00000587237.1 | Protein: N/A [no protein]



Transcript: ENST00000587514.1 | Protein: N/A [no protein]



Transcript: ENST00000588575.1 | Protein: ENSP00000468090.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

The diagram shows a horizontal line representing a protein sequence. A red arrow points to a specific domain, which is labeled "No domains".

Transcript: ENST00000588690.6 | Protein: ENSP00000468668.1

Transcript: ENST00000588958.6 | Protein: ENSP00000464832.1

Transcript: ENST00000589070.1 | Protein: ENSP00000465332.1

A horizontal line with two vertical tick marks, one purple and one grey. To the right of the grey tick mark, there is a shaded region labeled "No domains".

Transcript: ENST00000589140.1 | Protein: ENSP00000466997.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

no annotated protein

No domains

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	alternative_domain_id	canonical_junction	alternative_junction	in_cds
no_unique_features	ENST00000589250.6									

no annotated protein

No domains

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	alternative_domain_id	canonical_junction	alternative_junction	in_cds
transcript_doesnt_have_features	ENST00000589920.5									

no annotated protein


No domains

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	alternative_domain_id	canonical_junction	alternative_junction_in_cds
transcript_doesnt_have_features	ENST00000590059.5								


Diagram illustrating a horizontal line with three vertical tick marks (green, blue, orange) and a legend with three colored squares (green, blue, orange) labeled "No domains".

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.


SEPTIN9 - H_sapiens | chr17:77,280,568-77,500,596 | 50 transcript(s) (page 8/13)




Transcript: ENST00000590294.6 | Protein: N/A [no protein]



Transcript: ENST00000590576.5 | Protein: N/A [no protein]




Transcript: ENST00000590586.1 | Protein: N/A [no protein]





Transcript: ENST00000590595.1 | Protein: ENSP00000465026.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

SEPTIN9 - H_sapiens | chr17:77,280,568-77,500,596 | 50 transcript(s) (page 9/13)





event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	in_cds
transcript_doesnt_have_features	ENST00000590825.1												





Transcript: ENST00000590825.1 | Protein: N/A [no protein]

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	in_cds
transcript_doesnt_have_features	ENST00000590917.5												





Transcript: ENST00000590917.5 | Protein: ENSP00000467619.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	in_cds
transcript_doesnt_have_features	ENST00000590938.5												



Transcript: ENST00000590938.5 | Protein: ENSP00000466201.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	in_cds
transcript_doesnt_have_features	ENST00000591020.5												



Transcript: ENST00000591020.5 | Protein: ENSP00000467908.1


Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

The left number line has major tick marks at 77,290,000, 77,320,000, 77,350,000, 77,380,000, 77,410,000, 77,440,000, and 77,500,000. The right number line has major tick marks at 150, 300, 450, 600, and 750.

The diagram shows a horizontal black line representing a protein structure. A red 'P' is positioned above the line. To the right of the 'P', there is a color-coded bar with segments in orange, teal, purple, grey, blue, green, brown, and pink. Below the bar, the text 'No domains' is written.


Transcript: ENST00000591088.5 | Protein: ENSP00000466247.1

Transcript: ENST00000591198.5 | Protein: ENSP00000468406.1



No domains

Transcript: ENST00000591472.6 | Protein: ENSP00000468410.2



The diagram shows a horizontal line representing a linear genome. A red vertical line marks a specific position. To the right of this marker, there is a legend with five colored squares: orange, teal, purple, grey, and pink. Below the legend, the text "No domains" is written.

Transcript: ENST00000591704.5 | Protein: ENSP00000465415.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain in the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

Transcript: ENST00000591833.5 | Protein: ENSP00000466684.1

Diagram illustrating a horizontal line with two vertical tick marks, one blue and one pink, and a legend bar with a blue and pink segment labeled "No domains".

Transcript: ENST00000591934.1 | Protein: ENSP00000468504.1

no annotated protein

No domains

No domains

Transcript: ENST00000592098.1 | Protein: N/A [no protein]

no annotated protein

No domains

No domains


Transcript: ENST00000592407.1 | Protein: N/A [no protein]

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.


no annotated protein

No domains


event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction	in_cds
no_unique_features	ENST00000592481.6								




event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction_in_cds
no_unique_features	ENST00000592951.5							




event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domains	canonical_junction	alternative_junction_in_cds
no_unique_features	ENST00000593189.6							



Only InterPro Domain and Repeat entries are drawn, and only those that are compared — so every domain in the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.




event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain
no_unique_features	ENST00000675703.1											



No domains

Transcript: ENST00000675703.1 | Protein: N/A [no protein]

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain
no_unique_features	ENST00000873888.1											



Transcript: ENST00000873888.1 | Protein: ENSP00000543947.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.