







idx	start	end
1	6581299	6582058
2	6580636	6582058





event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction
no_domains_in_region	ENST00000902995.1	1						



event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction
no_unique_features	ENST00000319084.9							




event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction
no_unique_features	ENST00000435905.5							



Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

A horizontal number line representing the range from 6,580,000 to 6,589,000. Major tick marks are labeled at 6,580,000, 6,583,000, 6,586,000, and 6,589,000. Minor tick marks are placed every 100,000 units, with labels at 6,581,500, 6,584,500, and 6,587,500. Vertical dashed grid lines extend from each tick mark.



No domains

no annotated protein



no annotated protein


No domains

no annotated protein

no annotated protein

No domains

A horizontal bar chart. The left bar is segmented into six colored blocks: green, cyan, magenta, orange, dark blue, and teal. To its right is a long, empty white bar with a black outline.



Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

A horizontal number line is shown, ranging from 6,580,000 to 6,589,000. Major tick marks are labeled at 6,580,000, 6,581,500, 6,583,000, 6,584,500, 6,586,000, 6,587,500, and 6,589,000. Minor tick marks are present every 100,000 units. A vertical dashed line is drawn at the 6,583,000 mark.



event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	alternative_domain_id	canonical_junction	alternative_junction_in_cds
no_unique_features	ENST00000902993.1								



event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	alternative_domain_id	canonical_junction	alternative_junction_in_cds
transcript_doesnt_have_features	ENST00000902994.1								



event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	alternative_domain_id	canonical_junction	alternative_junction_in_cds
no_unique_features	ENST00000902996.1								



Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction	in_cds
transcript_doesnt_have_features	ENST00000902998.1								



event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction_in_cds
no_unique_features	ENST00000902999.1							




event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction	in_cds
transcript_doesnt_have_features	ENST00000915764.1								



No domains

Diagram illustrating a protein structure with a large green domain and a long tail. A zoomed-in view of the tail shows a series of small colored blocks (purple, orange, blue, green, pink, orange, blue) and a label "No domains".



Transcript: ENST00000915766.1 | Protein: ENSP00000585825.1

The diagram shows a horizontal black line representing a chromosome. On the left, there are several colored segments: a small pink rectangle, a small grey rectangle, a large green rectangle, a red bracket above the green rectangle, and a small green rectangle. To the right of these, there is a long gap, followed by a cyan vertical bar, a purple vertical bar, a yellow vertical bar, a blue vertical bar, a light blue vertical bar, a pink vertical bar, an orange vertical bar, and a purple vertical bar.



28 IPR013087

Transcript: ENST00000915767.1 | Protein: ENSP00000585826.1

The diagram shows a horizontal black line representing a chromosome. From left to right, it features: a small tan segment, a small grey segment, a large green segment, a red rectangular loop structure above the line, a small green segment, a long black segment, a small blue vertical bar, a small orange vertical bar, a small dark blue vertical bar, a small green vertical bar, a small pink vertical bar, a small orange vertical bar, and a small purple vertical bar.



Transcript: ENST00000953434.1 | Protein: ENSP00000623493.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3D5A/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.







Diagram illustrating a protein structure with a red box highlighting a specific region. Below the structure, a legend indicates the color coding for domains: No domains (grey), Green, Cyan, Magenta, Orange, Dark Blue, Light Green, Pink, Brown, and Blue.



The diagram shows a horizontal black line representing a chromosome. On the left, there is a pink vertical band, followed by a green vertical band, and then a large green rectangular block. Above this block, a red line forms a loop that connects to a green vertical band on the right. Further to the right, there are several vertical bands of different colors: cyan, purple, yellow, blue, green, pink, orange, and grey.



A horizontal number line with several colored blocks and a red bracket. From left to right: a small pink block, a small green block, a large green block, a red bracket above the line spanning the width of the large green block, a small green block, a blue block, and a pink block.



Transcript: XM_017001111.3 | Protein: XP_016856600.1


A horizontal number line with several colored blocks placed along it. From left to right, there is a small pink block, a small green block, a large green block, a red bracket above the line spanning the width of the large green block, and a small green block. To the right of these, there are several vertical colored bars: a light blue bar, a purple bar, an orange bar, a dark blue bar, a green bar, and a light blue bar.



Transcript: XM_047418865.1 | Protein: XP_047274821.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3D5A/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

ZBTB48 - H_sapiens | chr1:6,579,993-6,589,280 | 33 transcript(s) (page 7/9)



Transcript: XM_047418867.1 | Protein: XP_047274823.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domains	canonical_domain_junction	alternative_junction_in_cds
transcript_doesnt_have_features	XM_047418868.1							




Transcript: XM_047418868.1 | Protein: XP_047274824.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domains	canonical_domain_id	alternative_domains
transcript_doesnt_have_features	XM_047418869.1							




Transcript: XM_047418869.1 | Protein: XP_047274825.1

[illegible]




Transcript: XM_047418870.1 | Protein: XP_047274826.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

ZBTB48 - H_sapiens | chr1:6,579,993-6,589,280 | 33 transcript(s) (page 8/9)





event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_junction_id	alternative_junction_id	junction_in_cds
no_unique_features	XM_047418875.1								




Transcript: XM_047418875.1 | Protein: XP_047274831.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	alternative_domain_id	canonical_junction	alternative_junction_in_cds
transcript_doesnt_have_features	XM_047418878.1								





Transcript: XM_047418878.1 | Protein: XP_047274834.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domains	canonical_junction	alternative_junction_in_cds
transcript_doesnt_have_features	XM_047418880.1							



Transcript: XM_047418880.1 | Protein: XP_047274836.1



event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	alternative_domain_id	junction_in_cds
transcript_doesnt_have_features	XM_047418882.1							



Transcript: XM_047418882.1 | Protein: XP_047274838.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.


ZBTB48 - H_sapiens | chr1:6,579,993-6,589,280 | 33 transcript(s) (page 9/9)



event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	alternative_domain_id	canonical_junction	alternative_junction	in_cds
transcript_doesnt_have_features	XM_047418886.1									



No domains



Transcript: XM_047418886.1 | Protein: XP_047274842.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.