





SORL1 - H_sapiens | chr11:121,452,313-121,633,763 | 15 transcript(s) (page 1/4)

idx	start	end
1	121452616	121470007
2	121452616	121478118




Transcript: ENST00000260197.12 | Protein: ENSP00000260197.6 [canonical]

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	in_cds
longer	ENST00000905167.1	1		IPR006581	664.0	673.0	1.0	1.0								




Transcript: ENST00000905167.1 | Protein: ENSP00000905167.1 [longest CDS]

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	in_cds
transcript_doesnt_have_features	ENST00000524633.1															



Transcript: ENST00000524633.1 | Protein: N/A [no protein]


event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	in_cds
transcript_doesnt_have_features	ENST00000524873.1															



Transcript: ENST00000524873.1 | Protein: N/A [no protein]


Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

A horizontal number line with major tick marks at 121,500,000 and 121,550,000. There are four additional tick marks: one between 121,475,000 and 121,500,000; one between 121,525,000 and 121,550,000; one between 121,575,000 and 121,600,000; and one at 121,625,000. The numbers 121,475,000, 121,525,000, 121,575,000, and 121,625,000 are labeled above their respective tick marks. The numbers 121,500,000 and 121,550,000 are labeled below their respective tick marks.



No domains

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domains	canonical_junction	alternative_junction_in_cds
transcript_doesnt_have_features	ENST00000527934.1							



No domains

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

[illegible]

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	alternative_domain_id	canonical_domain_id	alternative_domain_id	in_cds
transcript_doesnt_have_features	ENST00000530365.1									

no annotated protein

No domains


event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	alternative_domain	canonical_domain	alternative_domain	in_cds
no_unique_features	ENST00000532451.1									

no annotated protein

No domains

[illegible]

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.



chain_id	Amino-Acid Position		Amino-Acid Position		Amino-Acid Position	
	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain

[illegible]

chain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_junction	alternative_junction



No domains

chain_id	canonical_domain	alternative_domains	canonical_domain	alternative_domains	canonical_junction	alternative_junction



Diagram illustrating the evolution of a chromosome structure. The initial state shows a single chromosome with segments labeled 1 and 664. The final state shows four chromosomes with segments labeled 37, 39, 93, 96, and 96.

6581 2172 2172 2961 2961 2961