



PFDN5 - H_sapiens | chr12:53,295,290-53,299,452 | 28 transcript(s) (page 1/7)

idx	start	end
1	53295639	53295839
2	53295639	53296244
3	53295639	53297850
4	53295639	53298045
5	53295941	53296244
6	53295941	53297850
7	53296275	53297850
	53297924	53298045



Transcript: ENST00000334478.9 | Protein: ENSP00000334188.4

event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
no_unique_features	ENST00000551018.5					



Transcript: ENST00000551018.5 | Protein: ENSP00000447942.1

event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
no_unique_features	ENST00000550069.2					





Transcript: ENST00000550069.2 | Protein: N/A

event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
dropped domain	ENST00000677326.1	IPR032016	124.0		1.0	0.0
dropped domain	ENST00000677326.1	IPR001726	120.0		1.0	0.0




Transcript: ENST00000677326.1 | Protein: N/A

Mark inside each domain — its tier on the InterPro entry-type ladder: 1 = Domain/Repeat · 2 = Family/Homologous superfamily · 3 = member-DB hit (G3DSA/PTHR/SSF/cd/PF) · S = site/PTM. FILLED = kept, and compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — a 2 or 3 when more than half of it is already covered by a higher tier, an S unconditionally, and an entry of ANY tier when it duplicates a longer kept entry of the same accession that overlaps it. A transcript whose domains carry NO mark has no RepresentativeDomains entry: its annotation comes from DomainEvent/DomainType, which states no entry type, so the ladder cannot rank it and every domain is compared as-is.



Transcript: ENST00000549759.2 | Protein: ENSP00000455296.2

event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
shorter	ENST00000628881.2	IPR032016	124.0	68.0	1.0	1.0
shorter	ENST00000628881.2	IPR001726	120.0	72.0	1.0	1.0




Transcript: ENST00000628881.2 | Protein: ENSP00000486843.2

event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
no_unique_features	ENST00000677199.1					




Transcript: ENST00000677199.1 | Protein: N/A

event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
no_unique_features	ENST00000678256.1					




Transcript: ENST00000678256.1 | Protein: N/A


Mark inside each domain — its tier on the InterPro entry-type ladder: 1 = Domain/Repeat · 2 = Family/Homologous superfamily · 3 = member-DB hit (G3DSA/PTHR/SSF/cd/PF) · S = site/PTM. FILLED = kept, and compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — a 2 or 3 when more than half of it is already covered by a higher tier, an S unconditionally, and an entry of ANY tier when it duplicates a longer kept entry of the same accession that overlaps it. A transcript whose domains carry NO mark has no RepresentativeDomains entry: its annotation comes from DomainEvent/DomainType, which states no entry type, so the ladder cannot rank it and every domain is compared as-is.




Transcript: ENST00000550880.5 | Protein: ENSP00000450068.1



Transcript: ENST00000676468.1 | Protein: ENSP00000504615.1






Transcript: ENST00000550846.5 | Protein: ENSP00000454489.1



Transcript: ENST00000351500.7 | Protein: ENSP00000266964.4 [longest CDS, most like canonical]

Mark inside each domain — its tier on the InterPro entry-type ladder: 1 = Domain/Repeat · 2 = Family/Homologous superfamily · 3 = member-DB hit (G3DSA/PTHR/SSF/cd/PF) · S = site/PTM. FILLED = kept, and compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — a 2 or 3 when more than half of it is already covered by a higher tier, an S unconditionally, and an entry of ANY tier when it duplicates a longer kept entry of the same accession that overlaps it. A transcript whose domains carry NO mark has no RepresentativeDomains entry: its annotation comes from DomainEvent/DomainType, which states no entry type, so the ladder cannot rank it and every domain is compared as-is.



No domains

Transcript: ENST00000551223.5 | Protein: N/A

event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
no_unique_features	ENST00000678284.1					



No domains

Transcript: ENST00000678284.1 | Protein: N/A

event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
no_unique_features	ENST00000552341.5					



No domains


Transcript: ENST00000552341.5 | Protein: N/A

event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
dropped domain	ENST00000243040.10	IPR032016	124.0		1.0	0.0
dropped domain	ENST00000243040.10	IPR001726	120.0		1.0	0.0
added_domain	ENST00000243040.10	IPR011599		148.0	0.0	1.0
added_domain	ENST00000243040.10	IPR009053		144.0	0.0	1.0




Transcript: ENST00000243040.10 | Protein: ENSP00000243040.6

Mark inside each domain — its tier on the InterPro entry-type ladder: 1 = Domain/Repeat · 2 = Family/Homologous superfamily · 3 = member-DB hit (G3DSA/PTHR/SSF/cd/PF) · S = site/PTM. FILLED = kept, and compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — a 2 or 3 when more than half of it is already covered by a higher tier, and an entry of ANY tier when it duplicates a longer kept entry of the same accession that overlaps it. A transcript whose domains carry NO mark has no RepresentativeDomains entry: its annotation comes from DomainEvent/DomainType, which states no entry type, so the ladder cannot rank it and every domain is compared as-is.




Transcript: ENST00000547130.6 | Protein: ENSP00000449388.2

event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
no_unique_features	ENST00000549995.1					




Transcript: ENST00000549995.1 | Protein: N/A

event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
no_unique_features	ENST00000935332.1					




Transcript: ENST00000935332.1 | Protein: ENSP00000605391.1

event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
no_unique_features	ENST00000677184.1					



Transcript: ENST00000677184.1 | Protein: N/A

Mark inside each domain — its tier on the InterPro entry-type ladder: 1 = Domain/Repeat · 2 = Family/Homologous superfamily · 3 = member-DB hit (G3DSA/PTHR/SSF/cd/PF) · S = site/PTM. FILLED = kept, and compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — a 2 or 3 when more than half of it is already covered by a higher tier, an S unconditionally, and an entry of ANY tier when it duplicates a longer kept entry of the same accession that overlaps it. A transcript whose domains carry NO mark has no RepresentativeDomains entry: its annotation comes from DomainEvent/DomainType, which states no entry type, so the ladder cannot rank it and every domain is compared as-is.



Transcript: ENST00000677712.1 | Protein: N/A

event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
transcript_doesnt_have_features	ENST00000552742.6					



Transcript: ENST00000552742.6 | Protein: ENSP00000450380.2

event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
transcript_doesnt_have_features	ENST00000550513.1					






Transcript: ENST00000550513.1 | Protein: N/A

event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
no_unique_features	ENST00000547228.1					





Transcript: ENST00000547228.1 | Protein: N/A

Mark inside each domain — its tier on the InterPro entry-type ladder: 1 = Domain/Repeat · 2 = Family/Homologous superfamily · 3 = member-DB hit (G3DSA/PTHR/SSF/cd/PF) · S = site/PTM. FILLED = kept, and compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — a 2 or 3 when more than half of it is already covered by a higher tier, an S unconditionally, and an entry of ANY tier when it duplicates a longer kept entry of the same accession that overlaps it. A transcript whose domains carry NO mark has no RepresentativeDomains entry: its annotation comes from DomainEvent/DomainType, which states no entry type, so the ladder cannot rank it and every domain is compared as-is.



Transcript: ENST00000553171.2 | Protein: N/A

event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
no_unique_features	ENST00000552548.6					





Transcript: ENST00000552548.6 | Protein: N/A

event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
no_unique_features	ENST00000550964.6					



Transcript: ENST00000550964.6 | Protein: N/A

event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
transcript_doesnt_have_features	ENST00000548984.1					



Transcript: ENST00000548984.1 | Protein: N/A

Mark inside each domain — its tier on the InterPro entry-type ladder: 1 = Domain/Repeat · 2 = Family/Homologous superfamily · 3 = member-DB hit (G3DSA/PTHR/SSF/cd/PF) · S = site/PTM. FILLED = kept, and compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — a 2 or 3 when more than half of it is already covered by a higher tier, an S unconditionally, and an entry of ANY tier when it duplicates a longer kept entry of the same accession that overlaps it. A transcript whose domains carry NO mark has no RepresentativeDomains entry: its annotation comes from DomainEvent/DomainType, which states no entry type, so the ladder cannot rank it and every domain is compared as-is.