


HNRNPH3 - H_sapiens | chr10:68,331,173-68,344,000 | 75 transcript(s) (page 1/19)

idx	start	end
1	68337333	68337858
2	68337333	68338503
3	68337333	68339140
4	68337996	68338503
5	68338642	68339140
6	68338687	68339140



Transcript: ENST00000265866.12 | Protein: ENSP00000265866.7

event	transcript_id	group	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
no_unique_features	ENST00000469172.5						



Transcript: ENST00000469172.5 | Protein: N/A

event	transcript_id	group	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
subsumed_by_larger_event	ENST00000880282.1						



Transcript: ENST00000880282.1 | Protein: ENSP00000550341.1



event	transcript_id	group	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
no_unique_features	ENST00000880278.1						




Transcript: ENST00000880278.1 | Protein: ENSP00000550337.1

Mark inside each domain — its tier on the InterPro entry-type ladder: 1 = Domain/Repeat · 2 = Family/Homologous superfamily · 3 = member-DB hit (G3DSA/PTHR/SSF/cd/PF) · S = site/PTM, ranked with tier 2. FILLED = kept, and compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — a 2, S or 3 when more than half of it is already covered by a higher tier, and an entry of ANY tier when it duplicates a longer kept entry of the same accession that overlaps it.

HNRNPH3 - H_sapiens | chr10:68,331,173-68,344,000 | 75 transcript(s) (page 2/19)





event	transcript_id	group	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
no_unique_features	ENST00000880283.1						



No domains

Transcript: ENST00000880283.1 | Protein: ENSP00000550342.1



event	transcript_id	group	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
subsumed_by_larger_event	ENST00000940766.1						



No domains

Transcript: ENST00000940766.1 | Protein: ENSP00000610825.1



event	transcript_id	group	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
subsumed_by_larger_event	ENST00000880280.1						



No domains

Transcript: ENST00000880280.1 | Protein: ENSP00000550339.1

event	transcript_id	group	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
subsumed_by_larger_event	ENST00000940778.1						



No domains

Transcript: ENST00000940778.1 | Protein: ENSP00000610837.1

Mark inside each domain — its tier on the InterPro entry-type ladder: 1 = Domain/Repeat · 2 = Family/Homologous superfamily · 3 = member-DB hit (G3DSA/PTHR/SSF/cd/PF) · S = site/PTM, ranked with tier 2. FILLED = kept, and compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — a 2, S or 3 when more than half of it is already covered by a higher tier, and an entry of ANY tier when it duplicates a longer kept entry of the same accession that overlaps it.

HNRNPH3 - H_sapiens | chr10:68,331,173-68,344,000 | 75 transcript(s) (page 3/19)



event	transcript_id	group	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
subsumed_by_larger_event	NM_001322445.1						



Transcript: NM_001322445.1 | Protein: NP_001309374.1

event	transcript_id	group	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
no_unique_features	ENST00000880284.1						



Transcript: ENST00000880284.1 | Protein: ENSP00000550343.1

event	transcript_id	group	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
no_unique_features	ENST00000880285.1						



Transcript: ENST00000880285.1 | Protein: ENSP00000550344.1


event	transcript_id	group	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
subsumed_by_larger_event	ENST00000461310.5						





Transcript: ENST00000461310.5 | Protein: N/A

Mark inside each domain — its tier on the InterPro entry-type ladder: 1 = Domain/Repeat · 2 = Family/Homologous superfamily · 3 = member-DB hit (G3DSA/PTHR/SSF/cd/PF) · S = site/PTM, ranked with tier 2. FILLED = kept, and compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — a 2, S or 3 when more than half of it is already covered by a higher tier, and an entry of ANY tier when it duplicates a longer kept entry of the same accession that overlaps it.

HNRNPH3 - H_sapiens | chr10:68,331,173-68,344,000 | 75 transcript(s) (page 4/19)




event	transcript_id	group	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
no_unique_features	ENST00000940767.1						





Transcript: ENST00000940767.1 | Protein: ENSP00000610826.1

event	transcript_id	group	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
subsumed_by_larger_event	ENST00000940768.1						





Transcript: ENST00000940768.1 | Protein: ENSP00000610827.1

event	transcript_id	group	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
no_unique_features	ENST00000940769.1						



Transcript: ENST00000940769.1 | Protein: ENSP00000610828.1


event	transcript_id	group	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
no_unique_features	ENST00000940779.1						




Transcript: ENST00000940779.1 | Protein: ENSP00000610838.1

Mark inside each domain — its tier on the InterPro entry-type ladder: 1 = Domain/Repeat · 2 = Family/Homologous superfamily · 3 = member-DB hit (G3DSA/PTHR/SSF/cd/PF) · S = site/PTM, ranked with tier 2. FILLED = kept, and compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — a 2, S or 3 when more than half of it is already covered by a higher tier, and an entry of ANY tier when it duplicates a longer kept entry of the same accession that overlaps it.

HNRNPH3 - H_sapiens | chr10:68,331,173-68,344,000 | 75 transcript(s) (page 5/19)




event	transcript_id	group	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
no_unique_features	ENST00000940780.1						



No domains

Transcript: ENST00000940780.1 | Protein: ENSP00000610839.1


event	transcript_id	group	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
subsumed_by_larger_event	ENST00000880303.1						



PRO101
PRO99666
PRO35979

Transcript: ENST00000880303.1 | Protein: ENSP00000550362.1


event	transcript_id	group	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
subsumed_by_larger_event	ENST00000940782.1						



No domains

Transcript: ENST00000940782.1 | Protein: ENSP00000610841.1

event	transcript_id	group	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
no_unique_features	ENST00000940770.1						




No domains


Transcript: ENST00000940770.1 | Protein: ENSP00000610829.1

Mark inside each domain — its tier on the InterPro entry-type ladder: 1 = Domain/Repeat · 2 = Family/Homologous superfamily · 3 = member-DB hit (G3DSA/PTHR/SSF/cd/PF) · S = site/PTM, ranked with tier 2. FILLED = kept, and compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — a 2, S or 3 when more than half of it is already covered by a higher tier, and an entry of ANY tier when it duplicates a longer kept entry of the same accession that overlaps it.

HNRNPH3 - H_sapiens | chr10:68,331,173-68,344,000 | 75 transcript(s) (page 6/19)





event	transcript_id	group	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
no_unique_features	ENST00000880289.1						





Transcript: ENST00000880289.1 | Protein: ENSP00000550348.1

event	transcript_id	group	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
no_unique_features	ENST00000880281.1						





Transcript: ENST00000880281.1 | Protein: ENSP00000550340.1

event	transcript_id	group	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
subsumed_by_larger_event	ENST00000880279.1						



Transcript: ENST00000880279.1 | Protein: ENSP00000550338.1

event	transcript_id	group	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
subsumed_by_larger_event	NM_001322448.2						



Transcript: NM_001322448.2 | Protein: NP_001309377.1

Mark inside each domain — its tier on the InterPro entry-type ladder: 1 = Domain/Repeat · 2 = Family/Homologous superfamily · 3 = member-DB hit (G3DSA/PTHR/SSF/cd/PF) · S = site/PTM, ranked with tier 2. FILLED = kept, and compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — a 2, S or 3 when more than half of it is already covered by a higher tier, and an entry of ANY tier when it duplicates a longer kept entry of the same accession that overlaps it.

HNRNPH3 - H_sapiens | chr10:68,331,173-68,344,000 | 75 transcript(s) (page 7/19)



event	transcript_id	group	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
subsumed_by_larger_event	NM_001322450.2						



Transcript: NM_001322450.2 | Protein: NP_001309379.1

event	transcript_id	group	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
no_domains_in_region	NM_001322453.2	1					



Transcript: NM_001322453.2 | Protein: NP_001309382.1 [longest CDS]

event	transcript_id	group	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
no_unique_features	ENST00000880286.1						



Transcript: ENST00000880286.1 | Protein: ENSP00000550345.1



event	transcript_id	group	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
subsumed_by_larger_event	ENST00000354695.5						




Transcript: ENST00000354695.5 | Protein: ENSP00000346726.5

Mark inside each domain — its tier on the InterPro entry-type ladder: 1 = Domain/Repeat · 2 = Family/Homologous superfamily · 3 = member-DB hit (G3DSA/PTHR/SSF/cd/PF) · S = site/PTM, ranked with tier 2. FILLED = kept, and compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — a 2, S or 3 when more than half of it is already covered by a higher tier, and an entry of ANY tier when it duplicates a longer kept entry of the same accession that overlaps it.

HNRNPH3 - H_sapiens | chr10:68,331,173-68,344,000 | 75 transcript(s) (page 8/19)





event	transcript_id	group	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
subsumed_by_larger_event	NM_001322446.2						



No domains

Transcript: NM_001322446.2 | Protein: NP_001309375.1



event	transcript_id	group	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
no_domains_in_region	NM_001322452.2	1					



No domains


Transcript: NM_001322452.2 | Protein: NP_001309381.1 [most like canonical]

event	transcript_id	group	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
no_domains_in_region	ENST00000880292.1	2					



Transcript: ENST00000880292.1 | Protein: ENSP00000550351.1

event	transcript_id	group	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
no_unique_features	ENST00000880288.1						




No domains



Transcript: ENST00000880288.1 | Protein: ENSP00000550347.1

Mark inside each domain — its tier on the InterPro entry-type ladder: 1 = Domain/Repeat · 2 = Family/Homologous superfamily · 3 = member-DB hit (G3DSA/PTHR/SSF/cd/PF) · S = site/PTM, ranked with tier 2. FILLED = kept, and compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — a 2, S or 3 when more than half of it is already covered by a higher tier, and an entry of ANY tier when it duplicates a longer kept entry of the same accession that overlaps it.

HNRNPH3 - H_sapiens | chr10:68,331,173-68,344,000 | 75 transcript(s) (page 9/19)




event	transcript_id	group	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
subsumed_by_larger_event	ENST00000880287.1						



No domains

Transcript: ENST00000880287.1 | Protein: ENSP00000550346.1


event	transcript_id	group	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
subsumed_by_larger_event	NM_001322447.2						



No domains

Transcript: NM_001322447.2 | Protein: NP_001309376.1

event	transcript_id	group	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
no_domains_in_region	NM_001322451.2	1					



No domains

Transcript: NM_001322451.2 | Protein: NP_001309380.1

event	transcript_id	group	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
no_unique_features	ENST00000940783.1						




No domains

Transcript: ENST00000940783.1 | Protein: ENSP00000610842.1

Mark inside each domain — its tier on the InterPro entry-type ladder: 1 = Domain/Repeat · 2 = Family/Homologous superfamily · 3 = member-DB hit (G3DSA/PTHR/SSF/cd/PF) · S = site/PTM, ranked with tier 2. FILLED = kept, and compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — a 2, S or 3 when more than half of it is already covered by a higher tier, and an entry of ANY tier when it duplicates a longer kept entry of the same accession that overlaps it.

HNRNPH3 - H_sapiens | chr10:68,331,173-68,344,000 | 75 transcript(s) (page 10/19)



Transcript: ENST00000880300.1 | Protein: ENSP00000550359.1

event	transcript_id	group	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
no_unique_features	ENST00000880296.1						



Transcript: ENST00000880296.1 | Protein: ENSP00000550355.1

event	transcript_id	group	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
subsumed_by_larger_event	ENST00000880295.1						



Transcript: ENST00000880295.1 | Protein: ENSP00000550354.1


event	transcript_id	group	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
no_unique_features	ENST00000880294.1						




Transcript: ENST00000880294.1 | Protein: ENSP00000550353.1

Mark inside each domain — its tier on the InterPro entry-type ladder: 1 = Domain/Repeat · 2 = Family/Homologous superfamily · 3 = member-DB hit (G3DSA/PTHR/SSF/cd/PF) · S = site/PTM, ranked with tier 2. FILLED = kept, and compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — a 2, S or 3 when more than half of it is already covered by a higher tier, and an entry of ANY tier when it duplicates a longer kept entry of the same accession that overlaps it.

HNRNPH3 - H_sapiens | chr10:68,331,173-68,344,000 | 75 transcript(s) (page 11/19)





event	transcript_id	group	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
no_unique_features	ENST00000940772.1						





Transcript: ENST00000940772.1 | Protein: ENSP00000610831.1

event	transcript_id	group	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
subsumed_by_larger_event	ENST00000880290.1						





Transcript: ENST00000880290.1 | Protein: ENSP00000550349.1

event	transcript_id	group	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
no_domains_in_region	ENST00000880291.1	2					



Transcript: ENST00000880291.1 | Protein: ENSP00000550350.1


event	transcript_id	group	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
subsumed_by_larger_event	ENST00000940771.1						




Transcript: ENST00000940771.1 | Protein: ENSP00000610830.1

Mark inside each domain — its tier on the InterPro entry-type ladder: 1 = Domain/Repeat · 2 = Family/Homologous superfamily · 3 = member-DB hit (G3DSA/PTHR/SSF/cd/PF) · S = site/PTM, ranked with tier 2. FILLED = kept, and compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — a 2, S or 3 when more than half of it is already covered by a higher tier, and an entry of ANY tier when it duplicates a longer kept entry of the same accession that overlaps it.

HNRNPH3 - H_sapiens | chr10:68,331,173-68,344,000 | 75 transcript(s) (page 12/19)





event	transcript_id	group	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
subsumed_by_larger_event	ENST00000967050.1						





Transcript: ENST00000967050.1 | Protein: ENSP00000637109.1

event	transcript_id	group	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
no_unique_features	ENST00000940773.1						





Transcript: ENST00000940773.1 | Protein: ENSP00000610832.1

event	transcript_id	group	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
no_unique_features	ENST00000940774.1						



Transcript: ENST00000940774.1 | Protein: ENSP00000610833.1

event	transcript_id	group	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
subsumed_by_larger_event	ENST00000940784.1						







Transcript: ENST00000940784.1 | Protein: ENSP00000610843.1


Mark inside each domain — its tier on the InterPro entry-type ladder: 1 = Domain/Repeat · 2 = Family/Homologous superfamily · 3 = member-DB hit (G3DSA/PTHR/SSF/cd/PF) · S = site/PTM, ranked with tier 2. FILLED = kept, and compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — a 2, S or 3 when more than half of it is already covered by a higher tier, and an entry of ANY tier when it duplicates a longer kept entry of the same accession that overlaps it.

The left number line shows the addition of 68,332,000 and 68,336,000. The number line is labeled with 68,332,000, 68,334,000, 68,336,000, 68,338,000, and 68,340,000. The sum 68,340,000 is marked at the end of the line.



The right number line shows the addition of 200 and 800. The number line is labeled with 200, 400, 600, 800, and 1,000. The sum 1,000 is marked at the end of the line.



HNRNPH3 - H_sapiens | chr10:68,331,173-68,344,000 | 75 transcript(s) (page 14/19)




event	transcript_id	group	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
no_unique_features	ENST00000880297.1						




Transcript: ENST00000880297.1 | Protein: ENSP00000550356.1

event	transcript_id	group	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
no_unique_features	ENST00000967052.1						





Transcript: ENST00000967052.1 | Protein: ENSP00000637111.1

event	transcript_id	group	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
no_unique_features	ENST00000967051.1						



Transcript: ENST00000967051.1 | Protein: ENSP00000637110.1


event	transcript_id	group	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
no_unique_features	ENST00000880305.1						




Transcript: ENST00000880305.1 | Protein: ENSP00000550364.1

Mark inside each domain — its tier on the InterPro entry-type ladder: 1 = Domain/Repeat · 2 = Family/Homologous superfamily · 3 = member-DB hit (G3DSA/PTHR/SSF/cd/PF) · S = site/PTM, ranked with tier 2. FILLED = kept, and compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — a 2, S or 3 when more than half of it is already covered by a higher tier, and an entry of ANY tier when it duplicates a longer kept entry of the same accession that overlaps it.


HNRNPH3 - H_sapiens | chr10:68,331,173-68,344,000 | 75 transcript(s) (page 15/19)




Transcript: ENST00000967049.1 | Protein: ENSP00000637108.1



Transcript: ENST00000880299.1 | Protein: ENSP00000550358.1





Transcript: ENST00000486854.5 | Protein: N/A





Transcript: ENST00000467249.1 | Protein: N/A

Mark inside each domain — its tier on the InterPro entry-type ladder: 1 = Domain/Repeat · 2 = Family/Homologous superfamily · 3 = member-DB hit (G3DSA/PTHR/SSF/cd/PF) · S = site/PTM, ranked with tier 2. FILLED = kept, and compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — a 2, S or 3 when more than half of it is already covered by a higher tier, and an entry of ANY tier when it duplicates a longer kept entry of the same accession that overlaps it.

HNRNPH3 - H_sapiens | chr10:68,331,173-68,344,000 | 75 transcript(s) (page 16/19)





event	transcript_id	group	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
subsumed_by_larger_event	ENST00000940776.1						



No domains

Transcript: ENST00000940776.1 | Protein: ENSP00000610835.1

event	transcript_id	group	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
no_unique_features	ENST00000880301.1						



No domains

Transcript: ENST00000880301.1 | Protein: ENSP00000550360.1



event	transcript_id	group	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
no_domains_in_region	ENST00000940777.1	2					



No domains

Transcript: ENST00000940777.1 | Protein: ENSP00000610836.1

event	transcript_id	group	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
no_domains_in_region	ENST00000940785.1	2					





No domains



Transcript: ENST00000940785.1 | Protein: ENSP00000610844.1 [longest CDS]

Mark inside each domain — its tier on the InterPro entry-type ladder: 1 = Domain/Repeat · 2 = Family/Homologous superfamily · 3 = member-DB hit (G3DSA/PTHR/SSF/cd/PF) · S = site/PTM, ranked with tier 2. FILLED = kept, and compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — a 2, S or 3 when more than half of it is already covered by a higher tier, and an entry of ANY tier when it duplicates a longer kept entry of the same accession that overlaps it.

HNRNPH3 - H_sapiens | chr10:68,331,173-68,344,000 | 75 transcript(s) (page 17/19)




event	transcript_id	group	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
no_unique_features	ENST00000880306.1						





Transcript: ENST00000880306.1 | Protein: ENSP00000550365.1

event	transcript_id	group	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
no_unique_features	ENST00000880307.1						




Transcript: ENST00000880307.1 | Protein: ENSP00000550366.1

event	transcript_id	group	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
no_unique_features	ENST00000880293.1						



Transcript: ENST00000880293.1 | Protein: ENSP00000550352.1

event	transcript_id	group	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
subsumed_by_larger_event	ENST00000880302.1						



Transcript: ENST00000880302.1 | Protein: ENSP00000550361.1

Mark inside each domain — its tier on the InterPro entry-type ladder: 1 = Domain/Repeat · 2 = Family/Homologous superfamily · 3 = member-DB hit (G3DSA/PTHR/SSF/cd/PF) · S = site/PTM, ranked with tier 2. FILLED = kept, and compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — a 2, S or 3 when more than half of it is already covered by a higher tier, and an entry of ANY tier when it duplicates a longer kept entry of the same accession that overlaps it.

HNRNPH3 - H_sapiens | chr10:68,331,173-68,344,000 | 75 transcript(s) (page 18/19)



event	transcript_id	group	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
subsumed_by_larger_event	NM_001322449.2						



Transcript: NM_001322449.2 | Protein: NP_001309378.1

event	transcript_id	group	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
no_unique_features	ENST00000940781.1						



Transcript: ENST00000940781.1 | Protein: ENSP00000610840.1

event	transcript_id	group	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
subsumed_by_larger_event	ENST00000880308.1						



Transcript: ENST00000880308.1 | Protein: ENSP00000550367.1



event	transcript_id	group	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
no_unique_features	ENST00000481819.5						



Transcript: ENST00000481819.5 | Protein: N/A

Mark inside each domain — its tier on the InterPro entry-type ladder: 1 = Domain/Repeat · 2 = Family/Homologous superfamily · 3 = member-DB hit (G3DSA/PTHR/SSF/cd/PF) · S = site/PTM, ranked with tier 2. FILLED = kept, and compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — a 2, S or 3 when more than half of it is already covered by a higher tier, and an entry of ANY tier when it duplicates a longer kept entry of the same accession that overlaps it.

HNRNPH3 - H_sapiens | chr10:68,331,173-68,344,000 | 75 transcript(s) (page 19/19)




event	transcript_id	group	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
no_unique_features	ENST00000491200.5						



No domains

Transcript: ENST00000491200.5 | Protein: N/A


event	transcript_id	group	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
no_unique_features	ENST00000490442.5						



No domains

Transcript: ENST00000490442.5 | Protein: N/A

event	transcript_id	group	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
transcript_doesnt_have_feature:	ENST00000478698.1						



No domains

Transcript: ENST00000478698.1 | Protein: N/A

Mark inside each domain — its tier on the InterPro entry-type ladder: 1 = Domain/Repeat · 2 = Family/Homologous superfamily · 3 = member-DB hit (G3DSA/PTHR/SSF/cd/PF) · S = site/PTM, ranked with tier 2. FILLED = kept, and compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — a 2, S or 3 when more than half of it is already covered by a higher tier, and an entry of ANY tier when it duplicates a longer kept entry of the same accession that overlaps it.