




HNRNPH3 - H_sapiens | chr10:68,332,063-68,343,193 | 9 transcript(s) (page 1/3)

idx	start	end
1	68337333	68337858
2	68337333	68338503
3	68337333	68339140
4	68337996	68338503
5	68338642	68339140
6	68338687	68339140



Transcript: ENST00000265866.12 | Protein: ENSP00000265866.7


event	transcript_id	group	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
no_domains_in_region	NM_001322453.2	1					



No domains

Transcript: NM_001322453.2 | Protein: NP_001309382.1 [longest CDS]



event	transcript_id	group	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
no_domains_in_region	NM_001322452.2	1					



No domains

Transcript: NM_001322452.2 | Protein: NP_001309381.1 [most like canonical]


event	transcript_id	group	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
no_domains_in_region	ENST00000880292.1	2					





Transcript: ENST00000880292.1 | Protein: ENSP00000550351.1

Mark inside each domain — its tier on the InterPro entry-type ladder: 1 = Domain/Repeat · 2 = Family/Homologous superfamily · 3 = member-DB hit (G3DSA/PTHR/SSF/cd/PF) · S = site/PTM, ranked with tier 2. FILLED = kept, and compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — a 2, S or 3 when more than half of it is already covered by a higher tier, and an entry of ANY tier when it duplicates a longer kept entry of the same accession that overlaps it.

HNRNPH3 - H_sapiens | chr10:68,332,063-68,343,193 | 9 transcript(s) (page 2/3)




event	transcript_id	group	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
no_domains_in_region	NM_001322451.2	1					




Transcript: NM_001322451.2 | Protein: NP_001309380.1

event	transcript_id	group	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
no_domains_in_region	ENST00000880291.1	2					



Transcript: ENST00000880291.1 | Protein: ENSP00000550350.1

event	transcript_id	group	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
no_domains_in_region	ENST00000480987.5	1					



Transcript: ENST00000480987.5 | Protein: N/A



event	transcript_id	group	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
no_domains_in_region	ENST00000940777.1	2					




Transcript: ENST00000940777.1 | Protein: ENSP00000610836.1

Mark inside each domain — its tier on the InterPro entry-type ladder: 1 = Domain/Repeat · 3 = Family/Homologous superfamily · S = member-DB hit (G3DSA/PTHR/SSF/cd/PF) · S = site/PTM, ranked with tier 2. FILLED = kept, and compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — a 2, S or 3 when more than half of it is already covered by a higher tier, and an entry of ANY tier when it duplicates a longer kept entry of the same accession that overlaps it.

HNRNPH3 - H_sapiens | chr10:68,332,063-68,343,193 | 9 transcript(s) (page 3/3)



event	transcript_id	group	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
no_domains_in_region	ENST00000940785.1	2					



No domains

Transcript: ENST00000940785.1 | Protein: ENSP00000610844.1 [longest CDS]

Mark inside each domain — its tier on the InterPro entry-type ladder: 1 = Domain/Repeat · 2 = Family/Homologous superfamily · 3 = member-DB hit (G3DSA/PTHR/SSF/cd/PF) · S = site/PTM, ranked with tier 2. FILLED = kept, and compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — a 2, S or 3 when more than half of it is already covered by a higher tier, and an entry of ANY tier when it duplicates a longer kept entry of the same accession that overlaps it.