



SMAD9 - H_sapiens | chr13:36,844,830-36,920,887 | 35 transcript(s) (page 1/9)

idx	start	end
1	36867383	36872658
2	36867383	36872829



Transcript: ENST00000379826.5 | Protein: ENSP00000369154.4 [canonical]

event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_rul	domains_num	junction_in	junction_in_cds
added_domain	ENST00000962421.1	1		IPR013019		125.0	0.0	1.0		




Transcript: ENST00000962421.1 | Protein: ENSP00000632480.1 [longest CDS]

event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_rul	domains_num	junction_in	junction_in_cds
transcript_doesnt_have_features	ENST00000350148.10									



Transcript: ENST00000350148.10 | Protein: ENSP00000239885.6

event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_rul	domains_num	junction_in	junction_in_cds
transcript_doesnt_have_features	ENST00000399275.7									



Transcript: ENST00000399275.7 | Protein: ENSP00000382216.3

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

SMAD9 - H_sapiens | chr13:36,844,830-36,920,887 | 35 transcript(s) (page 2/9)



event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in_c	junction_in_cds
transcript_doesnt_have_features	ENST00000483941.2									



Transcript: ENST00000483941.2 | Protein: N/A [no protein]

event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in_c	junction_in_cds
no_unique_features	ENST00000715264.1									



Transcript: ENST00000715264.1 | Protein: ENSP00000520435.1

event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in_c	junction_in_cds
no_unique_features	ENST00000871572.1									



Transcript: ENST00000871572.1 | Protein: ENSP00000541631.1

event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in_c	junction_in_cds
transcript_doesnt_have_features	ENST00000871573.1									



Transcript: ENST00000871573.1 | Protein: ENSP00000541632.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

SMAD9 - H_sapiens | chr13:36,844,830-36,920,887 | 35 transcript(s) (page 3/9)



event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in_c	junction_in_cds
transcript_doesnt_have_features	ENST00000871574.1									



event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in_c	junction_in_cds
transcript_doesnt_have_features	ENST00000871575.1									



event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in_c	junction_in_cds
transcript_doesnt_have_features	ENST00000871576.1									



event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in_c	junction_in_cds
transcript_doesnt_have_features	ENST00000871577.1									



Transcript: ENST00000871577.1 | Protein: ENSP00000541636.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

SMAD9 - H_sapiens | chr13:36,844,830-36,920,887 | 35 transcript(s) (page 4/9)



Transcript: ENST00000871578.1 | Protein: ENSP00000541637.1

event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in_c	junction_in_cds
no_unique_features	ENST00000871579.1									



Transcript: ENST00000871579.1 | Protein: ENSP00000541638.1

event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in_c	junction_in_cds
transcript_doesnt_have_features	ENST00000871580.1									



Transcript: ENST00000871580.1 | Protein: ENSP00000541639.1


event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in_c	junction_in_cds
transcript_doesnt_have_features	ENST00000871581.1									




Transcript: ENST00000871581.1 | Protein: ENSP00000541640.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.


SMAD9 - H_sapiens | chr13:36,844,830-36,920,887 | 35 transcript(s) (page 5/9)




Transcript: ENST00000871582.1 | Protein: ENSP00000541641.1



Transcript: ENST00000871583.1 | Protein: ENSP00000541642.1





Transcript: ENST00000927850.1 | Protein: ENSP00000597909.1



Transcript: ENST00000962417.1 | Protein: ENSP00000632476.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

SMAD9 - H_sapiens | chr13:36,844,830-36,920,887 | 35 transcript(s) (page 6/9)




event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in_c	junction_in_cds
transcript_doesnt_have_features	ENST00000962418.1									



No domains

Transcript: ENST00000962418.1 | Protein: ENSP00000632477.1

event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in_c	junction_in_cds
transcript_doesnt_have_features	ENST00000962419.1									



Transcript: ENST00000962419.1 | Protein: ENSP00000632478.1

event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in_c	junction_in_cds
no_unique_features	ENST00000962420.1									



No domains

Transcript: ENST00000962420.1 | Protein: ENSP00000632479.1

event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in_c	junction_in_cds
transcript_doesnt_have_features	XM_005266403.4									




No domains

Transcript: XM_005266403.4 | Protein: XP_005266460.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

SMAD9 - H sapiens | chr13:36,844,830-36,920,887 | 35 transcript(s) (page 7/9



event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in_c	junction_in_c
transcript_doesnt_have_features	XM_005266404.4									



No domains

Transcript: XM_005266404.4 | Protein: XP_005266461.1

event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	junction_in_c	junction_in_c
no_unique_features	XM_006719827.4								



No domains

Transcript: XM_006719827.4 | Protein: XP_006719890.1

event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	junction_in_t	junction_in_c
no_unique_features	XM_047430354.1								



No domains

Transcript: XM_047430354.1 | Protein: XP_047286310.1


[illegible]

No domains

Transcript: XM_047430355.1 | Protein: XP_047286311.1

Only InterPro Domain and Repeat entries are drawn, and only those as compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

SMAD9 - H sapiens | chr13:36,844,830-36,920,887 | 35 transcript(s) (page 8/9)



event	transcript_id	group	rank	domain_id	c_domain_id	endomain_id	domains_num	junction_in	junction_in_c
no_unique_features	XM_047430356.1								



No domains

Transcript: XM_047430356.1 | Protein: XP_047286312.1

event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	junction_in_c	junction_in_c
no_unique_features	XM_047430358.1								



No domains

Transcript: XM_047430358.1 | Protein: XP_047286314.1

event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	junction_in_t	junction_in_c
no_unique_features	XM_047430359.1								



No domains

Transcript: XM_047430359.1 | Protein: XP_047286315.1


[illegible]

No domains

Transcript: XM_047430361.1 | Protein: XP_047286317.1


Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

SMAD9 - H_sapiens | chr13:36,844,830-36,920,887 | 35 transcript(s) (page 9/9)



Transcript: XM_047430362.1 | Protein: XP_047286318.1

event	transcript_id	group	rank	domain_id	c_domain_len	h_domain_len	domains_num	domains_num	junction_in_cds	junction_in_cds
transcript_doesnt_have_features	XM_047430363.1									



Transcript: XM_047430363.1 | Protein: XP_047286319.1

event	transcript_id	group	rank	domain_id	c_domain_id	h_domain_id	l_domain_id	domains_num	junction_in_t	junction_in_cds
transcript_doesnt_have_features	XM_047430364.1									



Transcript: XM_047430364.1 | Protein: XP_047286320.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.