






idx	start	end
1	6581299	6582058
2	6580636	6582058





Transcript: ENST00000377674.9 | Protein: ENSP00000366902.4 [canonical]

event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in_c	junction_in_cds
no_domains_in_region	ENST00000902995.1	1								





Transcript: ENST00000902995.1 | Protein: ENSP00000573054.1 [longest CDS]

event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in_c	junction_in_cds
no_unique_features	ENST00000319084.9									




Transcript: ENST00000319084.9 | Protein: ENSP00000313416.5

event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in_c	junction_in_cds
no_unique_features	ENST00000435905.5									



Transcript: ENST00000435905.5 | Protein: ENSP00000416054.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.



The diagram shows a protein with a signal peptide (green) and a transmembrane domain (red). The signal peptide is located at the N-terminus and is followed by a cytoplasmic domain (blue). The transmembrane domain is located in the membrane and is followed by a cytoplasmic domain (orange). The text "No domains" is written below the diagram.

Transcript: ENST00000466813.1 | Protein: ENSP00000467104.1

no annotated protein

No domains

Transcript: ENST00000466941.1 | Protein: N/A [no protein]

no annotated protein
No domains

No domains


Transcript: ENST00000482360.5 | Protein: N/A [no protein]

28 24
IPR013087 IPR013087


Transcript: ENST00000488936.1 | Protein: ENSP00000466390.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.


ZBTB48 - H_sapiens | chr1:6,579,993-6,589,280 | 33 transcript(s) (page 3/9)



Transcript: ENST00000498342.5 | Protein: N/A [no protein]



Transcript: ENST00000902993.1 | Protein: ENSP00000573052.1




Transcript: ENST00000902994.1 | Protein: ENSP00000573053.1




Transcript: ENST00000902996.1 | Protein: ENSP00000573055.1


Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.




Transcript: ENST00000902997.1 | Protein: ENSP00000573056.1



Transcript: ENST00000902998.1 | Protein: ENSP00000573057.1



Transcript: ENST00000902999.1 | Protein: ENSP00000573058.1



Transcript: ENST00000915764.1 | Protein: ENSP00000585823.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.


A horizontal number line is shown, ranging from 6,580,000 to 6,589,000. Major tick marks are labeled at 6,580,000, 6,581,500, 6,583,000, 6,584,500, 6,586,000, 6,587,500, and 6,589,000. Minor tick marks are present every 100,000 units. A vertical dashed line is drawn at the 6,583,000 mark.




No domains




Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain in the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.




Transcript: ENST00000953435.1 | Protein: ENSP00000623494.1



Transcript: NM_001278647.2 | Protein: NP_001265576.1




Transcript: XM_017001111.3 | Protein: XP_016856600.1




Transcript: XM_047418865.1 | Protein: XP_047274821.1


Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.




Transcript: XM_047418867.1 | Protein: XP_047274823.1



Transcript: XM_047418868.1 | Protein: XP_047274824.1




Transcript: XM_047418869.1 | Protein: XP_047274825.1




Transcript: XM_047418870.1 | Protein: XP_047274826.1


Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.




Transcript: XM_047418875.1 | Protein: XP_047274831.1



Transcript: XM_047418878.1 | Protein: XP_047274834.1





Transcript: XM_047418880.1 | Protein: XP_047274836.1



Transcript: XM_047418882.1 | Protein: XP_047274838.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.


ZBTB48 - H_sapiens | chr1:6,579,993-6,589,280 | 33 transcript(s) (page 9/9)



event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in_c	junction_in_cds
transcript_doesnt_have_features	XM_047418886.1									



No domains



Transcript: XM_047418886.1 | Protein: XP_047274842.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.