



idx	start	end
1	100631052	100631806
2	100631885	100633001
3	100631052	100632082
4	100632149	100633001



Genomic Position (bp)



Amino Acid Position



No domains

Transcript: ENST00000223051.8 | Protein: ENSP00000223051.3 [canonical]

event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in	junction_in_cds
no_domains_in_region	ENST00000855264.1	1								



No domains

Transcript: ENST00000855264.1 | Protein: ENSP00000525323.1 [longest CDS]

event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in	junction_in_cds
no_domains_in_region	ENST00000855256.1	2								



No domains

Transcript: ENST00000855256.1 | Protein: ENSP00000525315.1 [longest CDS]

event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in	junction_in_cds
transcript_doesnt_have_features	ENST00000431692.5									



No domains

Transcript: ENST00000431692.5 | Protein: ENSP00000413905.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

TFR2 - H_sapiens | chr7:100,620,415-100,642,779 | 85 transcript(s) (page 2/22)



event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in_c	junction_in_cds
transcript_doesnt_have_features	ENST00000461176.1									



Transcript: ENST00000461176.1 | Protein: N/A [no protein]

event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in_c	junction_in_cds
transcript_doesnt_have_features	ENST00000462090.5									



Transcript: ENST00000462090.5 | Protein: N/A [no protein]

event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in_c	junction_in_cds
no_unique_features	ENST00000462107.1									



Transcript: ENST00000462107.1 | Protein: ENSP00000420525.1


event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in_c	junction_in_cds
transcript_doesnt_have_features	ENST00000465294.5									



Transcript: ENST00000465294.5 | Protein: N/A [no protein]

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

TFR2 - H_sapiens | chr7:100,620,415-100,642,779 | 85 transcript(s) (page 3/22)



event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in_c	junction_in_cds
transcript_doesnt_have_features	ENST00000473374.5									



Transcript: ENST00000473374.5 | Protein: N/A [no protein]

event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in_c	junction_in_cds
no_unique_features	ENST00000473571.1									



Transcript: ENST00000473571.1 | Protein: N/A [no protein]

event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in_c	junction_in_cds
no_unique_features	ENST00000473963.1									



Transcript: ENST00000473963.1 | Protein: N/A [no protein]

event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in_c	junction_in_cds
transcript_doesnt_have_features	ENST00000474947.1									



Transcript: ENST00000474947.1 | Protein: N/A [no protein]

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

TFR2 - H_sapiens | chr7:100,620,415-100,642,779 | 85 transcript(s) (page 4/22)



event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in_c	junction_in_cds
transcript_doesnt_have_features	ENST00000475011.1									



Transcript: ENST00000475011.1 | Protein: N/A [no protein]

event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in_c	junction_in_cds
no_unique_features	ENST00000476304.5									



Transcript: ENST00000476304.5 | Protein: N/A [no protein]

event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in_c	junction_in_cds
transcript_doesnt_have_features	ENST00000490084.5									



Transcript: ENST00000490084.5 | Protein: ENSP00000418942.1


event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in_c	junction_in_cds
no_unique_features	ENST00000855220.1									



Transcript: ENST00000855220.1 | Protein: ENSP00000525279.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

TFR2 - H_sapiens | chr7:100,620,415-100,642,779 | 85 transcript(s) (page 5/22)



event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in_c	junction_in_cds
no_unique_features	ENST00000855221.1									



No domains

Transcript: ENST00000855221.1 | Protein: ENSP00000525280.1

event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in_c	junction_in_cds
no_unique_features	ENST00000855222.1									



No domains

Transcript: ENST00000855222.1 | Protein: ENSP00000525281.1

event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in_c	junction_in_cds
no_unique_features	ENST00000855223.1									



No domains

Transcript: ENST00000855223.1 | Protein: ENSP00000525282.1

event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in_c	junction_in_cds
no_unique_features	ENST00000855224.1									





No domains

Transcript: ENST00000855224.1 | Protein: ENSP00000525283.1


Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

85 transcript(s) (page 6/22)



Transcript: ENST00000855225.1 | Protein: ENSP00000525284.1

event	transcript_id	group	rank	domain_id	c_domain_len	l_domain_len	domains_num	l_domains_num	junction_in_t	junction_in_cds
no_unique_features	ENST00000855226.1									



Transcript: ENST00000855226.1 | Protein: ENSP00000525285.1

event	transcript_id	group	rank	domain_id	c_domain_len	l_domain_len	domains_num	domains_num	junction_in_t	junction_in_cds
no_unique_features	ENST0000085527.1									



Transcript: ENST00000855227.1 | Protein: ENSP00000525286.1


event	transcript_id	group	rank	domain_id	c_domain_len	l_domain_len	domains_num	l_domains_num	junction_in_t	junction_in_cds
no_unique_features	ENST00000855228.1									



Transcript: ENST00000855228.1 | Protein: ENSP00000525287.1

Only InterPro Domain and Repeat entries are drawn, and only those that are compared — so every domain in the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

85 transcript(s) (page 7/22)



event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	junction_in_c	junction_in_cds
no_unique_features	ENST00000855229.1								



No domains

Transcript: ENST00000855229.1 | Protein: ENSP00000525288.1

[illegible]

No domains

Transcript: ENST00000855230.1 | Protein: ENSP00000525289.1

event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	junction_in_c	junction_in cds
no_unique_features	ENST00000855231.1								



No domains

Transcript: ENST00000855231.1 | Protein: ENSP00000525290.1

event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	junction_in_t	junction_in_cds
no_unique_features	ENST00000855232.1								




No domains

Transcript: ENST00000855232.1 | Protein: ENSP00000525291.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3D5A/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

85 transcript(s) (page 8/22)



event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	junction_in_c	junction_in_cds
no_unique_features	ENST00000855233.1								



Transcript: ENST00000855233.1 | Protein: ENSP00000525292.1

[illegible]

Transcript: ENST00000855234.1 | Protein: ENSP00000525293.1

event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	junction_in_c	junction_in cds
no_unique_features	ENST00000855235.1								



Transcript: ENST00000855235.1 | Protein: ENSP00000525294.1


event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	junction_in_t	junction_in_cds
no_unique_features	ENST00000855236.1								



Transcript: ENST00000855236.1 | Protein: ENSP00000525295.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3D5A/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

85 transcript(s) (page 9/22)



event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	junction_in_c	junction_in_cds
no_unique_features	ENST00000855237.1								



Transcript: ENST00000855237.1 | Protein: ENSP00000525296.1

event	transcript_id	group	rank	domain_id	c_domain_len	endomain_len	domains_num	domains_num	junction_in_t	junction_in_cds
no_unique_features	ENST00000855238.1									



Transcript: ENST00000855238.1 | Protein: ENSP00000525297.1

event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	junction_in_c	junction_in cds
no_unique_features	ENST00000855239.1								




Transcript: ENST00000855239.1 | Protein: ENSP00000525298.1

[illegible]

Transcript: ENST00000855240.1 | Protein: ENSP00000525299.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

TFR2 - H_sapiens | chr7:100,620,415-100,642,779 | 85 transcript(s) (page 10/22)



event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in_c	junction_in_cds
no_unique_features	ENST00000855241.1									



Transcript: ENST00000855241.1 | Protein: ENSP00000525300.1

event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in_c	junction_in_cds
no_unique_features	ENST00000855242.1									



Transcript: ENST00000855242.1 | Protein: ENSP00000525301.1

event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in_c	junction_in_cds
no_unique_features	ENST00000855243.1									



Transcript: ENST00000855243.1 | Protein: ENSP00000525302.1

event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in_c	junction_in_cds
no_unique_features	ENST00000855244.1									



Transcript: ENST00000855244.1 | Protein: ENSP00000525303.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

TFR2 - H_sapiens | chr7:100,620,415-100,642,779 | 85 transcript(s) (page 11/22)



event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in_c	junction_in_cds
no_unique_features	ENST00000855245.1									



Transcript: ENST00000855245.1 | Protein: ENSP00000525304.1

event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in_c	junction_in_cds
no_unique_features	ENST00000855246.1									



Transcript: ENST00000855246.1 | Protein: ENSP00000525305.1

event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in_c	junction_in_cds
no_unique_features	ENST00000855247.1									



Transcript: ENST00000855247.1 | Protein: ENSP00000525306.1

event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in_c	junction_in_cds
no_unique_features	ENST00000855248.1									



Transcript: ENST00000855248.1 | Protein: ENSP00000525307.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

TFR2 - H_sapiens | chr7:100,620,415-100,642,779 | 85 transcript(s) (page 12/22)



event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in_c	junction_in_cds
no_unique_features	ENST00000855249.1									



No domains

Transcript: ENST00000855249.1 | Protein: ENSP00000525308.1

event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in_c	junction_in_cds
no_unique_features	ENST00000855250.1									



No domains

Transcript: ENST00000855250.1 | Protein: ENSP00000525309.1

event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in_c	junction_in_cds
transcript_doesnt_have_features	ENST00000855251.1									



No domains

Transcript: ENST00000855251.1 | Protein: ENSP00000525310.1

event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in_c	junction_in_cds
no_unique_features	ENST00000855252.1									




No domains

Transcript: ENST00000855252.1 | Protein: ENSP00000525311.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

TFR2 - H_sapiens | chr7:100,620,415-100,642,779 | 85 transcript(s) (page 13/22)



event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in_c	junction_in_cds
no_unique_features	ENST00000855253.1									



Transcript: ENST00000855253.1 | Protein: ENSP00000525312.1

event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in_c	junction_in_cds
no_unique_features	ENST00000855254.1									



Transcript: ENST00000855254.1 | Protein: ENSP00000525313.1

event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in_c	junction_in_cds
no_unique_features	ENST00000855255.1									



Transcript: ENST00000855255.1 | Protein: ENSP00000525314.1


event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in_c	junction_in_cds
no_unique_features	ENST00000855257.1									



Transcript: ENST00000855257.1 | Protein: ENSP00000525316.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

TFR2 - H_sapiens | chr7:100,620,415-100,642,779 | 85 transcript(s) (page 14/22)



event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in_c	junction_in_cds
no_unique_features	ENST00000855258.1									



Transcript: ENST00000855258.1 | Protein: ENSP00000525317.1

event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in_c	junction_in_cds
no_unique_features	ENST00000855259.1									



Transcript: ENST00000855259.1 | Protein: ENSP00000525318.1

event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in_c	junction_in_cds
no_unique_features	ENST00000855260.1									



Transcript: ENST00000855260.1 | Protein: ENSP00000525319.1

event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in_c	junction_in_cds
no_unique_features	ENST00000855261.1									



Transcript: ENST00000855261.1 | Protein: ENSP00000525320.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

TFR2 - H_sapiens | chr7:100,620,415-100,642,779 | 85 transcript(s) (page 15/22)



event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in_c	junction_in_cds
no_unique_features	ENST00000855262.1									




Transcript: ENST00000855262.1 | Protein: ENSP00000525321.1

event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in_c	junction_in_cds
no_unique_features	ENST00000855263.1									



Transcript: ENST00000855263.1 | Protein: ENSP00000525322.1

event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in_c	junction_in_cds
no_unique_features	ENST00000855265.1									



Transcript: ENST00000855265.1 | Protein: ENSP00000525324.1

event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in_c	junction_in_cds
no_unique_features	ENST00000855266.1									



Transcript: ENST00000855266.1 | Protein: ENSP00000525325.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

TFR2 - H_sapiens | chr7:100,620,415-100,642,779 | 85 transcript(s) (page 16/22)



event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in_c	junction_in_cds
no_unique_features	ENST00000855267.1									



Transcript: ENST00000855267.1 | Protein: ENSP00000525326.1

event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in_c	junction_in_cds
no_unique_features	ENST00000855268.1									



Transcript: ENST00000855268.1 | Protein: ENSP00000525327.1

event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in_c	junction_in_cds
no_unique_features	ENST00000855269.1									



Transcript: ENST00000855269.1 | Protein: ENSP00000525328.1

event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in_c	junction_in_cds
no_unique_features	ENST00000855270.1									



Transcript: ENST00000855270.1 | Protein: ENSP00000525329.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

TFR2 - H_sapiens | chr7:100,620,415-100,642,779 | 85 transcript(s) (page 17/22)



event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in_c	junction_in_cds
no_unique_features	ENST00000855271.1									



Transcript: ENST00000855271.1 | Protein: ENSP00000525330.1

event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in_c	junction_in_cds
no_unique_features	ENST00000855272.1									



Transcript: ENST00000855272.1 | Protein: ENSP00000525331.1

event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in_c	junction_in_cds
no_unique_features	ENST00000855273.1									



Transcript: ENST00000855273.1 | Protein: ENSP00000525332.1

event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in_c	junction_in_cds
no_unique_features	ENST00000855274.1									



Transcript: ENST00000855274.1 | Protein: ENSP00000525333.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

TFR2 - H_sapiens | chr7:100,620,415-100,642,779 | 85 transcript(s) (page 18/22)



event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in_c	junction_in_cds
no_unique_features	ENST00000855275.1									



Transcript: ENST00000855275.1 | Protein: ENSP00000525334.1

event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in_c	junction_in_cds
no_unique_features	ENST00000855276.1									



Transcript: ENST00000855276.1 | Protein: ENSP00000525335.1

event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in_c	junction_in_cds
no_unique_features	ENST00000855277.1									



Transcript: ENST00000855277.1 | Protein: ENSP00000525336.1


event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in_c	junction_in_cds
no_unique_features	ENST00000855278.1									



Transcript: ENST00000855278.1 | Protein: ENSP00000525337.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

TFR2 - H_sapiens | chr7:100,620,415-100,642,779 | 85 transcript(s) (page 19/22)



event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in_c	junction_in_cds
no_unique_features	ENST00000855279.1									



Transcript: ENST00000855279.1 | Protein: ENSP00000525338.1

event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in_c	junction_in_cds
no_unique_features	ENST00000855280.1									



Transcript: ENST00000855280.1 | Protein: ENSP00000525339.1

event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in_c	junction_in_cds
no_unique_features	ENST00000855281.1									



Transcript: ENST00000855281.1 | Protein: ENSP00000525340.1

event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in_c	junction_in_cds
no_unique_features	ENST00000855282.1									



Transcript: ENST00000855282.1 | Protein: ENSP00000525341.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

TFR2 - H_sapiens | chr7:100,620,415-100,642,779 | 85 transcript(s) (page 20/22)



event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in_c	junction_in_cds
no_unique_features	ENST00000855283.1									



Transcript: ENST00000855283.1 | Protein: ENSP00000525342.1

event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in_c	junction_in_cds
no_unique_features	ENST00000855284.1									



Transcript: ENST00000855284.1 | Protein: ENSP00000525343.1

event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in_c	junction_in_cds
no_unique_features	ENST00000855285.1									



Transcript: ENST00000855285.1 | Protein: ENSP00000525344.1


event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in_c	junction_in_cds
no_unique_features	ENST00000855286.1									



Transcript: ENST00000855286.1 | Protein: ENSP00000525345.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

TFR2 - H_sapiens | chr7:100,620,415-100,642,779 | 85 transcript(s) (page 21/22)



event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in_c	junction_in_cds
no_unique_features	ENST00000958152.1									



No domains

Transcript: ENST00000958152.1 | Protein: ENSP00000628211.1

event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in_c	junction_in_cds
no_unique_features	ENST00000958153.1									



No domains

Transcript: ENST00000958153.1 | Protein: ENSP00000628212.1

event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in_c	junction_in_cds
no_unique_features	ENST00000958154.1									



No domains

Transcript: ENST00000958154.1 | Protein: ENSP00000628213.1

event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in_c	junction_in_cds
no_unique_features	ENST00000958155.1									





No domains


Transcript: ENST00000958155.1 | Protein: ENSP00000628214.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

TFR2 - H_sapiens | chr7:100,620,415-100,642,779 | 85 transcript(s) (page 22/22)



event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in_c	junction_in_cds
no_unique_features	NM_001206855.3									



No domains

Transcript: NM_001206855.3 | Protein: NP_001193784.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.