





idx	start	end
1	164743875	164800534
2	164743875	164841156





Transcript: ENST00000652658.2 | Protein: ENSP00000498242.1 [canonical]

event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_rul	domains_num	junction_in_c	junction_in_cds
no_domains_in_region	ENST00000629362.2	1								




Transcript: ENST00000629362.2 | Protein: ENSP00000487041.2 [longest CDS]

event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_rul	domains_num	junction_in_c	junction_in_cds
no_domains_in_region	ENST00000445474.2	1								




Transcript: ENST00000445474.2 | Protein: ENSP00000388110.3

event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_rul	domains_num	junction_in_c	junction_in_cds
no_unique_features	ENST00000342193.8									





Transcript: ENST00000342193.8 | Protein: ENSP00000341360.4

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.




event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in_c	junction_in_cds
no_unique_features	ENST00000375458.6									



No domains

Transcript: ENST00000375458.6 | Protein: ENSP00000364607.2


event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in_c	junction_in_cds
no_unique_features	ENST00000409184.8									



92
IPR019025

Transcript: ENST00000409184.8 | Protein: ENSP00000387326.5


event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in_c	junction_in_cds
no_unique_features	ENST00000414843.5									



No domains

Transcript: ENST00000414843.5 | Protein: ENSP00000387967.1



event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in_c	junction_in_cds
no_unique_features	ENST00000434366.5									



No domains

Transcript: ENST00000434366.5 | Protein: N/A [no protein]

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.



event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in_c	junction_in_cds
transcript_doesnt_have_features	ENST00000439313.5									



IPR019025

Transcript: ENST00000439313.5 | Protein: ENSP00000397835.1


event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in_c	junction_in_cds
transcript_doesnt_have_features	ENST00000444537.5									



No domains

Transcript: ENST00000444537.5 | Protein: ENSP00000409237.1

event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in_c	junction_in_cds
no_unique_features	ENST00000448708.5									



IPR019025

Transcript: ENST00000448708.5 | Protein: ENSP00000406062.1




event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in_c	junction_in_cds
transcript_doesnt_have_features	ENST00000452626.5									



No domains



Transcript: ENST00000452626.5 | Protein: N/A [no protein]

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.




Transcript: ENST00000456171.5 | Protein: ENSP00000416311.1

event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in_c	junction_in_cds
transcript_doesnt_have_features	ENST00000456693.5									





Transcript: ENST00000456693.5 | Protein: ENSP00000397520.2

event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in_c	junction_in_cds
transcript_doesnt_have_features	ENST00000460238.1									




Transcript: ENST00000460238.1 | Protein: N/A [no protein]

event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in_c	junction_in_cds
transcript_doesnt_have_features	ENST00000474975.1									




Transcript: ENST00000474975.1 | Protein: N/A [no protein]


Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.




Transcript: ENST00000480873.1 | Protein: ENSP00000505721.1



Transcript: ENST00000483743.6 | Protein: ENSP00000506410.1




Transcript: ENST00000489955.1 | Protein: N/A [no protein]




Transcript: ENST00000491126.6 | Protein: N/A [no protein]


Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.




Transcript: ENST00000493713.1 | Protein: N/A [no protein]



Transcript: ENST00000493868.5 | Protein: N/A [no protein]



Transcript: ENST00000493921.1 | Protein: N/A [no protein]



Transcript: ENST00000495084.1 | Protein: N/A [no protein]

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

164,825,000

164,775,000

164,725,000


164,675,000

164,800,000

164,750,000

164,700,000

event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_rul	domains_nuo	junction_in_c	junction_in_cds
no_unique_features	ENST00000496396.1									



Transcript: ENST00000496396.1 | Protein: ENSP00000506028.1

event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_rul	domains_nuo	junction_in_c	junction_in_cds
no_unique_features	ENST00000861276.1									



Transcript: ENST00000861276.1 | Protein: ENSP00000531335.1

event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_rul	domains_nuo	junction_in_c	junction_in_cds
no_unique_features	ENST00000861277.1									





Transcript: ENST00000861277.1 | Protein: ENSP00000531336.1

event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_rul	domains_nuo	junction_in_c	junction_in_cds
no_unique_features	ENST00000861278.1									




Transcript: ENST00000861278.1 | Protein: ENSP00000531337.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.




event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in_c	junction_in_cds
no_unique_features	ENST00000861279.1									




Transcript: ENST00000861279.1 | Protein: ENSP00000531338.1

event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in_c	junction_in_cds
no_unique_features	ENST00000861280.1									




Transcript: ENST00000861280.1 | Protein: ENSP00000531339.1

event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in_c	junction_in_cds
no_unique_features	ENST00000861281.1									



Transcript: ENST00000861281.1 | Protein: ENSP00000531340.1

event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in_c	junction_in_cds
no_unique_features	ENST00000861282.1									




Transcript: ENST00000861282.1 | Protein: ENSP00000531341.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.


A horizontal number line with tick marks. The values 164,825,000 and 164,675,000 are labeled above the line. The values 164,800,000 and 164,750,000 are labeled below the line. Vertical dashed lines extend from the bottom labels to the top labels, showing that 164,825,000 is 25,000 units above 164,800,000 and 164,675,000 is 25,000 units above 164,750,000.

[illegible][illegible][illegible]

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3D5A/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.




event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in_c	junction_in_cds
no_unique_features	ENST00000861287.1									




Transcript: ENST00000861287.1 | Protein: ENSP00000531346.1

event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in_c	junction_in_cds
no_unique_features	ENST00000861288.1									




Transcript: ENST00000861288.1 | Protein: ENSP00000531347.1

event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in_c	junction_in_cds
no_unique_features	ENST00000926847.1									





Transcript: ENST00000926847.1 | Protein: ENSP00000596906.1

event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in_c	junction_in_cds
no_unique_features	ENST00000926848.1									




Transcript: ENST00000926848.1 | Protein: ENSP00000596907.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.




event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in_c	junction_in_cds
transcript_doesnt_have_features	ENST00000926849.1									



92
PRO19025

Transcript: ENST00000926849.1 | Protein: ENSP00000596908.1


event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in_c	junction_in_cds
no_unique_features	ENST00000926850.1									



No domains

Transcript: ENST00000926850.1 | Protein: ENSP00000596909.1


event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in_c	junction_in_cds
no_unique_features	ENST00000946162.1									



No domains

Transcript: ENST00000946162.1 | Protein: ENSP00000616221.1

event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in_c	junction_in_cds
no_unique_features	ENST00000946163.1									



No domains

Transcript: ENST00000946163.1 | Protein: ENSP00000616222.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.



event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in_c	junction_in_cds
no_unique_features	ENST00000946164.1									



Transcript: ENST00000946164.1 | Protein: ENSP00000616223.1

event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in_c	junction_in_cds
no_unique_features	ENST00000946165.1									



Transcript: ENST00000946165.1 | Protein: ENSP00000616224.1

event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in_c	junction_in_cds
no_unique_features	NM_001365670.2									



Transcript: NM_001365670.2 | Protein: NP_001352599.1

event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in_c	junction_in_cds
no_unique_features	NM_001365671.1									



Transcript: NM_001365671.1 | Protein: NP_001352600.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.