



idx	start	end
1	37968134	37968883
2	37968134	37969354



Transcript: ENST00000373019.5 | Protein: ENSP00000362110.4 [canonical]

event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in	junction_in_cds
dropped_domain	ENST00000896916.1	1		IPR000690	32.0		1.0	0.0		



Transcript: ENST00000896916.1 | Protein: ENSP00000566975.1 [longest CDS]

event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in	junction_in_cds
transcript_doesnt_have_features	ENST00000460925.1									




Transcript: ENST00000460925.1 | Protein: N/A [no protein]

event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in	junction_in_cds
transcript_doesnt_have_features	ENST00000461869.5									




Transcript: ENST00000461869.5 | Protein: N/A [no protein]


Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.




Transcript: ENST00000462258.1 | Protein: N/A [no protein]



Transcript: ENST00000470585.5 | Protein: N/A [no protein]





Transcript: ENST00000487062.1 | Protein: N/A [no protein]




Transcript: ENST00000488934.1 | Protein: N/A [no protein]

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.





event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in_c	junction_in_cds
transcript_doesnt_have_features	ENST00000489537.5									

no annotated protein
No domains




Transcript: ENST00000489537.5 | Protein: N/A [no protein]

event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in_c	junction_in_cds
no_unique_features	ENST00000896912.1									




Transcript: ENST00000896912.1 | Protein: ENSP00000566971.1

event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in_c	junction_in_cds
no_unique_features	ENST00000896913.1									





Transcript: ENST00000896913.1 | Protein: ENSP00000566972.1

event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in_c	junction_in_cds
no_unique_features	ENST00000896914.1									





Transcript: ENST00000896914.1 | Protein: ENSP00000566973.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.





event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in	junction_in_cds
no_unique_features	ENST00000896915.1									




Transcript: ENST00000896915.1 | Protein: ENSP00000566974.1

event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in	junction_in_cds
no_unique_features	ENST00000931598.1									





Transcript: ENST00000931598.1 | Protein: ENSP00000601657.1

event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in	junction_in_cds
no_unique_features	ENST00000931599.1									




Transcript: ENST00000931599.1 | Protein: ENSP00000601658.1

event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in	junction_in_cds
no_unique_features	ENST00000931600.1									




Transcript: ENST00000931600.1 | Protein: ENSP00000601659.1


Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.




Transcript: ENST00000931601.1 | Protein: ENSP00000601660.1



Transcript: ENST00000931602.1 | Protein: ENSP00000601661.1




Transcript: ENST00000931603.1 | Protein: ENSP00000601662.1




Transcript: ENST00000931604.1 | Protein: ENSP00000601663.1


Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.




Transcript: ENST00000931605.1 | Protein: ENSP00000601664.1



Transcript: ENST00000963484.1 | Protein: ENSP00000633543.1



Transcript: ENST00000963485.1 | Protein: ENSP00000633544.1



Transcript: ENST00000963486.1 | Protein: ENSP00000633545.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.