





SORL1 - H_sapiens | chr11:121,452,313-121,633,763 | 15 transcript(s) (page 1/4)

idx	start	end
1	121452616	121470007
2	121452616	121478118




Transcript: ENST00000260197.12 | Protein: ENSP00000260197.6 [canonical]

event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in	junction_in_cds
longer	ENST00000905167.1	1		IPR006581	664.0	673.0	1.0	1.0		




Transcript: ENST00000905167.1 | Protein: ENSP00000575226.1 [longest CDS]

event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in	junction_in_cds
transcript_doesnt_have_features	ENST00000524633.1									



Transcript: ENST00000524633.1 | Protein: N/A [no protein]


event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in	junction_in_cds
transcript_doesnt_have_features	ENST00000524873.1									





Transcript: ENST00000524873.1 | Protein: N/A [no protein]

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

SORL1 - H_sapiens | chr11:121,452,313-121,633,763 | 15 transcript(s) (page 2/4)




event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in_ct	junction_in_cds
transcript_doesnt_have_features	ENST00000525532.5									





Transcript: ENST00000525532.5 | Protein: ENSP00000434634.1

event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in_ct	junction_in_cds
transcript_doesnt_have_features	ENST00000527649.1									





Transcript: ENST00000527649.1 | Protein: N/A [no protein]

event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in_ct	junction_in_cds
transcript_doesnt_have_features	ENST00000527934.1									



Transcript: ENST00000527934.1 | Protein: ENSP00000435405.1


event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in_ct	junction_in_cds
transcript_doesnt_have_features	ENST00000528339.5									




Transcript: ENST00000528339.5 | Protein: N/A [no protein]

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

A horizontal number line with major tick marks at 121,500,000, 121,550,000, and 121,600,000. There are also minor tick marks between these major values. Four numbers are placed above the line: 121,475,000 is between 121,500,000 and 121,550,000; 121,525,000 is between 121,500,000 and 121,550,000; 121,575,000 is between 121,550,000 and 121,600,000; and 121,625,000 is to the right of 121,600,000.




event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	junction_in_c	junction_in_cds
transcript_doesnt_have_features	ENST00000530365.1								



event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in_c	junction_in_cds
no_unique_features	ENST00000532451.1									




event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in_c	junction_in_cds
transcript_doesnt_have_features	ENST00000532694.5									



Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

SORL1 - H_sapiens | chr11:121,452,313-121,633,763 | 15 transcript(s) (page 4/4)




Transcript: ENST00000534286.5 | Protein: ENSP00000436447.1

event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in_c	junction_in_cds
transcript_doesnt_have_features	ENST00000534754.5									



Transcript: ENST00000534754.5 | Protein: N/A [no protein]

event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in_c	junction_in_cds
no_unique_features	ENST00000905166.1									



Transcript: ENST00000905166.1 | Protein: ENSP00000575225.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.