


idx	start	end
1	343908	344335
2	343908	372664



Transcript: ENST00000240499.8 | Protein: ENSP00000240499.7 [canonical]

event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in	junction_in_cds
dropped_domain	XM_011513562.4	1		IPR001909	72.0		1.0	0.0		
dropped_domain	XM_011513562.4	1		IPR013087	224.0		8.0	0.0		



Transcript: XM_011513562.4 | Protein: XP_011511864.1 [longest CDS]

event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in	junction_in_cds
longer	ENST00000885053.1	1		IPR001909	72.0	75.0	1.0	1.0		
increased_domain_number	ENST00000885053.1	1		IPR013087	224.0	252.0	8.0	9.0		




Transcript: ENST00000885053.1 | Protein: ENSP00000555112.1

event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in	junction_in_cds
transcript_doesnt_have_features	ENST00000366506.4									



Transcript: ENST00000366506.4 | Protein: N/A [no protein]

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.





event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in_c	junction_in_cds
no_unique_features	ENST00000503699.1									



no annotated protein
No domains



Transcript: ENST00000503699.1 | Protein: N/A [no protein]

event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in_c	junction_in_cds
no_unique_features	ENST00000505939.5									




Transcript: ENST00000505939.5 | Protein: ENSP00000424403.1

event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in_c	junction_in_cds
no_unique_features	ENST00000512994.5									



Transcript: ENST00000512994.5 | Protein: ENSP00000425799.1

event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in_c	junction_in_cds
transcript_doesnt_have_features	ENST00000579770.1									




no annotated protein
No domains



Transcript: ENST00000579770.1 | Protein: N/A [no protein]

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

ZNF141 - H_sapiens | chr4:337,799-384,868 | 14 transcript(s) (page 3/4)




event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in_c	junction_in_cds
no_unique_features	ENST00000885054.1									




Transcript: ENST00000885054.1 | Protein: ENSP00000555113.1

event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in_c	junction_in_cds
transcript_doesnt_have_features	NM_001348277.2									




Transcript: NM_001348277.2 | Protein: NP_001335206.1

event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in_c	junction_in_cds
no_unique_features	NM_001348279.2									



Transcript: NM_001348279.2 | Protein: NP_001335208.1


event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in_c	junction_in_cds
no_unique_features	NM_001348280.2									



Transcript: NM_001348280.2 | Protein: NP_001335209.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

ZNF141 - H_sapiens | chr4:337,799-384,868 | 14 transcript(s) (page 4/4)



event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in_c	junction_in_cds
no_unique_features	XM_017008591.3									



Transcript: XM_017008591.3 | Protein: XP_016864080.1

event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in_c	junction_in_cds
no_unique_features	XM_047416147.1									



Transcript: XM_047416147.1 | Protein: XP_047272103.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.