





SEPTIN9 - H_sapiens | chr17:77,280,568-77,500,596 | 50 transcript(s) (page 1/13)

idx	start	end
1	77488864	77490742
2	77488864	77490748



Transcript: ENST00000427177.6 | Protein: ENSP00000391249.1 [canonical]

event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in_c	junction_in_cds
added_domain	ENST00000873887.1	1		IPR030379		275.0	0.0	1.0		



Transcript: ENST00000873887.1 | Protein: ENSP00000543946.1 [longest CDS]

event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in_c	junction_in_cds
no_unique_features	ENST00000329047.13									



Transcript: ENST00000329047.13 | Protein: ENSP00000329161.8


event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in_c	junction_in_cds
no_unique_features	ENST00000423034.6									



Transcript: ENST00000423034.6 | Protein: ENSP00000405877.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

SEPTIN9 - H_sapiens | chr17:77,280,568-77,500,596 | 50 transcript(s) (page 2/13)



event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in_c	junction_in_cds
no_unique_features	ENST00000427180.5									



Transcript: ENST00000427180.5 | Protein: ENSP00000504196.1

event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in_c	junction_in_cds
no_unique_features	ENST00000427674.6									



Transcript: ENST00000427674.6 | Protein: ENSP00000403194.1

event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in_c	junction_in_cds
no_unique_features	ENST00000431235.6									



Transcript: ENST00000431235.6 | Protein: ENSP00000406987.2


event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in_c	junction_in_cds
no_unique_features	ENST00000449803.6									




Transcript: ENST00000449803.6 | Protein: ENSP00000400181.2

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

SEPTIN9 - H_sapiens | chr17:77,280,568-77,500,596 | 50 transcript(s) (page 3/13)



event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in_c	junction_in_cds
no_unique_features	ENST00000541152.6									




Transcript: ENST00000541152.6 | Protein: ENSP00000438089.2

event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in_c	junction_in_cds
transcript_doesnt_have_features	ENST00000585638.1									




Transcript: ENST00000585638.1 | Protein: N/A [no protein]

event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in_c	junction_in_cds
transcript_doesnt_have_features	ENST00000585929.5									



Transcript: ENST00000585929.5 | Protein: ENSP00000467780.1


event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in_c	junction_in_cds
no_unique_features	ENST00000585930.5									




Transcript: ENST00000585930.5 | Protein: ENSP00000468120.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.


SEPTIN9 - H_sapiens | chr17:77,280,568-77,500,596 | 50 transcript(s) (page 4/13)




Transcript: ENST00000586128.5 | Protein: ENSP00000467792.1



Transcript: ENST00000586433.5 | Protein: ENSP00000468110.1




Transcript: ENST00000586456.1 | Protein: N/A [no protein]




Transcript: ENST00000586521.5 | Protein: ENSP00000466170.1


Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.




Transcript: ENST00000586812.1 | Protein: N/A [no protein]



Transcript: ENST00000587237.1 | Protein: N/A [no protein]




Transcript: ENST00000587514.1 | Protein: N/A [no protein]



Transcript: ENST00000588575.1 | Protein: ENSP00000468090.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

SEPTIN9 - H_sapiens | chr17:77,280,568-77,500,596 | 50 transcript(s) (page 6/13)




event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in_c	junction_in_cds
no_unique_features	ENST00000588690.6									




Transcript: ENST00000588690.6 | Protein: ENSP00000468668.1

event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in_c	junction_in_cds
no_unique_features	ENST00000588958.6									




Transcript: ENST00000588958.6 | Protein: ENSP00000464832.1

event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in_c	junction_in_cds
transcript_doesnt_have_features	ENST00000589070.1									



Transcript: ENST00000589070.1 | Protein: ENSP00000465332.1


event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in_c	junction_in_cds
transcript_doesnt_have_features	ENST00000589140.1									



Transcript: ENST00000589140.1 | Protein: ENSP00000466997.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

SEPTIN9 - H_sapiens | chr17:77,280,568-77,500,596 | 50 transcript(s) (page 7/13)



event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in_c	junction_in_cds
transcript_doesnt_have_features	ENST00000589246.1									



No domains

Transcript: ENST00000589246.1 | Protein: N/A [no protein]

event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in_c	junction_in_cds
no_unique_features	ENST00000589250.6									



No domains

Transcript: ENST00000589250.6 | Protein: N/A [no protein]


event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in_c	junction_in_cds
transcript_doesnt_have_features	ENST00000589920.5									



No domains

Transcript: ENST00000589920.5 | Protein: N/A [no protein]

event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in_c	junction_in_cds
transcript_doesnt_have_features	ENST00000590059.5									




No domains


Transcript: ENST00000590059.5 | Protein: ENSP00000466164.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.


SEPTIN9 - H_sapiens | chr17:77,280,568-77,500,596 | 50 transcript(s) (page 8/13)




Transcript: ENST00000590294.6 | Protein: N/A [no protein]



Transcript: ENST00000590576.5 | Protein: N/A [no protein]




Transcript: ENST00000590586.1 | Protein: N/A [no protein]




Transcript: ENST00000590595.1 | Protein: ENSP00000465026.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.


SEPTIN9 - H_sapiens | chr17:77,280,568-77,500,596 | 50 transcript(s) (page 9/13)




Transcript: ENST00000590825.1 | Protein: N/A [no protein]



Transcript: ENST00000590917.5 | Protein: ENSP00000467619.1



Transcript: ENST00000590938.5 | Protein: ENSP00000466201.1



Transcript: ENST00000591020.5 | Protein: ENSP00000467908.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

77,290,000 77,320,000 77,350,000 77,380,000 77,410,000 77,440,000 77,470,000 77,500,000

event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in	junction_in	cds
no_unique_features	ENST00000591088.5										

150 300 450 600 750

No domains

event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in_cds	junction_in_cds
no_unique_features	ENST00000591198.5									

No domains

event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_rnd	domains_nuc	junction_in_cds	junction_in_cds
transcript_doesnt_have_features	ENST00000591472.6									


No domains

event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_ruler	domains_nuc	junction_in_cds	junction_in_cds
no_unique_features	ENST00000591704.5									


No domains

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.


SEPTIN9 - H_sapiens | chr17:77,280,568-77,500,596 | 50 transcript(s) (page 11/13)




Transcript: ENST00000591833.5 | Protein: ENSP00000466684.1



Transcript: ENST00000591934.1 | Protein: ENSP00000468504.1




Transcript: ENST00000592098.1 | Protein: N/A [no protein]




Transcript: ENST00000592407.1 | Protein: N/A [no protein]


Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.




Transcript: ENST00000592420.1 | Protein: N/A [no protein]



Transcript: ENST00000592481.6 | Protein: ENSP00000502589.1




Transcript: ENST00000592951.5 | Protein: ENSP00000466648.1




Transcript: ENST00000593189.6 | Protein: ENSP00000465904.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

SEPTIN9 - H_sapiens | chr17:77,280,568-77,500,596 | 50 transcript(s) (page 13/13)




event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_ru	domains_num	junction_in_ct	junction_in_cds
no_unique_features	ENST00000675703.1									



No domains

Transcript: ENST00000675703.1 | Protein: N/A [no protein]

event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_ru	domains_num	junction_in_ct	junction_in_cds
no_unique_features	ENST00000873888.1									



Transcript: ENST00000873888.1 | Protein: ENSP00000543947.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.