






idx	start	end
1	926088	959437
2	943314	959437



Transcript: ENST00000448903.7 | Protein: ENSP00000413234.3 [canonical]

event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in_c	junction_in_cds
no_domains_in_region	ENST00000530801.6	1								




Transcript: ENST00000530801.6 | Protein: ENSP00000434553.2 [longest CDS]

event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in_c	junction_in_cds
no_unique_features	ENST00000332231.9									



Transcript: ENST00000332231.9 | Protein: ENSP00000327694.5

event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in_c	junction_in_cds
transcript_doesnt_have_features	ENST00000524559.2									



Transcript: ENST00000524559.2 | Protein: ENSP00000434432.2

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

930,000 945,000 960,000 975,000 990,000 1,005,000

event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in	junction_in
transcript_doesnt_have_features	ENST00000524952.2									

300 600 900 1200 1500

No domains

event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in_cds	junction_in_cds
transcript_doesnt_have_features	ENST00000525796.5									

no annotated protein

No domains

event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in_c	junction_in_cds
transcript_doesnt_have_features	ENST00000525891.5									

no annotated protein



No domains

event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_start	domains_end	junction_in_t	junction_in_cds
transcript_doesnt_have_features	ENST00000526376.1									

no annotated protein


No domains

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.




Transcript: ENST00000526401.6 | Protein: N/A [no protein]

event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in_c	junction_in_cds
transcript_doesnt_have_features	ENST00000526753.6									




Transcript: ENST00000526753.6 | Protein: ENSP00000435863.2

event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in_c	junction_in_cds
transcript_doesnt_have_features	ENST00000527024.2									



Transcript: ENST00000527024.2 | Protein: ENSP00000434563.2

event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in_c	junction_in_cds
transcript_doesnt_have_features	ENST00000527917.1									



Transcript: ENST00000527917.1 | Protein: N/A [no protein]



No domains

The diagram shows a horizontal line representing a protein structure. A red line is drawn above the main line, starting from the left and ending at a specific point, indicating a domain. A black line is drawn below the main line, starting from the left and extending to the right, indicating no domains.



no annotated protein

No domains

no annotated protein

No domains




no annotated protein

No domains

no annotated protein


No domains

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.




Transcript: ENST00000529438.5 | Protein: N/A [no protein]

event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in_c	junction_in_cds
transcript_doesnt_have_features	ENST00000529818.6									





Transcript: ENST00000529818.6 | Protein: ENSP00000509792.1

event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in_c	junction_in_cds
no_unique_features	ENST00000529858.6									



Transcript: ENST00000529858.6 | Protein: N/A [no protein]

event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in_c	junction_in_cds
transcript_doesnt_have_features	ENST00000531497.2									



Transcript: ENST00000531497.2 | Protein: N/A [no protein]



event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in_c	junction_in_cds
transcript_doesnt_have_features	ENST00000531548.6									



Transcript: ENST00000531548.6 | Protein: ENSP00000433498.2

event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in_c	junction_in_cds
transcript_doesnt_have_features	ENST00000534328.6									



Transcript: ENST00000534328.6 | Protein: ENSP00000436059.2

event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in_c	junction_in_cds
transcript_doesnt_have_features	ENST00000534485.6									




Transcript: ENST00000534485.6 | Protein: ENSP00000435756.2

event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in_c	junction_in_cds
transcript_doesnt_have_features	ENST00000685443.1									




Transcript: ENST00000685443.1 | Protein: N/A [no protein]


Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.




Transcript: ENST00000686734.1 | Protein: N/A [no protein]




Transcript: ENST00000687570.1 | Protein: N/A [no protein]




Transcript: ENST00000687792.1 | Protein: ENSP00000508951.1




Transcript: ENST00000687890.1 | Protein: ENSP00000510756.1




Transcript: ENST00000688472.1 | Protein: N/A [no protein]



Transcript: ENST00000688709.1 | Protein: N/A [no protein]




Transcript: ENST00000688963.1 | Protein: ENSP00000510620.1




Transcript: ENST00000689771.1 | Protein: N/A [no protein]


Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.




Transcript: ENST00000689772.1 | Protein: N/A [no protein]



Transcript: ENST00000690846.1 | Protein: N/A [no protein]




Transcript: ENST00000691652.1 | Protein: ENSP00000509519.1




Transcript: ENST00000693238.1 | Protein: ENSP00000510648.1


Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.




Transcript: ENST00000860665.1 | Protein: ENSP00000530724.1



Transcript: ENST00000860666.1 | Protein: ENSP00000530725.1





Transcript: ENST00000860667.1 | Protein: ENSP00000530726.1



Transcript: ENST00000860668.1 | Protein: ENSP00000530727.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.




Transcript: ENST00000860669.1 | Protein: ENSP00000530728.1

event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in_c	junction_in_cds
no_unique_features	ENST00000916663.1									



Transcript: ENST00000916663.1 | Protein: ENSP00000586722.1

event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in_c	junction_in_cds
no_unique_features	ENST00000947238.1									




Transcript: ENST00000947238.1 | Protein: ENSP00000617297.1

event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in_c	junction_in_cds
transcript_doesnt_have_features	XM_011519929.2									




Transcript: XM_011519929.2 | Protein: XP_011518231.1


Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.




Transcript: XM_011519930.4 | Protein: XP_011518232.1



Transcript: XM_047426479.1 | Protein: XP_047282435.1



Transcript: XM_047426480.1 | Protein: XP_047282436.1



Transcript: XM_047426481.1 | Protein: XP_047282437.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.



event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_r	domains_nu	junction_in_c	junction_in_cds
transcript_doesnt_have_features	XM_047426482.1									



Transcript: XM_047426482.1 | Protein: XP_047282438.1

event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_r	domains_nu	junction_in_c	junction_in_cds
transcript_doesnt_have_features	XM_047426484.1									



Transcript: XM_047426484.1 | Protein: XP_047282440.1

event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_r	domains_nu	junction_in_c	junction_in_cds
transcript_doesnt_have_features	XM_047426485.1									



Transcript: XM_047426485.1 | Protein: XP_047282441.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.