





PRRG3 - H_sapiens | chrX:151,694,606-151,705,924 | 11 transcript(s) (page 1/3)

idx	start	end
1	151695544	151698784
2	151698665	151698784



Transcript: ENST00000674457.1 | Protein: ENSP00000501544.1 [canonical]

event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_r	domains_nu	junction_in	junction_in_cds
added_domain	ENST00000370353.3	1		IPR000294		64.0	0.0	1.0		




Transcript: ENST00000370353.3 | Protein: ENSP00000359378.3 [most like canonical]

event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_r	domains_nu	junction_in	junction_in_cds
no_domains_in_region	ENST00000884468.1	1								



Transcript: ENST00000884468.1 | Protein: ENSP00000554527.1 [longest CDS]


event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_r	domains_nu	junction_in	junction_in_cds
no_unique_features	ENST00000370354.5									




Transcript: ENST00000370354.5 | Protein: ENSP00000359379.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.


PRRG3 - H_sapiens | chrX:151,694,606-151,705,924 | 11 transcript(s) (page 2/3)




Transcript: ENST00000448324.1 | Protein: ENSP00000394121.1



Transcript: ENST00000448726.5 | Protein: ENSP00000411509.1




Transcript: ENST00000538575.5 | Protein: ENSP00000440217.1



Transcript: ENST00000652529.1 | Protein: ENSP00000498287.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

PRRG3 - H_sapiens | chrX:151,694,606-151,705,924 | 11 transcript(s) (page 3/3)



Transcript: ENST00000674374.1 | Protein: ENSP00000501391.1

event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_r	domains_nu	junction_in_c	junction_in_cds
transcript_doesnt_have_features	ENST00000674441.1									

No domains

Transcript: ENST00000674441.1 | Protein: ENSP00000501402.1

event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_r	domains_nu	junction_in_c	junction_in_cds
transcript_doesnt_have_features	ENST00000913985.1									

No domains

Transcript: ENST00000913985.1 | Protein: ENSP00000584044.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.