





idx	start	end
1	33605470	33605863
2	33605470	33611041




Transcript: ENST00000373381.9 | Protein: ENSP00000362479.4 [canonical]

event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_rn	domains_num	junction_in	junction_in_cds
dropped_domain	ENST00000373388.7	1		IPR000859	109.0		1.0	0.0		




Transcript: ENST00000373388.7 | Protein: ENSP00000362486.3 [longest CDS]

event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_rn	domains_num	junction_in	junction_in_cds
transcript_doesnt_have_features	ENST00000338325.1									



Transcript: ENST00000338325.1 | Protein: N/A [no protein]

event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_rn	domains_num	junction_in	junction_in_cds
no_unique_features	ENST00000373377.1									



Transcript: ENST00000373377.1 | Protein: N/A [no protein]

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

The left number line shows the number of iterations. It has major ticks at 34,100,000, 34,000,000, 33,900,000, 33,800,000, 33,700,000, and 33,600,000. The right number line shows the number of nodes. It has major ticks at 800, 1600, 2400, and 3200.

no annotated protein

No domains

event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in_t	junction_in_cds
transcript_doesnt_have_features	ENST00000465819.1									





Diagram of a protein structure showing a single domain. The structure is represented by a horizontal line with a vertical line indicating the domain boundary. The text "no annotated protein" is displayed above the structure, and "No domains" is displayed below the structure.


event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num_junction_in_t	junction_in_cds
transcript_doesnt_have_features	ENST00000489419.1								



Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.




event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in_ct	junction_in_cds
no_unique_features	ENST00000619121.4									




Transcript: ENST00000619121.4 | Protein: ENSP00000483463.1

event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in_ct	junction_in_cds
no_unique_features	XM_017000185.2									




Transcript: XM_017000185.2 | Protein: XP_016855674.1

event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in_ct	junction_in_cds
no_unique_features	XM_017000191.2									




Transcript: XM_017000191.2 | Protein: XP_016855680.1

event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in_ct	junction_in_cds
no_unique_features	XM_017000192.2									




Transcript: XM_017000192.2 | Protein: XP_016855681.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.




event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in_c	junction_in_cds
no_unique_features	XM_017000193.2									




Transcript: XM_017000193.2 | Protein: XP_016855682.1

event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in_c	junction_in_cds
no_unique_features	XM_047443607.1									




Transcript: XM_047443607.1 | Protein: XP_047299563.1

event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in_c	junction_in_cds
no_unique_features	XM_047443642.1									




Transcript: XM_047443642.1 | Protein: XP_047299598.1

event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in_c	junction_in_cds
no_unique_features	XM_047443656.1									




Transcript: XM_047443656.1 | Protein: XP_047299612.1


Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.



Transcript: XM_047443661.1 | Protein: XP_047299617.1



Transcript: XM_047443666.1 | Protein: XP_047299622.1



Transcript: XM_047443685.1 | Protein: XP_047299641.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.