





idx	start	end
1	58879105	58880369
2	58879105	58880581





Transcript: ENST00000320743.8 | Protein: ENSP00000326759.3 [canonical]

event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in	junction_in_cds
added_domain	ENST00000433272.6	1		IPR003591		27.0	0.0	1.0		




Transcript: ENST00000433272.6 | Protein: ENSP00000413143.2 [longest CDS]

event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in	junction_in_cds
no_unique_features	ENST00000379141.8									



Transcript: ENST00000379141.8 | Protein: ENSP00000368436.4

event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in	junction_in_cds
transcript_doesnt_have_features	ENST00000547329.1									




Transcript: ENST00000547329.1 | Protein: N/A [no protein]

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.



event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in_c	junction_in_cds
transcript_doesnt_have_features	ENST00000548968.1									




Transcript: ENST00000548968.1 | Protein: N/A [no protein]

event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in_c	junction_in_cds
transcript_doesnt_have_features	ENST00000550304.1									




Transcript: ENST00000550304.1 | Protein: N/A [no protein]

event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in_c	junction_in_cds
transcript_doesnt_have_features	ENST00000550825.1									



Transcript: ENST00000550825.1 | Protein: ENSP00000449169.1

event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_num	domains_num	junction_in_c	junction_in_cds
transcript_doesnt_have_features	ENST00000552267.1									




Transcript: ENST00000552267.1 | Protein: ENSP00000449109.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.



event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_r	domains_num	junction_in_c	junction_in_cds
transcript_doesnt_have_features	ENST00000552646.1									



No domains

Transcript: ENST00000552646.1 | Protein: N/A [no protein]

event	transcript_id	group	rank	domain_id	c_domain_len	domain_len	domains_r	domains_num	junction_in_c	junction_in_cds
transcript_doesnt_have_features	ENST00000900032.1									



IPR003591
IPR00483

Transcript: ENST00000900032.1 | Protein: ENSP00000570091.1