



SEPTIN9 - H sapiens | chr17:77,280,568-77,500,596 | 50 transcript(s) (page 1/13)


idx	start	end
1	77488864	77490742
2	77488864	77490748



Genomic Position (bp)




Amino Acid Position



Transcript: ENST00000427177.6 | Protein: ENSP00000391249.1 [canonical]

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	alternative_domain_id	canonical_junction	alternative_junction
shorter_domains	ENST00000873887.1	1		IPR030379	277.0	275.0	1.0	1.0	



Transcript: ENST00000873887.1 | Protein: ENSP00000543946.1 [longest CDS]

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	alternative_domain_id	canonical_junction	alternative_junction
no_unique_junctions	ENST00000329047.13								



Transcript: ENST00000329047.13 | Protein: ENSP00000329161.8

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	alternative_domain_id	canonical_junction	alternative_junction
no_unique_junctions	ENST00000423034.6								





Transcript: ENST00000423034.6 | Protein: ENSP00000405877.1


Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3D5A/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

The left number line has major tick marks at 77,290,000, 77,320,000, 77,350,000, 77,380,000, 77,410,000, 77,440,000, and 77,470,000. The right number line has major tick marks at 150, 300, 450, 600, and 750.


event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	alternative_domain_id	canonical_junction	alternative_junction
no_unique_junctions	ENST00000427180.5								



event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_junction_id	alternative_junction_id
no_unique_junctions	ENST00000427674.6							



event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_junction_id	alternative_junction_id
no_unique_junctions	ENST00000431235.6							




event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	alternative_domain	canonical_junction	alternative_junction
no_unique_junctions	ENST00000449803.6								




Transcript: ENST00000449803.6 | Protein: ENSP00000400181.2

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

SEPTIN9 - H_sapiens | chr17:77,280,568-77,500,596 | 50 transcript(s) (page 3/13)



event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	in_cds
no_unique_junctions	ENST00000541152.6												



Transcript: ENST00000541152.6 | Protein: ENSP00000438089.2

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	in_cds
transcript_doesnt_have_junctions	ENST00000585638.1												




Transcript: ENST00000585638.1 | Protein: N/A [no protein]

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	in_cds
transcript_doesnt_have_junctions	ENST00000585929.5												



Transcript: ENST00000585929.5 | Protein: ENSP00000467780.1


event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	in_cds
no_unique_junctions	ENST00000585930.5												



Transcript: ENST00000585930.5 | Protein: ENSP00000468120.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.


SEPTIN9 - H_sapiens | chr17:77,280,568-77,500,596 | 50 transcript(s) (page 4/13)



event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	in_cds
transcript_doesnt_have_junctions	ENST00000586128.5												



No domains




Transcript: ENST00000586128.5 | Protein: ENSP00000467792.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	in_cds
transcript_doesnt_have_junctions	ENST00000586433.5												



No domains




Transcript: ENST00000586433.5 | Protein: ENSP00000468110.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	in_cds
transcript_doesnt_have_junctions	ENST00000586456.1												




No domains




Transcript: ENST00000586456.1 | Protein: N/A [no protein]

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	in_cds
transcript_doesnt_have_junctions	ENST00000586521.5												



No domains




Transcript: ENST00000586521.5 | Protein: ENSP00000466170.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.


no annotated protein

No domains


event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction	in_cds
transcript_doesnt_have_junctions	ENST00000587237.1								



event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_domain_id	alternative_junction_in_cds
transcript_doesnt_have_junctions	ENST00000587514.1							







event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction_in_cds
transcript_doesnt_have_junctions	ENST00000588575.1							




Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.


SEPTIN9 - H_sapiens | chr17:77,280,568-77,500,596 | 50 transcript(s) (page 6/13)



SEPTIN9 - H_sapiens | chr17:77,280,568-77,500,596 | 50 transcript(s) (page 7/13)




event	alternative_transcript_id	group	rank	domain_id	canonical	alternative	canonical	alternative	canonical	alternative	canonical	alternative	in_cds
transcript_doesnt_have_junctions	ENST00000589246.1												




Transcript: ENST00000589246.1 | Protein: N/A [no protein]

event	alternative_transcript_id	group	rank	domain_id	canonical	alternative	canonical	alternative	canonical	alternative	canonical	alternative	in_cds
no_unique_junctions	ENST00000589250.6												




Transcript: ENST00000589250.6 | Protein: N/A [no protein]

event	alternative_transcript_id	group	rank	domain_id	canonical	alternative	canonical	alternative	canonical	alternative	canonical	alternative	in_cds
transcript_doesnt_have_junctions	ENST00000589920.5												



Transcript: ENST00000589920.5 | Protein: N/A [no protein]

event	alternative_transcript_id	group	rank	domain_id	canonical	alternative	canonical	alternative	canonical	alternative	canonical	alternative	in_cds
transcript_doesnt_have_junctions	ENST00000590059.5												



Transcript: ENST00000590059.5 | Protein: ENSP00000466164.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

no annotated protein

No domains

no annotated protein

No domains

no annotated protein

No domains

no annotated protein

No domains

no annotated protein

No domains

no annotated protein

No domains

Category	Percentage
No domains	~10%


Category	Percentage
No domains	~10%

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

no annotated protein
No domains

no annotated protein

No domains




The diagram consists of two horizontal lines. The left line has a vertical tick mark and a vertical line segment. The right line has a vertical tick mark and a vertical line segment, with the text "No domains" written below it.

Category	Value
No domains	1

The diagram shows a horizontal black line. A vertical line intersects it. To the right of the intersection, there is a small horizontal bar with three colored segments: orange, teal, and purple. Below the horizontal line, the text "No domains" is written.


A horizontal bar chart with a single bar labeled 'No domains'. The bar is composed of four colored segments: orange, teal, purple, and light brown. The total length of the bar is approximately 10% of the chart's width.

Category	Percentage
No domains	~10%



The diagram shows a horizontal line with a vertical line intersecting it. To the right of the intersection, there is a small colored bar with segments of orange, green, purple, and blue. The text "No domains" is written below the horizontal line.

No domains


[illegible][illegible][illegible]

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

The left number line has major tick marks at 77,290,000, 77,320,000, 77,350,000, 77,380,000, 77,410,000, 77,440,000, and 77,500,000. The right number line has major tick marks at 150, 300, 450, 600, and 750.

Transcript: ENST00000591833.5 | Protein: ENSP00000466684.1

Transcript: ENST00000591934.1 | Protein: ENSP00000468504.1



no annotated protein

No domains

No domains

Transcript: ENST00000592098.1 | Protein: N/A [no protein]


no annotated protein

No domains


No domains

Transcript: ENST00000592407.1 | Protein: N/A [no protein]

Only InterPro Domain and Repeat entries are drawn, and only those are compared — no other domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.




event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	in_cds
transcript_doesnt_have_junctions	ENST00000592420.1												




Transcript: ENST00000592420.1 | Protein: N/A [no protein]

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	in_cds
no_unique_junctions	ENST00000592481.6												




Transcript: ENST00000592481.6 | Protein: ENSP00000502589.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	in_cds
no_unique_junctions	ENST00000592951.5												




Transcript: ENST00000592951.5 | Protein: ENSP00000466648.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	in_cds
no_unique_junctions	ENST00000593189.6												




Transcript: ENST00000593189.6 | Protein: ENSP00000465904.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.




event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain
no_unique_junctions	ENST00000675703.1											



No domains

Transcript: ENST00000675703.1 | Protein: N/A [no protein]

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain
no_unique_junctions	ENST00000873888.1											



Transcript: ENST00000873888.1 | Protein: ENSP00000543947.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.