





idx	start	end
1	38484868	38485819
2	38484868	38485909




Transcript: ENST00000453190.7 | Protein: ENSP00000398368.2 [canonical]

event	alternative_transcript_id	group	rank	domain_id	canonical	alternative	canonical	alternative	canonical	alternative	canonical	alternative	in_cds
increased_domain_number	ENST00000929709.1	1		IPR003961			71.0	0.0	1.0				





Transcript: ENST00000929709.1 | Protein: ENSP00000599768.1 [longest CDS]

event	alternative_transcript_id	group	rank	domain_id	canonical	alternative	canonical	alternative	canonical	alternative	canonical	alternative	in_cds
no_unique_junctions	ENST00000263409.8												



Transcript: ENST00000263409.8 | Protein: ENSP00000263409.4



event	alternative_transcript_id	group	rank	domain_id	canonical	alternative	canonical	alternative	canonical	alternative	canonical	alternative	in_cds
transcript_doesnt_have_junctions	ENST00000503088.1												




Transcript: ENST00000503088.1 | Protein: N/A [no protein]

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.


A horizontal number line with tick marks at intervals of 200,000. The values are labeled as follows: 38,600,000, 38,580,000, 38,560,000, 38,540,000, 38,520,000, 38,500,000, and 38,480,000.

[illegible]

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction_in_cds
transcript_doesnt_have_junctions	ENST00000507786.1									




event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_domain_junction	alternative_domain_junction_in_cds
transcript_doesnt_have_junctions	ENST00000508477.5							




Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

A horizontal number line with tick marks at intervals of 200,000. The values are labeled from left to right: 38,600,000, 38,580,000, 38,560,000, 38,540,000, 38,520,000, 38,500,000, and 38,480,000.




event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_junction	alternative_junction_in_cds
transcript_doesnt_have_junctions	ENST00000512723.1									




event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domains	alternative_domains	alternative_domains	canonical_junction_in_cds
transcript_doesnt_have_junctons	ENST00000872130.1								



event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domains	canonical_junction	alternative_junction_in_cds
no_unique_junctions	ENST00000872131.1							



Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.



event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	in_cds
no_unique_junctions	ENST00000952491.1												



Transcript: ENST00000952491.1 | Protein: ENSP00000622550.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	in_cds
no_unique_junctions	ENST00000952492.1												



Transcript: ENST00000952492.1 | Protein: ENSP00000622551.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	in_cds
no_unique_junctions	ENST00000952493.1												





Transcript: ENST00000952493.1 | Protein: ENSP00000622552.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	in_cds
no_unique_junctions	NM_001364297.2												




Transcript: NM_001364297.2 | Protein: NP_001351226.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.




event	alternative_transcript_id	group	rank	domain_id	canonical	alternative	canonical	alternative	domain_id	canonical	alternative	junction	alternative	junction	in_cds
no_unique_junctions	XM_011514042.4														



No domains

Transcript: XM_011514042.4 | Protein: XP_011512344.1


event	alternative_transcript_id	group	rank	domain_id	canonical	alternative	canonical	alternative	domain_id	canonical	alternative	junction	alternative	junction	in_cds
no_unique_junctions	XM_017009463.2														



No domains

Transcript: XM_017009463.2 | Protein: XP_016864952.1

event	alternative_transcript_id	group	rank	domain_id	canonical	alternative	canonical	alternative	domain_id	canonical	alternative	junction	alternative	junction	in_cds
no_unique_junctions	XM_047417172.1														



No domains

Transcript: XM_047417172.1 | Protein: XP_047273128.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.