



SMAD9 - H_sapiens | chr13:36,844,830-36,920,887 | 35 transcript(s) (page 1/9)

idx	start	end
1	36867383	36872658
2	36867383	36872829




Transcript: ENST00000379826.5 | Protein: ENSP00000369154.4 [canonical]

event	alternative_transcript_id	group	rank	domain_id	canonical	alternative	canonical	alternative	canonical	alternative	canonical	alternative	in_cds
unchanged_domains	ENST00000962421.1	1		IPR013019	125.0	125.0	1.0	1.0					





Transcript: ENST00000962421.1 | Protein: ENSP00000632480.1 [longest CDS]

event	alternative_transcript_id	group	rank	domain_id	canonical	alternative	canonical	alternative	canonical	alternative	canonical	alternative	in_cds
transcript_doesnt_have_junctions	ENST00000350148.10												



Transcript: ENST00000350148.10 | Protein: ENSP00000239885.6


event	alternative_transcript_id	group	rank	domain_id	canonical	alternative	canonical	alternative	canonical	alternative	canonical	alternative	in_cds
transcript_doesnt_have_junctions	ENST00000399275.7												



Transcript: ENST00000399275.7 | Protein: ENSP00000382216.3

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

SMAD9 - H_sapiens | chr13:36,844,830-36,920,887 | 35 transcript(s) (page 2/9)



event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domains	canonical_junction	alternative_junction	in_cds
transcript_doesnt_have_junctions	ENST00000483941.2								



Transcript: ENST00000483941.2 | Protein: N/A [no protein]

[illegible]

Transcript: ENST00000715264.1 | Protein: ENSP00000520435.1

[illegible]

Transcript: ENST00000871572.1 | Protein: ENSP00000541631.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain
transcript_doesnt_have_junctions	ENST00000871573.1								



Transcript: ENST00000871573.1 | Protein: ENSP00000541632.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

SMAD9 - H_sapiens | chr13:36,844,830-36,920,887 | 35 transcript(s) (page 3/9)



event	alternative_transcript_id	group	rank	domain_id	canonical	alternative	canonical	alternative	canonical	alternative	canonical	alternative	in_cds
transcript_doesnt_have_junctions	ENST00000871574.1												



Transcript: ENST00000871574.1 | Protein: ENSP00000541633.1

event	alternative_transcript_id	group	rank	domain_id	canonical	alternative	canonical	alternative	canonical	alternative	canonical	alternative	in_cds
transcript_doesnt_have_junctions	ENST00000871575.1												



Transcript: ENST00000871575.1 | Protein: ENSP00000541634.1

event	alternative_transcript_id	group	rank	domain_id	canonical	alternative	canonical	alternative	canonical	alternative	canonical	alternative	in_cds
transcript_doesnt_have_junctions	ENST00000871576.1												



Transcript: ENST00000871576.1 | Protein: ENSP00000541635.1


event	alternative_transcript_id	group	rank	domain_id	canonical	alternative	canonical	alternative	canonical	alternative	canonical	alternative	in_cds
transcript_doesnt_have_junctions	ENST00000871577.1												




Transcript: ENST00000871577.1 | Protein: ENSP00000541636.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

SMAD9 - H_sapiens | chr13:36,844,830-36,920,887 | 35 transcript(s) (page 4/9)



event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_junction_id	alternative_junction_id
no_unique_junctions	ENST00000871578.1							



Transcript: ENST00000871578.1 | Protein: ENSP00000541637.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction	in_cds
no_unique_junctions	ENST00000871579.1								



Transcript: ENST00000871579.1 | Protein: ENSP00000541638.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_junction_in_cds
transcript_doesnt_have_junctions	ENST00000871580.1						



Transcript: ENST00000871580.1 | Protein: ENSP00000541639.1


event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_junction	alternative_junction	in_cds
transcript_doesnt_have_junctions	ENST00000871581.1								




Transcript: ENST00000871581.1 | Protein: ENSP00000541640.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

SMAD9 - H sapiens | chr13:36,844,830-36,920,887 | 35 transcript(s) (page 5/9)



event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	alternative_domain_id	canonical_junction	alternative_junction
no_unique_junctions	ENST00000871582.1								




Transcript: ENST00000871582.1 | Protein: ENSP00000541641.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	alternative_domain_id	canonical_junction	alternative_junction
no_unique_junctions	ENST00000871583.1								



Transcript: ENST00000871583.1 | Protein: ENSP00000541642.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	alternative_domain_id	canonical_junction	alternative_junction
no_unique_junctions	ENST00000927850.1								



Transcript: ENST00000927850.1 | Protein: ENSP00000597909.1


event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	alternative_domain_id	canonical_junction	alternative_junction
transcript_doesnt_have_junctions	ENST00000962417.1								



Transcript: ENST00000962417.1 | Protein: ENSP00000632476.1



Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

36,920,000 36,910,000 36,900,000 36,890,000 36,880,000 36,870,000 36,860,000 36,850,000



A diagram showing a horizontal green oval representing a 128-bit bus. Inside the oval, on the left, is a small dark blue square containing the number '1'. To its right is the number '125'. Below the oval, the text 'IPRO13019' is written diagonally.

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction	in_cds
transcript_doesnt_have_junctions	ENST00000962419.1								



IPR013019


IPR001132

1 T10

IPR001132

[illegible]


IPR013019

[illegible]

No domains

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain in the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

SMAD9 - H sapiens | chr13:36,844,830-36,920,887 | 35 transcript(s) (page 7/9



event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	alternative_domain_id	canonical_junction	alternative_junction
transcript_doesnt_have_junctions	XM_005266404.4								



No domains

Transcript: XM_005266404.4 | Protein: XP_005266461.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_canonical_domain_id	alternative_domains	canonical_junction	alternative_junction
no_unique_junctions	XM_006719827.4								



No domains

Transcript: XM_006719827.4 | Protein: XP_006719890.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	alternative_domain_id	canonical_junction	alternative_junction
no_unique_junctions	XM_047430354.1								



No domains

Transcript: XM_047430354.1 | Protein: XP_047286310.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domains	canonical_junction	alternative_junction
no_unique_junctions	XM_047430355.1							




No domains


Transcript: XM_047430355.1 | Protein: XP_047286311.1

Only InterPro Domain and Repeat entries are drawn, and only those as compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

SMAD9 - H sapiens | chr13:36,844,830-36,920,887 | 35 transcript(s) (page 8/9)




event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	alternative_domain_id	canonical_junction	alternative_junction
no_unique_junctions	XM_047430356.1								




Transcript: XM_047430356.1 | Protein: XP_047286312.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_canonical_domain_id	alternative_domains	canonical_junction	alternative_junction
no_unique_junctions	XM_047430358.1								




Transcript: XM_047430358.1 | Protein: XP_047286314.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domains	canonical_domains	junction	alternative_junction
no_unique_junctions	XM_047430359.1								



Transcript: XM_047430359.1 | Protein: XP_047286315.1


event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	alternative_domain_id	canonical_junction	alternative_junction
transcript_doesnt_have_junctions	XM_047430361.1								



Transcript: XM_047430361.1 | Protein: XP_047286317.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

SMAD9 - H_sapiens | chr13:36,844,830-36,920,887 | 35 transcript(s) (page 9/9)



Genomic Position (bp)			Amino Acid Position						
event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_function	alternative_function	in_cds
transcript_doesnt_have_junctions	XM_047430362.1								



No domains



Transcript: XM_047430362.1 | Protein: XP_047286318.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction	in_cds
transcript_doesnt_have_junctions	XM_047430363.1								



No domains




Transcript: XM_047430363.1 | Protein: XP_047286319.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction	in_cds
transcript_doesnt_have_junctions	XM_047430364.1								



No domains



Transcript: XM_047430364.1 | Protein: XP_047286320.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.