



idx	start	end
1	30724596	30730753
2	30724596	30920153



Transcript: ENST00000695919.1 | Protein: ENSP00000512266.1 [canonical]

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain
unchanged_domains	ENST00000361762.3	1		IPR002126	387.0	387.0	3.0	3.0					
unchanged_domains	ENST00000361762.3	1		IPR013585	212.0	212.0	1.0	1.0					



Transcript: ENST00000361762.3 | Protein: ENSP00000355243.2 [longest CDS]

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain
transcript_doesnt_have_junctions	ENST00000507864.1												



Transcript: ENST00000507864.1 | Protein: N/A [no protein]


event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain
no_unique_junctions	ENST00000509759.2												



Transcript: ENST00000509759.2 | Protein: ENSP00000483285.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

14 transcript(s) (page 2/4)




in_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_junction	alternative_junction



no annotated protein

No domains

in_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_junction	alternative_junction



in_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_junction	alternative_junction



no annotated protein

No domains

in_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_junction	alternative_junction




no annotated protein


No domains

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.


event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domains	canonical_junction	alternative_junction	in_cds
transcript_doesnt_have_junctions	ENST00000621961.2								




event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction	in_cds
no_unique_junctions	ENST00000695920.1								



event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction	in_cds
transcript_doesnt_have_junctions	ENST00000695921.1								




event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction	in_cds
no_unique_junctions	ENST00000695922.1								




Only InterPro Domain and Repeat entries are drawn, and only those that are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3D5A/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

PCDH7 - H_sapiens | chr4:30,720,368-31,146,800 | 14 transcript(s) (page 4/4)



event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction
no_unique_junctions	ENST00000695923.1							



No domains

Transcript: ENST00000695923.1 | Protein: N/A [no protein]

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	alternative_domain_id	canonical_junction	alternative_junction
transcript_doesnt_have_junctions	ENST00000946629.1								



Transcript: ENST00000946629.1 | Protein: ENSP00000616688.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.