




DAZ4 - H_sapiens | chrY:24,833,819-24,907,040 | 9 transcript(s) (page 1/3)

idx	start	end
1	24886220	24888534
2	24888605	24895688
3	24888605	24890918
4	24890989	24893303



Genomic Position (bp)



Amino Acid Position



IPR043628 IPR043628 IPR043628 IPR043628 IPR043628 IPR043628 IPR043628 IPR043628

Transcript: ENST00000682740.1 | Protein: ENSP00000508087.1 [canonical]

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction	in_cds
reduced_domain_number	ENST00000415508.6	1		IPR043628	120.0	72.0	5.0	3.0	



IPR043628
'IPR043628
'IPR043628
'IPR043628

Transcript: ENST00000415508.6 | Protein: ENSP00000397895.2 [longest CDS]

[illegible]

IPR043628

Transcript: ENST00000382296.4 | Protein: ENSP00000371733.3

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction	in_cds
transcript_doesnt_have_junctions	ENST00000382314.6									



IPR043628
'IPR043628
'IPR043628
'IPR043628
'IPR043628
'IPR043628
'IPR043628

Transcript: ENST00000382314.6 | Protein: ENSP00000371751.3

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

The left number line has major ticks at 24,840,000, 24,860,000, 24,880,000, and 24,900,000. Minor ticks are placed at intervals of 10,000. The right number line has major ticks at 150, 300, 450, and 600. Minor ticks are placed at intervals of 10.

[illegible]

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction	in_cds
transcript_doesnt_have_junctions	ENST00000449750.7								





event	alternative_transcript_id	group	rank	domain_id	canonical_alternative_domain	canonical_alternative_domain	canonical_junction	alternative_junction	in_cds
transcript_doesnt_have_junctions	ENST00000634662.1								



Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.


DAZ4 - H_sapiens | chrY:24,833,819-24,907,040 | 9 transcript(s) (page 3/3)



event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain
transcript_doesnt_have_junctions	NM_001005375.3											



No domains



Transcript: NM_001005375.3 | Protein: NP_001005375.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.