





TFR2 - H_sapiens | chr7:100,620,415-100,642,779 | 85 transcript(s) (page 1/22)

idx	start	end
1	100631052	100631806
2	100631885	100633001
3	100631052	100632082
4	100632149	100633001




Transcript: ENST00000223051.8 | Protein: ENSP00000223051.3 [canonical]

event	alternative_transcript_id	group	rank	domain_id	canonical	alternative	canonical	alternative	canonical	alternative	junction	alternative_junction	in_cds
no_domains_in_region	ENST00000855264.1	1											





Transcript: ENST00000855264.1 | Protein: ENSP00000525323.1 [longest CDS]

event	alternative_transcript_id	group	rank	domain_id	canonical	alternative	canonical	alternative	canonical	alternative	junction	alternative_junction	in_cds
no_domains_in_region	ENST00000855256.1	2											



Transcript: ENST00000855256.1 | Protein: ENSP00000525315.1 [longest CDS]


event	alternative_transcript_id	group	rank	domain_id	canonical	alternative	canonical	alternative	canonical	alternative	junction	alternative_junction	in_cds
transcript_doesnt_have_junctions	ENST00000431692.5												



Transcript: ENST00000431692.5 | Protein: ENSP00000413905.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

85 transcript(s) (page 2/22)



event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction	junction_in_cds
transcript_doesnt_have_junctions	ENST00000461176.1								



Transcript: ENST00000461176.1 | Protein: N/A [no protein]

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_domain_junction	alternative_domain_junction_in_cds
transcript_doesnt_have_junctions	ENST00000462090.5							



Transcript: ENST00000462090.5 | Protein: N/A [no protein]

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domains	canonical_junction	alternative_junction_in_cds
no_unique_junctions	ENST00000462107.1							



Transcript: ENST00000462107.1 | Protein: ENSP00000420525.1


event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	alternative_domain_id	canonical_junction	alternative_junction_in_cds
transcript_doesnt_have_junctions	ENST00000465294.5								



Transcript: ENST00000465294.5 | Protein: N/A [no protein]

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

TFR2 - H_sapiens | chr7:100,620,415-100,642,779 | 85 transcript(s) (page 3/22)




event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	alternative_domain_id	canonical_junction	alternative_junction	alternative_junction_in_cds
transcript_doesnt_have_junctions	ENST00000473374.5									




Transcript: ENST00000473374.5 | Protein: N/A [no protein]

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_junction_id	alternative_junction_id	junction_in_cds
no_unique_junctions	ENST00000473571.1								




Transcript: ENST00000473571.1 | Protein: N/A [no protein]

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domains	canonical_junction	alternative_junction_in_cds
no_unique_junctions	ENST00000473963.1							



Transcript: ENST00000473963.1 | Protein: N/A [no protein]


event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	alternative_domain_id	canonical_junction	alternative_junction_in_cds
transcript_doesnt_have_junctions	ENST00000474947.1								



Transcript: ENST00000474947.1 | Protein: N/A [no protein]

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

TFR2 - H_sapiens | chr7:100,620,415-100,642,779 | 85 transcript(s) (page 4/22)




event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_junction_id	alternative_junction_id	junction_in_cds
transcript_doesnt_have_junctions	ENST00000475011.1								





Transcript: ENST00000475011.1 | Protein: N/A [no protein]

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_domain_junction	alternative_domain_junction_in_cds
no_unique_junctions	ENST00000476304.5							




Transcript: ENST00000476304.5 | Protein: N/A [no protein]

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domains	canonical_junction	alternative_junction_in_cds
transcript_doesnt_have_junctions	ENST00000490084.5							




Transcript: ENST00000490084.5 | Protein: ENSP00000418942.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	junction_in_cds
no_unique_junctions	ENST00000855220.1								



Transcript: ENST00000855220.1 | Protein: ENSP00000525279.1

Only InterPro Domain and Repeat entries are drawn, and only those that are compared — so every domain in the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.



in_id	canonical_domain	alternative_domain	canonical_junction	alternative_junction



No domains

in_id	canonical_domain	alternative_domain	canonical_junction	alternative_junction



No domains

in_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_junction	alternative_junction



No domains


in_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_junction	alternative_junction



No domains

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain in the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

85 transcript(s) (page 6/22)

[illegible]

Transcript: ENST00000855225.1 | Protein: ENSP00000525284.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction	in_cds
no_unique junctions	ENST00000855226.1								



Transcript: ENST00000855226.1 | Protein: ENSP00000525285.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction	in_cds
no_unique_junctions	ENST00000855227.1								



Transcript: ENST00000855227.1 | Protein: ENSP00000525286.1


event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_junction_in_cds
no_uniquejunctions	ENST00000855228.1						



Transcript: ENST00000855228.1 | Protein: ENSP00000525287.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

85 transcript(s) (page 7/22)



event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction	in_cds
no_unique junctions	ENST00000855229.1								



Transcript: ENST00000855229.1 | Protein: ENSP00000525288.1

event	alternative_transcript_id	group	rank	domain_id canonical_domain alternative_domains alternative_domains_in_cds	canonical_junction alternative_junction alternative_junction_in_cds
no_unique junctions	ENST00000855230.1				



Transcript: ENST00000855230.1 | Protein: ENSP00000525289.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction	in_cds
no_unique_junctions	ENST00000855231.1								




Transcript: ENST00000855231.1 | Protein: ENSP00000525290.1

[illegible]

Transcript: ENST00000855232.1 | Protein: ENSP00000525291.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

85 transcript(s) (page 8/22)



event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	alternative_domain_id	canonical_junction	alternative_junction	in_cds
no_unique_junctions	ENST00000855233.1									



Transcript: ENST00000855233.1 | Protein: ENSP00000525292.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction	in_cds
no_unique_junctions	ENST00000855234.1								



Transcript: ENST00000855234.1 | Protein: ENSP00000525293.1

[illegible]

Transcript: ENST00000855235.1 | Protein: ENSP00000525294.1


event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction	in_cds
no_unique_junctions	ENST00000855236.1								



Transcript: ENST00000855236.1 | Protein: ENSP00000525295.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3D5A/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

85 transcript(s) (page 9/22)

[illegible]

Transcript: ENST00000855237.1 | Protein: ENSP00000525296.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction	in_cds
no_unique_junctions	ENST00000855238.1								



Transcript: ENST00000855238.1 | Protein: ENSP00000525297.1

[illegible]

Transcript: ENST00000855239.1 | Protein: ENSP00000525298.1


event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	alternative_domain_id	canonical_junction	alternative_junction_in_cds
no_unique_junctions	ENST00000855240.1								



Transcript: ENST00000855240.1 | Protein: ENSP00000525299.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3D5A/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

85 transcript(s) (page 10/22)



event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction	in_cds
no_unique_junctions	ENST00000855241.1								



Transcript: ENST00000855241.1 | Protein: ENSP00000525300.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction	in_cds
no_unique_junctions	ENST00000855242.1								



Transcript: ENST00000855242.1 | Protein: ENSP00000525301.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction	in_cds
no_unique_junctions	ENST00000855243.1								



Transcript: ENST00000855243.1 | Protein: ENSP00000525302.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction_in_cds
no_unique_junctions	ENST00000855244.1							



Transcript: ENST00000855244.1 | Protein: ENSP00000525303.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3D5A/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.


Transcript: ENST00000855245.1 | Protein: ENSP00000525304.1

Transcript: ENST00000855246.1 | Protein: ENSP00000525305.1


Transcript: ENST00000855247.1 | Protein: ENSP00000525306.1

Transcript: ENST00000855248.1 | Protein: ENSP00000525307.1

Only InterPro Domain and Repeat entries are drawn, and only those that are compared — so every domain in the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.



No domains



No domains

No domains



No domains

No domains



No domains

No domains



pared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3D5A/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

The left number line shows a decreasing trend in the number of people. The values are 100,642,000, 100,639,000, 100,633,000, 100,627,000, and 100,621,000. The right number line shows an increasing trend in the number of seats, with values 200, 400, 600, and 800.

Transcript: ENST00000855253.1 | Protein: ENSP00000525312.1

Diagram illustrating a protein structure with a red box highlighting a specific region. A legend on the right shows a color-coded bar with the text "No domains" below it.

Transcript: ENST00000855254.1 | Protein: ENSP00000525313.1


No domains

Transcript: ENST00000855255.1 | Protein: ENSP00000525314.1

Transcript: ENST00000855257.1 | Protein: ENSP00000525316.1


Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

TFR2 - H_sapiens | chr7:100,620,415-100,642,779 | 85 transcript(s) (page 14/22)




Transcript: ENST00000855258.1 | Protein: ENSP00000525317.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domains	canonical_junction	alternative_junction_in_cds
no_unique_junctions	ENST0000085259.1							




Transcript: ENST00000855259.1 | Protein: ENSP00000525318.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_canonical_domain_id	transcript_id	canonical_transcript_id	junction_in_cds
no_unique_junctions	ENST00000855260.1								



Transcript: ENST00000855260.1 | Protein: ENSP00000525319.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction	in_cds
no_unique_junctions	ENST00000855261.1								




Transcript: ENST00000855261.1 | Protein: ENSP00000525320.1



Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

The left number line represents the number of days, with major tick marks at 100,642,000, 100,636,000, 100,630,000, and 100,624,000. Minor tick marks are placed every 10,000 days. The right number line represents the number of hours, with major tick marks at 200, 400, 600, and 800. Minor tick marks are placed every 20 hours.


A diagram of a protein structure represented as a horizontal line with various colored blocks indicating domains. A red bracket is positioned above the line, spanning from the first blue block to the first green block. Below the line, the text "No domains" is written.



The diagram shows a protein structure with a red bracket highlighting a specific region. A legend bar at the bottom is labeled "No domains".



A diagram of a protein structure represented as a horizontal line with various colored blocks (domains) and a red bracket indicating a specific region.



Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

The left number line represents the number of days, with major tick marks at 100,642,000, 100,636,000, 100,630,000, and 100,624,000. Minor tick marks are placed every 10,000 days. The right number line represents the number of hours, with major tick marks at 200, 400, 600, and 800. Minor tick marks are placed every 20 hours.



Transcript: ENST00000855267.1 | Protein: ENSP00000525326.1



Transcript: ENST00000855268.1 | Protein: ENSP00000525327.1



Transcript: ENST00000855269.1 | Protein: ENSP00000525328.1



No domains

Transcript: ENST00000855270.1 | Protein: ENSP00000525329.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3D5A/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

The left number line shows a decreasing trend in the number of people. The values are 100,642,000, 100,639,000, 100,633,000, 100,627,000, and 100,621,000. The right number line shows an increasing trend in the number of seats, with values 200, 400, 600, and 800.

Transcript: ENST00000855271.1 | Protein: ENSP00000525330.1

No domains

Transcript: ENST00000855272.1 | Protein: ENSP00000525331.1


Transcript: ENST00000855273.1 | Protein: ENSP00000525332.1

The diagram shows a protein structure with a red box highlighting a specific region. A legend bar at the bottom is labeled "No domains".


Transcript: ENST00000855274.1 | Protein: ENSP00000525333.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

TFR2 - H_sapiens | chr7:100,620,415-100,642,779 | 85 transcript(s) (page 18/22)




event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domains	canonical_junction	alternative_junction_in_cds
no_uniquejunctions	ENST00000855275.1							




Transcript: ENST00000855275.1 | Protein: ENSP00000525334.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_junction_id	alternative_junction_id	in_cds
no_unique_junctions	ENST00000855276.1								




Transcript: ENST00000855276.1 | Protein: ENSP00000525335.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction	in_cds
no_unique_junctions	ENST00000855277.1								



Transcript: ENST00000855277.1 | Protein: ENSP00000525336.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction	in_cds
no_unique_junctions	ENST00000855278.1								



Transcript: ENST00000855278.1 | Protein: ENSP00000525337.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain in the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

The left number line shows a decreasing trend in the number of people. The values are 100,642,000, 100,639,000, 100,633,000, 100,627,000, and 100,621,000. The right number line shows an increasing trend in the number of seats, with values 200, 400, 600, and 800.




Transcript: ENST00000855279.1 | Protein: ENSP00000525338.1



Transcript: ENST00000855280.1 | Protein: ENSP00000525339.1



Transcript: ENST00000855281.1 | Protein: ENSP00000525340.1



The diagram shows a protein structure with a red line indicating a specific region. Below the structure is a color-coded bar with the text "No domains" underneath it.




No domains

Transcript: ENST00000855282.1 | Protein: ENSP00000525341.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

TFR2 - H_sapiens | chr7:100,620,415-100,642,779 | 85 transcript(s) (page 20/22)



Transcript: ENST00000855283.1 | Protein: ENSP00000525342.1

event	alternative_transcript_id	group	rank	domain_id canonical_domain alternative_domains	canonical_domain alternative_domains	canonical_junction alternative_junction_in_cds
no_uniquejunctions	ENST00000855284.1					



Transcript: ENST00000855284.1 | Protein: ENSP00000525343.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction	in_cds
no_unique_junctions	ENST00000855285.1								



Transcript: ENST00000855285.1 | Protein: ENSP00000525344.1


event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction	in_cds
no_unique_junctions	ENST00000855286.1								



Transcript: ENST00000855286.1 | Protein: ENSP00000525345.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

85 transcript(s) (page 21/22)

[illegible]

Transcript: ENST00000958152.1 | Protein: ENSP00000628211.1

event	alternative_transcript_id	group	rank	domain_id canonical_domain alternative_domains	canonical_domain alternative_domains	canonical_junction alternative_junction_in_cds
no_uniquejunctions	ENST00000958153.1					



Transcript: ENST00000958153.1 | Protein: ENSP00000628212.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction	in_cds
no_unique_junctions	ENST00000958154.1								



Transcript: ENST00000958154.1 | Protein: ENSP00000628213.1



event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction	in_cds
no_unique_junctions	ENST00000958155.1								



Transcript: ENST00000958155.1 | Protein: ENSP00000628214.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3D5A/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

TFR2 - H_sapiens | chr7:100,620,415-100,642,779 | 85 transcript(s) (page 22/22)



event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain
no_unique_junctions	NM_001206855.3											



No domains

Transcript: NM_001206855.3 | Protein: NP_001193784.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.