




idx	start	end
1	37968134	37968883
2	37968134	37969354




event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	alternative_domain_id	canonical_junction	alternative_junction
reduced_domain_number	ENST00000896916.1	1		IPR000690	32.0		1.0	0.0	




event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domains	canonical_junction	alternative_junction
transcript_doesnt_have_junctions	ENST00000460925.1							



event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_canonical_domain_id	canonical_junction	alternative_junction
transcript_doesnt_have_junctions	ENST00000461869.5							



A horizontal axis labeled "Amino Acid Position" with tick marks at 100, 200, 300, 400, and 500.




no annotated protein

No domains


no annotated protein

No domains


Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3D5A/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.




Transcript: ENST00000462258.1 | Protein: N/A [no protein]



Transcript: ENST00000470585.5 | Protein: N/A [no protein]



Transcript: ENST00000487062.1 | Protein: N/A [no protein]



Transcript: ENST00000488934.1 | Protein: N/A [no protein]

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

A horizontal number line with tick marks every 10,000 units. The labels above the line are 37,990,000, 37,980,000, 37,970,000, and 37,960,000. The labels below the line are 37,985,000, 37,975,000, and 37,965,000.

No domains



27
IPR021966

150
IPR031774



27
IPR021966

150
IPR031774



27
IPR021966

1 49
IPR031774

1 79
IPR025086



Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

The left number line has major tick marks at 37,960,000, 37,970,000, 37,980,000, and 37,990,000. Minor tick marks are placed every 10,000 units between these major marks. The right number line has major tick marks at 100, 200, 300, 400, and 500. Minor tick marks are placed every 10 units between these major marks.


event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction	in_cds
no_unique_junctions	ENST00000931598.1								

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction	in_cds
no_unique_junctions	ENST00000931599.1								

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_canonical_domain_id	document_id	canonical_junction	alternative_junction_in_cds
no_uniquejunctions	ENST00000931600.1								



Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3D5A/PTHR/SSF/cd/PP), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

A horizontal number line with tick marks every 10,000 units. The labels above the line are 37,990,000, 37,980,000, 37,970,000, and 37,960,000. The labels below the line are 37,985,000, 37,975,000, and 37,965,000.




150 IPR031774






Transcript: ENST00000931605.1 | Protein: ENSP00000601664.1

event	alternative_transcript_id	group	rank	domain_id	canonical	alternative	canonical	alternative	canonical	alternative	canonical	alternative	in_cds
no_unique_junctions	ENST00000963484.1												




Transcript: ENST00000963484.1 | Protein: ENSP00000633543.1

event	alternative_transcript_id	group	rank	domain_id	canonical	alternative	canonical	alternative	canonical	alternative	canonical	alternative	in_cds
transcript_doesnt_have_junctions	ENST00000963485.1												



Transcript: ENST00000963485.1 | Protein: ENSP00000633544.1

event	alternative_transcript_id	group	rank	domain_id	canonical	alternative	canonical	alternative	canonical	alternative	canonical	alternative	in_cds
no_unique_junctions	ENST00000963486.1												



Transcript: ENST00000963486.1 | Protein: ENSP00000633545.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.