





ZNF141 - H_sapiens | chr4:337,799-384,868 | 3 transcript(s)

idx	start	end
1	343908	344335
2	343908	372664




Transcript: ENST00000240499.8 | Protein: ENSP00000240499.7 [canonical]

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_junction	alternative_junction	in_cds
reduced_domain_number	XM_011513562.4	1		IPR001909	72.0		1.0	0.0			
reduced_domain_number	XM_011513562.4	1		IPR013087	224.0		8.0	0.0			



Transcript: XM_011513562.4 | Protein: XP_011511864.1 [longest CDS]

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_junction	alternative_junction	in_cds
longer_domains	ENST00000885053.1	1		IPR001909	72.0	75.0	1.0	1.0			
increased_domain_number	ENST00000885053.1	1		IPR013087	224.0	252.0	8.0	9.0			



Transcript: ENST00000885053.1 | Protein: ENSP00000555112.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.