




idx	start	end
1	68337333	68337858
2	68337333	68338503
3	68337333	68339140
4	68337996	68338503
5	68338642	68339140
6	68338687	68339140





Transcript: ENST00000265866.12 | Protein: ENSP00000265866.7

event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
no_unique_features	ENST00000469172.5					




Transcript: ENST00000469172.5 | Protein: N/A

event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
shorter	ENST00000880282.1	IPR050666	268.0	253.0	1.0	1.0
same_domains	ENST00000880282.1	IPR035979	192.0	192.0	2.0	2.0




Transcript: ENST00000880282.1 | Protein: ENSP00000550341.1

event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
no_unique_features	ENST00000880278.1					



Transcript: ENST00000880278.1 | Protein: ENSP00000550337.1

Mark inside each domain — its tier on the InterPro entry-type ladder: 1 = Domain/Repeat · 2 = Family/Homologous superfamily · 3 = member-DB hit (G3DSA/PTHR/SSF/cd/PF) · S = site/PTM. FILLED = kept, and compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — a 2 or 3 when more than half of it is already covered by a higher tier, an S unconditionally, and an entry of ANY tier when it duplicates a longer kept entry of the same accession that overlaps it. A transcript whose domains carry NO mark has no RepresentativeDomains entry: its annotation comes from DomainEvent/DomainType, which states no entry type, so the ladder cannot rank it and every domain is compared as-is.




event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
no_unique_features	ENST00000880283.1					




Transcript: ENST00000880283.1 | Protein: ENSP00000550342.1

event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
dropped_domain	ENST00000940766.1	IPR050666	268.0		1.0	0.0
dropped_domain	ENST00000940766.1	IPR035979	192.0		2.0	0.0
added_domain	ENST00000940766.1	IPR011707		75.0	0.0	1.0
added_domain	ENST00000940766.1	IPR018298		93.0	0.0	1.0
added_domain	ENST00000940766.1	IPR000504		144.0	0.0	4.0



Transcript: ENST00000940766.1 | Protein: ENSP00000610825.1

event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
dropped_domain	ENST00000880280.1	IPR050666	268.0		1.0	0.0
dropped_domain	ENST00000880280.1	IPR035979	192.0		2.0	0.0
added_domain	ENST00000880280.1	IPR011707		75.0	0.0	1.0
added_domain	ENST00000880280.1	IPR018298		93.0	0.0	1.0
added_domain	ENST00000880280.1	IPR000504		144.0	0.0	4.0




Transcript: ENST00000880280.1 | Protein: ENSP00000550339.1

event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
dropped_domain	ENST00000940778.1	IPR050666	268.0		1.0	0.0
dropped_domain	ENST00000940778.1	IPR035979	192.0		2.0	0.0
added_domain	ENST00000940778.1	IPR011707		75.0	0.0	1.0
added_domain	ENST00000940778.1	IPR018298		93.0	0.0	1.0
added_domain	ENST00000940778.1	IPR000504		144.0	0.0	4.0




Transcript: ENST00000940778.1 | Protein: ENSP00000610837.1


Mark inside each domain — its tier on the InterPro entry-type ladder: 1 = Domain/Repeat · 2 = Family/Homologous superfamily · 3 = member-DB hit (G3DSA/PTHR/SSF/cd/PF) · S = site/PTM. FILLED = kept, and compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — a 2 or 3 when more than half of it is already covered by a higher tier, an S unconditionally, and an entry of ANY tier when it duplicates a longer kept entry of the same accession that overlaps it. A transcript whose domains carry NO mark has no RepresentativeDomains entry: its annotation comes from DomainEvent/DomainType, which states no entry type, so the ladder cannot rank it and every domain is compared as-is.




Transcript: NM_001322445.1 | Protein: NP_001309374.1



Transcript: ENST00000880284.1 | Protein: ENSP00000550343.1



Transcript: ENST00000880285.1 | Protein: ENSP00000550344.1



Transcript: ENST00000461310.5 | Protein: N/A


Mark inside each domain — its tier on the InterPro entry-type ladder: 1 = Domain/Repeat · 2 = Family/Homologous superfamily · 3 = member-DB hit (G3DSA/PTHR/SSF/cd/PF) · S = site/PTM. FILLED = kept, and compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — a 2 or 3 when more than half of it is already covered by a higher tier, an S unconditionally, and an entry of ANY tier when it duplicates a longer kept entry of the same accession that overlaps it. A transcript whose domains carry NO mark has no RepresentativeDomains entry: its annotation comes from DomainEvent/DomainType, which states no entry type, so the ladder cannot rank it and every domain is compared as-is.




event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
shorter	ENST00000940768.1	IPR050666	268.0	250.0	1.0	1.0
same_domains	ENST00000940768.1	IPR035979	192.0	192.0	2.0	2.0





event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
no_unique_features	ENST00000940769.1					



event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
no_unique_features	ENST00000940779.1					



domain — its tier on the InterPro entry-type ladder: 1 = Domain/Repeat · 2 = Family/Homologous superfamily · 3 = member-DB hit (G3DSA/PTHR/SSF/cd/PF) · S = site/PTM. FILLED = kept, and compared. HOLLOW = removed before the comparison, so no its table can refer to it — a 2 or 3 when more than half of it is already covered by a higher tier, an S unconditionally, and an entry of ANY tier when it duplicates a longer kept entry of the same accession that overlaps it. A transcript whose domains carry NO representativeDomains entry: its annotation comes from DomainEvent/DomainType, which states no entry type, so the ladder cannot rank it and every domain is compared as-is.




Transcript: ENST00000940780.1 | Protein: ENSP00000610839.1

event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
shorter	ENST00000880303.1	IPR050666	268.0	101.0	1.0	1.0
merged domain	ENST00000880303.1	IPR035979	192.0	97.0	2.0	1.0




Transcript: ENST00000880303.1 | Protein: ENSP00000550362.1

event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
dropped domain	ENST00000940782.1	IPR050666	268.0		1.0	0.0
dropped domain	ENST00000940782.1	IPR035979	192.0		2.0	0.0
added_domain	ENST00000940782.1	IPR018298		93.0	0.0	1.0
added_domain	ENST00000940782.1	IPR000504		149.0	0.0	4.0



Transcript: ENST00000940782.1 | Protein: ENSP00000610841.1



event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
no_unique_features	ENST00000940770.1					



Transcript: ENST00000940770.1 | Protein: ENSP00000610829.1

Mark inside each domain — its tier on the InterPro entry-type ladder: 1 = Domain/Repeat · 2 = Family/Homologous superfamily · 3 = member-DB hit (G3DSA/PTHR/SSF/cd/PF) · S = site/PTM. FILLED = kept, and compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — a 2 or 3 when more than half of it is already covered by a higher tier, an S unconditionally, and an entry of ANY tier when it duplicates a longer kept entry of the same accession that overlaps it. A transcript whose domains carry NO mark has no RepresentativeDomains entry: its annotation comes from DomainEvent/DomainType, which states no entry type, so the ladder cannot rank it and every domain is compared as-is.

HNRNPH3 - H_sapiens | chr10:68,331,173-68,344,000 | 75 transcript(s) (page 6/19)




Transcript: ENST00000880289.1 | Protein: ENSP00000550348.1

event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
no_unique_features	ENST00000880281.1					




Transcript: ENST00000880281.1 | Protein: ENSP00000550340.1

event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
dropped domain	ENST00000880279.1	IPR050666	268.0		1.0	0.0
dropped domain	ENST00000880279.1	IPR035979	192.0		2.0	0.0
added_domain	ENST00000880279.1	IPR011707		75.0	0.0	1.0
added_domain	ENST00000880279.1	IPR018298		93.0	0.0	1.0
added_domain	ENST00000880279.1	IPR000504		144.0	0.0	4.0



Transcript: ENST00000880279.1 | Protein: ENSP00000550338.1


event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
dropped domain	NM_001322448.2	IPR050666	268.0		1.0	0.0
dropped domain	NM_001322448.2	IPR035979	192.0		2.0	0.0




Transcript: NM_001322448.2 | Protein: NP_001309377.1

Mark inside each domain — its tier on the InterPro entry-type ladder: 1 = Domain/Repeat · 2 = Family/Homologous superfamily · 3 = member-DB hit (G3DSA/PTHR/SSF/cd/PF) · S = site/PTM. FILLED = kept, and compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — a 2 or 3 when more than half of it is already covered by a higher tier, an S unconditionally, and an entry of ANY tier when it duplicates a longer kept entry of the same accession that overlaps it. A transcript whose domains carry NO mark has no RepresentativeDomains entry: its annotation comes from DomainEvent/DomainType, which states no entry type, so the ladder cannot rank it and every domain is compared as-is.

HNRNPH3 - H_sapiens | chr10:68,331,173-68,344,000 | 75 transcript(s) (page 7/19)




event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
dropped domain	NM_001322450.2	IPR050666	268.0		1.0	0.0
dropped domain	NM_001322450.2	IPR035979	192.0		2.0	0.0



No domains

Transcript: NM_001322450.2 | Protein: NP_001309379.1


event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
dropped domain	NM_001322453.2	IPR050666	268.0		1.0	0.0
dropped domain	NM_001322453.2	IPR035979	192.0		2.0	0.0



No domains


Transcript: NM_001322453.2 | Protein: NP_001309382.1

event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
no_unique_features	ENST00000880286.1					




Transcript: ENST00000880286.1 | Protein: ENSP00000550345.1

event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
dropped domain	ENST00000354695.5	IPR050666	268.0		1.0	0.0
dropped domain	ENST00000354695.5	IPR035979	192.0		2.0	0.0
added_domain	ENST00000354695.5	IPR011707		75.0	0.0	1.0
added_domain	ENST00000354695.5	IPR018298		93.0	0.0	1.0
added_domain	ENST00000354695.5	IPR000504		144.0	0.0	4.0




Transcript: ENST00000354695.5 | Protein: ENSP00000346726.5


Mark inside each domain — its tier on the InterPro entry-type ladder: 1 = Domain/Repeat · 2 = Family/Homologous superfamily · 3 = member-DB hit (G3DSA/PTHR/SSF/cd/PF) · S = site/PTM. FILLED = kept, and compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — a 2 or 3 when more than half of it is already covered by a higher tier, an S unconditionally, and an entry of ANY tier when it duplicates a longer kept entry of the same accession that overlaps it. A transcript whose domains carry NO mark has no RepresentativeDomains entry: its annotation comes from DomainEvent/DomainType, which states no entry type, so the ladder cannot rank it and every domain is compared as-is.




Transcript: NM_001322446.2 | Protein: NP_001309375.1 [most like canonical]



Transcript: NM_001322452.2 | Protein: NP_001309381.1





Transcript: ENST00000880292.1 | Protein: ENSP00000550351.1




Transcript: ENST00000880288.1 | Protein: ENSP00000550347.1

Mark inside each domain — its tier on the InterPro entry-type ladder: 1 = Domain/Repeat · 2 = Family/Homologous superfamily · 3 = member-DB hit (G3DSA/PTHR/SSF/cd/PF) · S = site/PTM. FILLED = kept, and compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — a 2 or 3 when more than half of it is already covered by a higher tier, an S unconditionally, and an entry of ANY tier when it duplicates a longer kept entry of the same accession that overlaps it. A transcript whose domains carry NO mark has no RepresentativeDomains entry: its annotation comes from DomainEvent/DomainType, which states no entry type, so the ladder cannot rank it and every domain is compared as-is.





event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
dropped domain	ENST00000880287.1	IPR050666	268.0		1.0	0.0
dropped domain	ENST00000880287.1	IPR035979	192.0		2.0	0.0
added_domain	ENST00000880287.1	IPR011707		75.0	0.0	1.0
added_domain	ENST00000880287.1	IPR018298		93.0	0.0	1.0
added_domain	ENST00000880287.1	IPR000504		144.0	0.0	4.0




Transcript: ENST00000880287.1 | Protein: ENSP00000550346.1

event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
dropped domain	NM_001322447.2	IPR050666	268.0		1.0	0.0
dropped domain	NM_001322447.2	IPR035979	192.0		2.0	0.0




Transcript: NM_001322447.2 | Protein: NP_001309376.1

event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
dropped domain	NM_001322451.2	IPR050666	268.0		1.0	0.0
dropped domain	NM_001322451.2	IPR035979	192.0		2.0	0.0



Transcript: NM_001322451.2 | Protein: NP_001309380.1

event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
no_unique_features	ENST00000940783.1					




Transcript: ENST00000940783.1 | Protein: ENSP00000610842.1

Mark inside each domain — its tier on the InterPro entry-type ladder: 1 = Domain/Repeat · 2 = Family/Homologous superfamily · 3 = member-DB hit (G3DSA/PTHR/SSF/cd/PF) · S = site/PTM. FILLED = kept, and compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — a 2 or 3 when more than half of it is already covered by a higher tier, an S unconditionally, and an entry of ANY tier when it duplicates a longer kept entry of the same accession that overlaps it. A transcript whose domains carry NO mark has no RepresentativeDomains entry: its annotation comes from DomainEvent/DomainType, which states no entry type, so the ladder cannot rank it and every domain is compared as-is.


HNRNPH3 - H_sapiens | chr10:68,331,173-68,344,000 | 75 transcript(s) (page 10/19)

68,332,000	68,336,000	68,340,000				
	68,334,000	68,338,000	68,342,000	200	400	600
				800	1000	
event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
no_unique_features	ENST00000880300.1					




Transcript: ENST00000880300.1 | Protein: ENSP00000550359.1

event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
no_unique_features	ENST00000880296.1					




Transcript: ENST00000880296.1 | Protein: ENSP00000550355.1

event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
dropped_domain	ENST00000880295.1	IPR050666	268.0		1.0	0.0
dropped_domain	ENST00000880295.1	IPR035979	192.0		2.0	0.0
added_domain	ENST00000880295.1	IPR011707		75.0	0.0	1.0
added_domain	ENST00000880295.1	IPR018298		93.0	0.0	1.0
added_domain	ENST00000880295.1	IPR000504		144.0	0.0	4.0



Transcript: ENST00000880295.1 | Protein: ENSP00000550354.1


event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
no_unique_features	ENST00000880294.1					




Transcript: ENST00000880294.1 | Protein: ENSP00000550353.1

Mark inside each domain — its tier on the InterPro entry-type ladder: 1 = Domain/Repeat · 2 = Family/Homologous superfamily · 3 = member-DB hit (G3DSA/PTHR/SSF/cd/PF) · S = site/PTM. FILLED = kept, and compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — a 2 or 3 when more than half of it is already covered by a higher tier, an S unconditionally, and an entry of ANY tier when it duplicates a longer kept entry of the same accession that overlaps it. A transcript whose domains carry NO mark has no RepresentativeDomains entry: its annotation comes from DomainEvent/DomainType, which states no entry type, so the ladder cannot rank it and every domain is compared as-is.


HNRNPH3 - H_sapiens | chr10:68,331,173-68,344,000 | 75 transcript(s) (page 11/19)




Transcript: ENST00000940772.1 | Protein: ENSP00000610831.1



Transcript: ENST00000880290.1 | Protein: ENSP00000550349.1




Transcript: ENST00000880291.1 | Protein: ENSP00000550350.1




Transcript: ENST00000940771.1 | Protein: ENSP00000610830.1

Mark inside each domain — its tier on the InterPro entry-type ladder: 1 = Domain/Repeat · 2 = Family/Homologous superfamily · 3 = member-DB hit (G3DSA/PTHR/SSF/cd/PF) · S = site/PTM. FILLED = kept, and compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — a 2 or 3 when more than half of it is already covered by a higher tier, an S unconditionally, and an entry of ANY tier when it duplicates a longer kept entry of the same accession that overlaps it. A transcript whose domains carry NO mark has no RepresentativeDomains entry: its annotation comes from DomainEvent/DomainType, which states no entry type, so the ladder cannot rank it and every domain is compared as-is.

HNRNPH3 - H_sapiens | chr10:68,331,173-68,344,000 | 75 transcript(s) (page 12/19)




event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
dropped_domain	ENST00000967050.1	IPR050666	268.0		1.0	0.0
dropped_domain	ENST00000967050.1	IPR035979	192.0		2.0	0.0
added_domain	ENST00000967050.1	IPR011707		75.0	0.0	1.0
added_domain	ENST00000967050.1	IPR018298		93.0	0.0	1.0
added_domain	ENST00000967050.1	IPR000504		144.0	0.0	4.0




Transcript: ENST00000967050.1 | Protein: ENSP00000637109.1 [longest CDS]

event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
no_unique_features	ENST00000940773.1					




Transcript: ENST00000940773.1 | Protein: ENSP00000610832.1

event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
no_unique_features	ENST00000940774.1					



Transcript: ENST00000940774.1 | Protein: ENSP00000610833.1


event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
dropped_domain	ENST00000940784.1	IPR050666	268.0		1.0	0.0
dropped_domain	ENST00000940784.1	IPR035979	192.0		2.0	0.0
added_domain	ENST00000940784.1	IPR011707		75.0	0.0	1.0
added_domain	ENST00000940784.1	IPR018298		93.0	0.0	1.0
added_domain	ENST00000940784.1	IPR000504		144.0	0.0	4.0





Transcript: ENST00000940784.1 | Protein: ENSP00000610843.1

Mark inside each domain — its tier on the InterPro entry-type ladder: 1 = Domain/Repeat · 2 = Family/Homologous superfamily · 3 = member-DB hit (G3DSA/PTHR/SSF/cd/PF) · S = site/PTM. FILLED = kept, and compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — a 2 or 3 when more than half of it is already covered by a higher tier, an S unconditionally, and an entry of ANY tier when it duplicates a longer kept entry of the same accession that overlaps it. A transcript whose domains carry NO mark has no RepresentativeDomains entry: its annotation comes from DomainEvent/DomainType, which states no entry type, so the ladder cannot rank it and every domain is compared as-is.

HNRNPH3 - H_sapiens | chr10:68,331,173-68,344,000 | 75 transcript(s) (page 13/19)




event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
shorter	ENST00000940775.1	IPR050666	268.0	244.0	1.0	1.0
shorter_domains	ENST00000940775.1	IPR035979	192.0	176.0	2.0	2.0




Transcript: ENST00000940775.1 | Protein: ENSP00000610834.1

event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
dropped domain	ENST00000480987.5	IPR050666	268.0		1.0	0.0
dropped domain	ENST00000480987.5	IPR035979	192.0		2.0	0.0




Transcript: ENST00000480987.5 | Protein: N/A

event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
no_unique_features	ENST00000880304.1					





Transcript: ENST00000880304.1 | Protein: ENSP00000550363.1

event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
dropped domain	ENST00000880298.1	IPR050666	268.0		1.0	0.0
dropped domain	ENST00000880298.1	IPR035979	192.0		2.0	0.0
added_domain	ENST00000880298.1	IPR011707		75.0	0.0	1.0
added_domain	ENST00000880298.1	IPR018298		93.0	0.0	1.0
added_domain	ENST00000880298.1	IPR000504		144.0	0.0	4.0



Transcript: ENST00000880298.1 | Protein: ENSP00000550357.1

Mark inside each domain — its tier on the InterPro entry-type ladder: 1 = Domain/Repeat · 2 = Family/Homologous superfamily · 3 = member-DB hit (G3DSA/PTHR/SSF/cd/PF) · S = site/PTM. FILLED = kept, and compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — a 2 or 3 when more than half of it is already covered by a higher tier, an S unconditionally, and an entry of ANY tier when it duplicates a longer kept entry of the same accession that overlaps it. A transcript whose domains carry NO mark has no RepresentativeDomains entry: its annotation comes from DomainEvent/DomainType, which states no entry type, so the ladder cannot rank it and every domain is compared as-is.



Transcript: ENST00000880297.1 | Protein: ENSP00000550356.1

event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
no_unique_features	ENST00000967052.1					





Transcript: ENST00000967052.1 | Protein: ENSP00000637111.1

event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
no_unique_features	ENST00000967051.1					



Transcript: ENST00000967051.1 | Protein: ENSP00000637110.1

event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
no_unique_features	ENST00000880305.1					





Transcript: ENST00000880305.1 | Protein: ENSP00000550364.1

Mark inside each domain — its tier on the InterPro entry-type ladder: 1 = Domain/Repeat · 2 = Family/Homologous superfamily · 3 = member-DB hit (G3DSA/PTHR/SSF/cd/PF) · S = site/PTM. FILLED = kept, and compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — a 2 or 3 when more than half of it is already covered by a higher tier, an S unconditionally, and an entry of ANY tier when it duplicates a longer kept entry of the same accession that overlaps it. A transcript whose domains carry NO mark has no RepresentativeDomains entry: its annotation comes from DomainEvent/DomainType, which states no entry type, so the ladder cannot rank it and every domain is compared as-is.

HNRNPH3 - H_sapiens | chr10:68,331,173-68,344,000 | 75 transcript(s) (page 15/19)





event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
no_unique_features	ENST00000967049.1					




Transcript: ENST00000967049.1 | Protein: ENSP00000637108.1

event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
no_unique_features	ENST00000880299.1					




Transcript: ENST00000880299.1 | Protein: ENSP00000550358.1

event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
no_unique_features	ENST00000486854.5					




Transcript: ENST00000486854.5 | Protein: N/A

event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
no_unique_features	ENST00000467249.1					



Transcript: ENST00000467249.1 | Protein: N/A

Mark inside each domain — its tier on the InterPro entry-type ladder: 1 = Domain/Repeat · 2 = Family/Homologous superfamily · 3 = member-DB hit (G3DSA/PTHR/SSF/cd/PF) · S = site/PTM. FILLED = kept, and compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — a 2 or 3 when more than half of it is already covered by a higher tier, an S unconditionally, and an entry of ANY tier when it duplicates a longer kept entry of the same accession that overlaps it. A transcript whose domains carry NO mark has no RepresentativeDomains entry: its annotation comes from DomainEvent/DomainType, which states no entry type, so the ladder cannot rank it and every domain is compared as-is.



event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
dropped_domain	ENST00000940776.1	IPR050666	268.0		1.0	0.0
dropped_domain	ENST00000940776.1	IPR035979	192.0		2.0	0.0
added_domain	ENST00000940776.1	IPR011707		75.0	0.0	1.0
added_domain	ENST00000940776.1	IPR018298		93.0	0.0	1.0
added_domain	ENST00000940776.1	IPR000504		144.0	0.0	4.0



Transcript: ENST00000940776.1 | Protein: ENSP00000610835.1

event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
no_unique_features	ENST00000880301.1					




Transcript: ENST00000880301.1 | Protein: ENSP00000550360.1

event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
dropped_domain	ENST00000940777.1	IPR050666	268.0		1.0	0.0
dropped_domain	ENST00000940777.1	IPR035979	192.0		2.0	0.0
added_domain	ENST00000940777.1	IPR011707		75.0	0.0	1.0
added_domain	ENST00000940777.1	IPR000504		71.0	0.0	2.0



Transcript: ENST00000940777.1 | Protein: ENSP00000610836.1


event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
dropped_domain	ENST00000940785.1	IPR050666	268.0		1.0	0.0
dropped_domain	ENST00000940785.1	IPR035979	192.0		2.0	0.0
added_domain	ENST00000940785.1	IPR011707		75.0	0.0	1.0
added_domain	ENST00000940785.1	IPR000504		71.0	0.0	2.0





Transcript: ENST00000940785.1 | Protein: ENSP00000610844.1

Mark inside each domain — its tier on the InterPro entry-type ladder: 1 = Domain/Repeat · 2 = Family/Homologous superfamily · 3 = member-DB hit (G3DSA/PTHR/SSF/cd/PF) · S = site/PTM. FILLED = kept, and compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — a 2 or 3 when more than half of it is already covered by a higher tier, an S unconditionally, and an entry of ANY tier when it duplicates a longer kept entry of the same accession that overlaps it. A transcript whose domains carry NO mark has no RepresentativeDomains entry: its annotation comes from DomainEvent/DomainType, which states no entry type, so the ladder cannot rank it and every domain is compared as-is.

HNRNPH3 - H_sapiens | chr10:68,331,173-68,344,000 | 75 transcript(s) (page 17/19)





event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
no_unique_features	ENST00000880306.1					





Transcript: ENST00000880306.1 | Protein: ENSP00000550365.1

event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
no_unique_features	ENST00000880307.1					





Transcript: ENST00000880307.1 | Protein: ENSP00000550366.1

event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
no_unique_features	ENST00000880293.1					



Transcript: ENST00000880293.1 | Protein: ENSP00000550352.1


event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
dropped domain	ENST00000880302.1	IPR050666	268.0		1.0	0.0
dropped domain	ENST00000880302.1	IPR035979	192.0		2.0	0.0
added_domain	ENST00000880302.1	IPR011707		75.0	0.0	1.0
added_domain	ENST00000880302.1	IPR018298		93.0	0.0	1.0
added_domain	ENST00000880302.1	IPR000504		144.0	0.0	4.0




Transcript: ENST00000880302.1 | Protein: ENSP00000550361.1

Mark inside each domain — its tier on the InterPro entry-type ladder: 1 = Domain/Repeat · 2 = Family/Homologous superfamily · 3 = member-DB hit (G3DSA/PTHR/SSF/cd/PF) · S = site/PTM. FILLED = kept, and compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — a 2 or 3 when more than half of it is already covered by a higher tier, an S unconditionally, and an entry of ANY tier when it duplicates a longer kept entry of the same accession that overlaps it. A transcript whose domains carry NO mark has no RepresentativeDomains entry: its annotation comes from DomainEvent/DomainType, which states no entry type, so the ladder cannot rank it and every domain is compared as-is.

HNRNPH3 - H_sapiens | chr10:68,331,173-68,344,000 | 75 transcript(s) (page 18/19)




event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
dropped domain	NM_001322449.2	IPR050666	268.0		1.0	0.0
dropped domain	NM_001322449.2	IPR035979	192.0		2.0	0.0




Transcript: NM_001322449.2 | Protein: NP_001309378.1

event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
no_unique_features	ENST00000940781.1					



Transcript: ENST00000940781.1 | Protein: ENSP00000610840.1

event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
dropped domain	ENST00000880308.1	IPR050666	268.0		1.0	0.0
dropped domain	ENST00000880308.1	IPR035979	192.0		2.0	0.0
added_domain	ENST00000880308.1	IPR011707		75.0	0.0	1.0
added_domain	ENST00000880308.1	IPR018298		93.0	0.0	1.0
added_domain	ENST00000880308.1	IPR000504		144.0	0.0	4.0



Transcript: ENST00000880308.1 | Protein: ENSP00000550367.1

event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
no_unique_features	ENST00000481819.5					




Transcript: ENST00000481819.5 | Protein: N/A

Mark inside each domain — its tier on the InterPro entry-type ladder: 1 = Domain/Repeat · 2 = Family/Homologous superfamily · 3 = member-DB hit (G3DSA/PTHR/SSF/cd/PF) · S = site/PTM. FILLED = kept, and compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — a 2 or 3 when more than half of it is already covered by a higher tier, an S unconditionally, and an entry of ANY tier when it duplicates a longer kept entry of the same accession that overlaps it. A transcript whose domains carry NO mark has no RepresentativeDomains entry: its annotation comes from DomainEvent/DomainType, which states no entry type, so the ladder cannot rank it and every domain is compared as-is.


HNRNPH3 - H_sapiens | chr10:68,331,173-68,344,000 | 75 transcript(s) (page 19/19)



Transcript: ENST00000491200.5 | Protein: N/A



Transcript: ENST00000490442.5 | Protein: N/A



Transcript: ENST00000478698.1 | Protein: N/A

Mark inside each domain — its tier on the InterPro entry-type ladder: 1 = Domain/Repeat · 2 = Family/Homologous superfamily · 3 = member-DB hit (G3DSA/PTHR/SSF/cd/PF) · S = site/PTM. FILLED = kept, and compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — a 2 or 3 when more than half of it is already covered by a higher tier, an S unconditionally, and an entry of ANY tier when it duplicates a longer kept entry of the same accession that overlaps it. A transcript whose domains carry NO mark has no RepresentativeDomains entry: its annotation comes from DomainEvent/DomainType, which states no entry type, so the ladder cannot rank it and every domain is compared as-is.