





CD6 - H_sapiens | chr11:60,971,679-61,020,377 | 7 transcript(s) (page 1/2)

idx	start	end
1	61013563	61013919
2	61013563	61017479
3	61014014	61015713
4	61014014	61017479
5	61015835	61017479




Transcript: ENST00000313421.1 | Protein: ENSP00000323280.7

event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
no_domains_in_region	ENST00000899032.1					




Transcript: ENST00000899032.1 | Protein: ENSP00000569091.1 [longest CDS]

event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
no_domains_in_region	XM_006718740.3					




Transcript: XM_006718740.3 | Protein: XP_006718803.1

event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
no_domains_in_region	ENST00000452451.6					




Transcript: ENST00000452451.6 | Protein: ENSP00000390676.2

Mark inside each domain — its tier on the InterPro entry-type ladder: 1 = Domain/Repeat · 2 = Family/Homologous superfamily · 3 = member-DB hit (G3DSA/PTHR/SSF/cd/PF) · S = site/PTM. FILLED = kept, and compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — a 2 or 3 when more than half of it is already covered by a higher tier, an S unconditionally, and an entry of ANY tier when it duplicates a longer kept entry of the same accession that overlaps it.




Transcript: XM_047427880.1 | Protein: XP_047283836.1

event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
no_domains_in_region	ENST00000899024.1					



Transcript: ENST00000899024.1 | Protein: ENSP00000569084.1

event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
no_domains_in_region	ENST00000899030.1					



Transcript: ENST00000899030.1 | Protein: ENSP00000569089.1

Mark inside each domain — its tier on the InterPro entry-type ladder: 1 = Domain/Repeat · 2 = Family/Homologous superfamily · 3 = member-DB hit (G3DSA/PTHR/SSF/cd/PF) · S = site/PTM. FILLED = kept, and compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — a 2 or 3 when more than half of it is already covered by a higher tier, an S unconditionally, and an entry of ANY tier when it duplicates a longer kept entry of the same accession that overlaps it.