





HNRNPH3 - H_sapiens | chr10:68,331,465-68,343,855 | 36 transcript(s) (page 1/9)

idx	start	end
1	68337333	68337858
2	68337333	68338503
3	68337333	68339140
4	68337333	68338503
5	68337996	68339140
6	68338642	68339140
	68338687	68339140





Transcript: ENST00000265866.12 | Protein: ENSP00000265866.7

event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
shorter	ENST00000880282.1	IPR050666	268.0	253.0	1.0	1.0
same_domains	ENST00000880282.1	IPR035979	192.0	192.0	2.0	2.0





Transcript: ENST00000880282.1 | Protein: ENSP00000550341.1

event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
dropped_domain	ENST00000940766.1	IPR050666	268.0		1.0	0.0
dropped_domain	ENST00000940766.1	IPR035979	192.0		2.0	0.0
added_domain	ENST00000940766.1	IPR011707		75.0	0.0	1.0
added_domain	ENST00000940766.1	IPR018298		93.0	0.0	1.0
added_domain	ENST00000940766.1	IPR000504		144.0	0.0	4.0





Transcript: ENST00000940766.1 | Protein: ENSP00000610825.1

event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
dropped_domain	ENST00000880280.1	IPR050666	268.0		1.0	0.0
dropped_domain	ENST00000880280.1	IPR035979	192.0		2.0	0.0
added_domain	ENST00000880280.1	IPR011707		75.0	0.0	1.0
added_domain	ENST00000880280.1	IPR018298		93.0	0.0	1.0
added_domain	ENST00000880280.1	IPR000504		144.0	0.0	4.0





Transcript: ENST00000880280.1 | Protein: ENSP00000550339.1

Mark inside each domain — its tier on the InterPro entry-type ladder: 1 = Domain/Repeat · 2 = Family/Homologous superfamily · 3 = member-DB hit (G3DSA/PTHR/SSF/cd/PF) · S = site/PTM. FILLED = kept, and compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — a 2 or 3 when more than half of it is already covered by a higher tier, an S unconditionally, and an entry of ANY tier when it duplicates a longer kept entry of the same accession that overlaps it. A transcript whose domains carry NO mark has no RepresentativeDomains entry: its annotation comes from DomainEvent/DomainType, which states no entry type, so the ladder cannot rank it and every domain is compared as-is.



event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
dropped domain	ENST00000940778.1	IPR050666	268.0		1.0	0.0
dropped domain	ENST00000940778.1	IPR035979	192.0		2.0	0.0
added_domain	ENST00000940778.1	IPR011707		75.0	0.0	1.0
added_domain	ENST00000940778.1	IPR018298		93.0	0.0	1.0
added_domain	ENST00000940778.1	IPR000504		144.0	0.0	4.0



Transcript: ENST00000940778.1 | Protein: ENSP00000610837.1

event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
dropped domain	NM_001322445.1	IPR050666	268.0		1.0	0.0
dropped domain	NM_001322445.1	IPR035979	192.0		2.0	0.0



No domains

Transcript: NM_001322445.1 | Protein: NP_001309374.1



event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
dropped domain	ENST00000461310.5	IPR050666	268.0		1.0	0.0
dropped domain	ENST00000461310.5	IPR035979	192.0		2.0	0.0



No domains

Transcript: ENST00000461310.5 | Protein: N/A





event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
shorter	ENST00000940768.1	IPR050666	268.0	250.0	1.0	1.0
same_domains	ENST00000940768.1	IPR035979	192.0	192.0	2.0	2.0




Transcript: ENST00000940768.1 | Protein: ENSP00000610827.1

Mark inside each domain — its tier on the InterPro entry-type ladder: 1 = Domain/Repeat · 2 = Family/Homologous superfamily · 3 = member-DB hit (G3DSA/PTHR/SSF/cd/PF) · S = site/PTM. FILLED = kept, and compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — a 2 or 3 when more than half of it is already covered by a higher tier, an S unconditionally, and an entry of ANY tier when it duplicates a longer kept entry of the same accession that overlaps it. A transcript whose domains carry NO mark has no RepresentativeDomains entry: its annotation comes from DomainEvent/DomainType, which states no entry type, so the ladder cannot rank it and every domain is compared as-is.


HNRNPH3 - H_sapiens | chr10:68,331,465-68,343,855 | 36 transcript(s) (page 3/9)




Mark inside each domain — its tier on the InterPro entry-type ladder: 1 = Domain/Repeat · 2 = Family/Homologous superfamily · 3 = member-DB hit (G3DSA/PTHR/SSF/cd/PF) · S = site/PTM. FILLED = kept, and compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — a 2 or 3 when more than half of it is already covered by a higher tier, and an entry of ANY tier when it duplicates a longer kept entry of the same accession that overlaps it. A transcript whose domains carry NO mark has no RepresentativeDomains entry: its annotation comes from DomainEvent/DomainType, which states no entry type, so the ladder cannot rank it and every domain is compared as-is.




Transcript: NM_001322450.2 | Protein: NP_001309379.1



Transcript: NM_001322453.2 | Protein: NP_001309382.1




Transcript: ENST00000354695.5 | Protein: ENSP00000346726.5




Transcript: NM_001322446.2 | Protein: NP_001309375.1 [most like canonical]

Mark inside each domain — its tier on the InterPro entry-type ladder: 1 = Domain/Repeat · 2 = Family/Homologous superfamily · 3 = member-DB hit (G3DSA/PTHR/SSF/cd/PF) · S = site/PTM. FILLED = kept, and compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — a 2 or 3 when more than half of it is already covered by a higher tier, an S unconditionally, and an entry of ANY tier when it duplicates a longer kept entry of the same accession that overlaps it. A transcript whose domains carry NO mark has no RepresentativeDomains entry: its annotation comes from DomainEvent/DomainType, which states no entry type, so the ladder cannot rank it and every domain is compared as-is.


HNRNPH3 - H_sapiens | chr10:68,331,465-68,343,855 | 36 transcript(s) (page 5/9)




Transcript: NM_001322452.2 | Protein: NP_001309381.1



Transcript: ENST00000880292.1 | Protein: ENSP00000550351.1



Transcript: ENST00000880287.1 | Protein: ENSP00000550346.1



Transcript: NM_001322447.2 | Protein: NP_001309376.1

Mark inside each domain — its tier on the InterPro entry-type ladder: 1 = Domain/Repeat · 2 = Family/Homologous superfamily · 3 = member-DB hit (G3DSA/PTHR/SSF/cd/PF) · S = site/PTM. FILLED = kept, and compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — a 2 or 3 when more than half of it is already covered by a higher tier, and an entry of ANY tier when it duplicates a longer kept entry of the same accession that overlaps it. A transcript whose domains carry NO mark has no RepresentativeDomains entry: its annotation comes from DomainEvent/DomainType, which states no entry type, so the ladder cannot rank it and every domain is compared as-is.


event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
dropped domain	NM_001322451.2	IPR050666	268.0		1.0	0.0
dropped domain	NM_001322451.2	IPR035979	192.0		2.0	0.0

No domains

event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
dropped domain	ENST00000880295.1	IPR050666	268.0		1.0	0.0
dropped domain	ENST00000880295.1	IPR035979	192.0		2.0	0.0
added_domain	ENST00000880295.1	IPR011707		75.0	0.0	1.0
added_domain	ENST00000880295.1	IPR018298		93.0	0.0	1.0
added_domain	ENST00000880295.1	IPR000504		144.0	0.0	4.0




event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
dropped_domain	ENST00000880290.1	IPR050666	268.0		1.0	0.0
dropped_domain	ENST00000880290.1	IPR035979	192.0		2.0	0.0
added_domain	ENST00000880290.1	IPR011707		75.0	0.0	1.0
added_domain	ENST00000880290.1	IPR018298		93.0	0.0	1.0
added_domain	ENST00000880290.1	IPR000504		144.0	0.0	4.0





event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
shorter	ENST00000880291.1	IPR050666	268.0	85.0	1.0	1.0
merged domain	ENST00000880291.1	IPR035979	192.0	95.0	2.0	1.0
added domain	ENST00000880291.1	IPR012677		47.0	0.0	1.0



Mark inside each domain — its tier on the InterPro entry-type ladder: 1 = Domain/Repeat · 2 = Family/Homologous superfamily · 3 = member-DB hit (G3DSA/PTHR/SSF/cd/PF) · S = site/PTM. FILLED = kept, and compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — a 2 or 3 when more than half of it is already covered by a higher tier, an S unconditionally, and an entry of ANY tier when it duplicates a longer kept entry of the same accession that overlaps it. A transcript whose domains carry NO mark has no RepresentativeDomains entry: its annotation comes from DomainEvent/DomainType, which states no entry type, so the ladder cannot rank it and every domain is compared as-is.





event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
dropped_domain	ENST00000940771.1	IPR050666	268.0		1.0	0.0
dropped_domain	ENST00000940771.1	IPR035979	192.0		2.0	0.0
added_domain	ENST00000940771.1	IPR011707		75.0	0.0	1.0
added_domain	ENST00000940771.1	IPR018298		93.0	0.0	1.0
added_domain	ENST00000940771.1	IPR000504		144.0	0.0	4.0





Transcript: ENST00000940771.1 | Protein: ENSP00000610830.1

event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
dropped_domain	ENST00000967050.1	IPR050666	268.0		1.0	0.0
dropped_domain	ENST00000967050.1	IPR035979	192.0		2.0	0.0
added_domain	ENST00000967050.1	IPR011707		75.0	0.0	1.0
added_domain	ENST00000967050.1	IPR018298		93.0	0.0	1.0
added_domain	ENST00000967050.1	IPR000504		144.0	0.0	4.0




Transcript: ENST00000967050.1 | Protein: ENSP00000637109.1 [longest CDS]

event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
dropped_domain	ENST00000940784.1	IPR050666	268.0		1.0	0.0
dropped_domain	ENST00000940784.1	IPR035979	192.0		2.0	0.0
added_domain	ENST00000940784.1	IPR011707		75.0	0.0	1.0
added_domain	ENST00000940784.1	IPR018298		93.0	0.0	1.0
added_domain	ENST00000940784.1	IPR000504		144.0	0.0	4.0




Transcript: ENST00000940784.1 | Protein: ENSP00000610843.1

event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
shorter	ENST00000940775.1	IPR050666	268.0	244.0	1.0	1.0
shorter_domains	ENST00000940775.1	IPR035979	192.0	176.0	2.0	2.0




Transcript: ENST00000940775.1 | Protein: ENSP00000610834.1


Mark inside each domain — its tier on the InterPro entry-type ladder: 1 = Domain/Repeat · 2 = Family/Homologous superfamily · 3 = member-DB hit (G3DSA/PTHR/SSF/cd/PF) · S = site/PTM. FILLED = kept, and compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — a 2 or 3 when more than half of it is already covered by a higher tier, and an entry of ANY tier when it duplicates a longer kept entry of the same accession that overlaps it. A transcript whose domains carry NO mark has no RepresentativeDomains entry: its annotation comes from DomainEvent/DomainType, which states no entry type, so the ladder cannot rank it and every domain is compared as-is.




Transcript: ENST00000480987.5 | Protein: N/A



Transcript: ENST00000880298.1 | Protein: ENSP00000550357.1





Transcript: ENST00000940776.1 | Protein: ENSP00000610835.1




Transcript: ENST00000940777.1 | Protein: ENSP00000610836.1

Mark inside each domain — its tier on the InterPro entry-type ladder: 1 = Domain/Repeat · 2 = Family/Homologous superfamily · 3 = member-DB hit (G3DSA/PTHR/SSF/cd/PF) · S = site/PTM. FILLED = kept, and compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — a 2 or 3 when more than half of it is already covered by a higher tier, an S unconditionally, and an entry of ANY tier when it duplicates a longer kept entry of the same accession that overlaps it. A transcript whose domains carry NO mark has no RepresentativeDomains entry: its annotation comes from DomainEvent/DomainType, which states no entry type, so the ladder cannot rank it and every domain is compared as-is.





event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
dropped domain	ENST00000940785.1	IPR050666	268.0		1.0	0.0
dropped domain	ENST00000940785.1	IPR035979	192.0		2.0	0.0
added_domain	ENST00000940785.1	IPR011707		75.0	0.0	1.0
added_domain	ENST00000940785.1	IPR000504		71.0	0.0	2.0



Transcript: ENST00000940785.1 | Protein: ENSP00000610844.1

event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
dropped domain	ENST00000880302.1	IPR050666	268.0		1.0	0.0
dropped domain	ENST00000880302.1	IPR035979	192.0		2.0	0.0
added_domain	ENST00000880302.1	IPR011707		75.0	0.0	1.0
added_domain	ENST00000880302.1	IPR018298		93.0	0.0	1.0
added_domain	ENST00000880302.1	IPR000504		144.0	0.0	4.0





Transcript: ENST00000880302.1 | Protein: ENSP00000550361.1

event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
dropped domain	NM_001322449.2	IPR050666	268.0		1.0	0.0
dropped domain	NM_001322449.2	IPR035979	192.0		2.0	0.0



Transcript: NM_001322449.2 | Protein: NP_001309378.1

event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
dropped domain	ENST00000880308.1	IPR050666	268.0		1.0	0.0
dropped domain	ENST00000880308.1	IPR035979	192.0		2.0	0.0
added_domain	ENST00000880308.1	IPR011707		75.0	0.0	1.0
added_domain	ENST00000880308.1	IPR018298		93.0	0.0	1.0
added_domain	ENST00000880308.1	IPR000504		144.0	0.0	4.0



Transcript: ENST00000880308.1 | Protein: ENSP00000550367.1

Mark inside each domain — its tier on the InterPro entry-type ladder: 1 = Domain/Repeat · 2 = Family/Homologous superfamily · 3 = member-DB hit (G3DSA/PTHR/SSF/cd/PF) · S = site/PTM. FILLED = kept, and compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — a 2 or 3 when more than half of it is already covered by a higher tier, and an entry of ANY tier when it duplicates a longer kept entry of the same accession that overlaps it. A transcript whose domains carry NO mark has no RepresentativeDomains entry: its annotation comes from DomainEvent/DomainType, which states no entry type, so the ladder cannot rank it and every domain is compared as-is.