


idx	start	end
1	68337333	68337858
2	68337333	68338503
3	68337333	68339140
4	68337996	68338503
5	68338642	68339140
6	68338687	68339140




Transcript: ENST00000265866.12 | Protein: ENSP00000265866.7

event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
no_unique_features	ENST00000469172.5					



Transcript: ENST00000469172.5 | Protein: N/A

event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
no_domains_in_region	ENST00000880282.1					



Transcript: ENST00000880282.1 | Protein: ENSP00000550341.1



event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
no_unique_features	ENST00000880278.1					



Transcript: ENST00000880278.1 | Protein: ENSP00000550337.1

Mark inside each domain — its tier on the InterPro entry-type ladder: 1 = Domain/Repeat · 2 = Family/Homologous superfamily · 3 = member-DB hit (G3DSA/PTHR/SSF/cd/PF) · S = site/PTM, ranked with tier 2. FILLED = kept, and compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — a 2, 5 or 3 when more than half of it is already covered by a higher tier, and an entry of ANY tier when it duplicates a longer kept entry of the same accession that overlaps it. A transcript whose domains carry NO mark has no RepresentativeDomains entry: its annotation comes from DomainEvent/DomainType, which states no entry type, so the ladder cannot rank it and every domain is compared as-is.

HNRNPH3 - H_sapiens | chr10:68,331,173-68,344,000 | 75 transcript(s) (page 2/19)



Transcript: ENST00000880283.1 | Protein: ENSP00000550342.1

event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
added_domain	ENST00000940766.1	IPR018298		93.0	0.0	1.0
added_domain	ENST00000940766.1	IPR000504		73.0	0.0	2.0



Transcript: ENST00000940766.1 | Protein: ENSP00000610825.1

event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
added_domain	ENST00000880280.1	IPR018298		93.0	0.0	1.0
added_domain	ENST00000880280.1	IPR000504		73.0	0.0	2.0




Transcript: ENST00000880280.1 | Protein: ENSP00000550339.1

event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
added_domain	ENST00000940778.1	IPR018298		93.0	0.0	1.0
added_domain	ENST00000940778.1	IPR000504		73.0	0.0	2.0




Transcript: ENST00000940778.1 | Protein: ENSP00000610837.1


Mark inside each domain — its tier on the InterPro entry-type ladder: 1 = Domain/Repeat · 2 = Family/Homologous superfamily · 3 = member-DB hit (G3DSA/PTHR/SSF/cd/PF) · S = site/PTM, ranked with tier 2. FILLED = kept, and compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — a 2, 5 or 3 when more than half of it is already covered by a higher tier, and an entry of ANY tier when it duplicates a longer kept entry of the same accession that overlaps it. A transcript whose domains carry NO mark has no RepresentativeDomains entry: its annotation comes from DomainEvent/DomainType, which states no entry type, so the ladder cannot rank it and every domain is compared as-is.




Transcript: NM_001322445.1 | Protein: NP_001309374.1



Transcript: ENST00000880284.1 | Protein: ENSP00000550343.1



Transcript: ENST00000880285.1 | Protein: ENSP00000550344.1



Transcript: ENST00000461310.5 | Protein: N/A

Mark inside each domain — its tier on the InterPro entry-type ladder: 1 = Domain/Repeat · 2 = Family/Homologous superfamily · 3 = member-DB hit (G3DSA/PTHR/SSF/cd/PF) · S = site/PTM, ranked with tier 2. FILLED = kept, and compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — a 2, S or 3 when more than half of it is already covered by a higher tier, and an entry of ANY tier when it duplicates a longer kept entry of the same accession that overlaps it. A transcript whose domains carry NO mark has no RepresentativeDomains entry: its annotation comes from DomainEvent/DomainType, which states no entry type, so the ladder cannot rank it and every domain is compared as-is.

A horizontal number line with tick marks at intervals of 2,000. The labels are 68,332,000, 68,334,000, 68,336,000, 68,338,000, 68,340,000, and 68,342,000. The numbers 68,332,000, 68,336,000, and 68,340,000 are positioned above the line, while 68,334,000, 68,338,000, and 68,342,000 are positioned below the line.



event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
no_domains_in_region	ENST00000940768.1					




event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
no_unique_features	ENST00000940769.1					




event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
no_unique_features	ENST00000940779.1					



Mark inside each domain — its tier on the InterPro entry-type ladder: 1 = Domain/Repeat · 2 = Family/Homologous superfamily · 3 = member-DB hit (G3DSA/PTHR/SSF/cd/PF) · 5 = site/PTM, ranked with tier 2. FILLED = kept, and compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — a 2, 5 or 3 when more than half of it is already covered by a higher tier, and an entry of ANY tier when it duplicates a longer kept entry of the same accession that overlaps it. A transcript whose domains carry NO mark has no RepresentativeDomains entry: its annotation comes from DomainEvent/DomainType, which states no entry type, so the ladder cannot rank it and every domain is compared as-is.




event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
no_unique_features	ENST00000940780.1					




Transcript: ENST00000940780.1 | Protein: ENSP00000610839.1

event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
no_domains_in_region	ENST00000880303.1					




Transcript: ENST00000880303.1 | Protein: ENSP00000550362.1

event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
added_domain	ENST00000940782.1	IPR018298		93.0	0.0	1.0
added_domain	ENST00000940782.1	IPR000504		73.0	0.0	2.0




Transcript: ENST00000940782.1 | Protein: ENSP00000610841.1

event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
no_unique_features	ENST00000940770.1					




Transcript: ENST00000940770.1 | Protein: ENSP00000610829.1


Mark inside each domain — its tier on the InterPro entry-type ladder: 1 = Domain/Repeat · 2 = Family/Homologous superfamily · 3 = member-DB hit (G3DSA/PTHR/SSF/cd/PF) · S = site/PTM, ranked with tier 2. FILLED = kept, and compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — a 2, S or 3 when more than half of it is already covered by a higher tier, and an entry of ANY tier when it duplicates a longer kept entry of the same accession that overlaps it. A transcript whose domains carry NO mark has no RepresentativeDomains entry: its annotation comes from DomainEvent/DomainType, which states no entry type, so the ladder cannot rank it and every domain is compared as-is.




Transcript: ENST00000880289.1 | Protein: ENSP00000550348.1



Transcript: ENST00000880281.1 | Protein: ENSP00000550340.1



Transcript: ENST00000880279.1 | Protein: ENSP00000550338.1



Transcript: NM_001322448.2 | Protein: NP_001309377.1

Mark inside each domain — its tier on the InterPro entry-type ladder: 1 = Domain/Repeat · 2 = Family/Homologous superfamily · 3 = member-DB hit (G3DSA/PTHR/SSF/cd/PF) · S = site/PTM, ranked with tier 2. FILLED = kept, and compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — a 2, S or 3 when more than half of it is already covered by a higher tier, and an entry of ANY tier when it duplicates a longer kept entry of the same accession that overlaps it. A transcript whose domains carry NO mark has no RepresentativeDomains entry: its annotation comes from DomainEvent/DomainType, which states no entry type, so the ladder cannot rank it and every domain is compared as-is.



event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
no_domains_in_region	NM_001322450.2					



Transcript: NM_001322450.2 | Protein: NP_001309379.1

event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
no_domains_in_region	NM_001322453.2					




Transcript: NM_001322453.2 | Protein: NP_001309382.1

event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
no_unique_features	ENST00000880286.1					




Transcript: ENST00000880286.1 | Protein: ENSP00000550345.1

event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
added_domain	ENST00000354695.5	IPR018298		93.0	0.0	1.0
added_domain	ENST00000354695.5	IPR000504		73.0	0.0	2.0




Transcript: ENST00000354695.5 | Protein: ENSP00000346726.5

Mark inside each domain — its tier on the InterPro entry-type ladder: 1 = Domain/Repeat · 2 = Family/Homologous superfamily · 3 = member-DB hit (G3DSA/PTHR/SSF/cd/PF) · S = site/PTM, ranked with tier 2. FILLED = kept, and compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — a 2, S or 3 when more than half of it is already covered by a higher tier, and an entry of ANY tier when it duplicates a longer kept entry of the same accession that overlaps it. A transcript whose domains carry NO mark has no RepresentativeDomains entry: its annotation comes from DomainEvent/DomainType, which states no entry type, so the ladder cannot rank it and every domain is compared as-is.



event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
no_domains_in_region	NM_001322446.2					



No domains

Transcript: NM_001322446.2 | Protein: NP_001309375.1 [most like canonical]


event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
no_domains_in_region	NM_001322452.2					



No domains



Transcript: NM_001322452.2 | Protein: NP_001309381.1

event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
no_domains_in_region	ENST00000880292.1					



Transcript: ENST00000880292.1 | Protein: ENSP00000550351.1

event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
no_unique_features	ENST00000880288.1					



Transcript: ENST00000880288.1 | Protein: ENSP00000550347.1


Mark inside each domain — its tier on the InterPro entry-type ladder: 1 = Domain/Repeat · 2 = Family/Homologous superfamily · 3 = member-DB hit (G3DSA/PTHR/SSF/cd/PF) · S = site/PTM, ranked with tier 2. FILLED = kept, and compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — a 2, 5 or 3 when more than half of it is already covered by a higher tier, and an entry of ANY tier when it duplicates a longer kept entry of the same accession that overlaps it. A transcript whose domains carry NO mark has no RepresentativeDomains entry: its annotation comes from DomainEvent/DomainType, which states no entry type, so the ladder cannot rank it and every domain is compared as-is.

A number line is shown with major tick marks at 68,332,000, 68,334,000, 68,336,000, 68,338,000, 68,340,000, and 68,342,000. Minor tick marks are placed every 1,000 units between the major ones. A vertical dashed line is drawn at 68,336,000.


A horizontal number line with five tick marks labeled 200, 400, 600, 800, and 1000.




event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
no_domains_in_region	NM_001322447.2					



event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
no_domains_in_region	NM_001322451.2					




event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
no_unique_features	ENST00000940783.1					






Mark inside each domain — its tier on the InterPro entry-type ladder: 1 = Domain/Repeat · 2 = Family/Homologous superfamily · 3 = member-DB hit (G3DSA/PTHR/SSF/cd/PF) · S = site/PTM, ranked with tier 2. FILLED = kept, and compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — a 2, S or 3 when more than half of it is already covered by a higher tier, and an entry of ANY tier when it duplicates a longer kept entry of the same accession that overlaps it. A transcript whose domains carry NO mark has no RepresentativeDomains entry: its annotation comes from DomainEvent/DomainType, which states no entry type, so the ladder cannot rank it and every domain is compared as-is.

HNRNPH3 - H_sapiens | chr10:68,331,173-68,344,000 | 75 transcript(s) (page 10/19)





event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
no_unique_features	ENST00000880300.1					





Transcript: ENST00000880300.1 | Protein: ENSP00000550359.1

event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
no_unique_features	ENST00000880296.1					





Transcript: ENST00000880296.1 | Protein: ENSP00000550355.1

event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
added_domain	ENST00000880295.1	IPR018298		93.0	0.0	1.0
added_domain	ENST00000880295.1	IPR000504		73.0	0.0	2.0



Transcript: ENST00000880295.1 | Protein: ENSP00000550354.1


event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
no_unique_features	ENST00000880294.1					



Transcript: ENST00000880294.1 | Protein: ENSP00000550353.1

Mark inside each domain — its tier on the InterPro entry-type ladder: 1 = Domain/Repeat · 2 = Family/Homologous superfamily · 3 = member-DB hit (G3DSA/PTHR/SSF/cd/PF) · S = site/PTM, ranked with tier 2. FILLED = kept, and compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — a 2, S or 3 when more than half of it is already covered by a higher tier, and an entry of ANY tier when it duplicates a longer kept entry of the same accession that overlaps it. A transcript whose domains carry NO mark has no RepresentativeDomains entry: its annotation comes from DomainEvent/DomainType, which states no entry type, so the ladder cannot rank it and every domain is compared as-is.

HNRNPH3 - H_sapiens | chr10:68,331,173-68,344,000 | 75 transcript(s) (page 11/19)




event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
no_unique_features	ENST00000940772.1					



Transcript: ENST00000940772.1 | Protein: ENSP00000610831.1

event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
added_domain	ENST00000880290.1	IPR018298		93.0	0.0	1.0
added_domain	ENST00000880290.1	IPR000504		73.0	0.0	2.0




Transcript: ENST00000880290.1 | Protein: ENSP00000550349.1

event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
no_domains_in_region	ENST00000880291.1					




Transcript: ENST00000880291.1 | Protein: ENSP00000550350.1

event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
added_domain	ENST00000940771.1	IPR018298		93.0	0.0	1.0
added_domain	ENST00000940771.1	IPR000504		73.0	0.0	2.0



Transcript: ENST00000940771.1 | Protein: ENSP00000610830.1

Mark inside each domain — its tier on the InterPro entry-type ladder: 1 = Domain/Repeat · 2 = Family/Homologous superfamily · 3 = member-DB hit (G3DSA/PTHR/SSF/cd/PF) · S = site/PTM, ranked with tier 2. FILLED = kept, and compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — a 2, 5 or 3 when more than half of it is already covered by a higher tier, and an entry of ANY tier when it duplicates a longer kept entry of the same accession that overlaps it. A transcript whose domains carry NO mark has no RepresentativeDomains entry: its annotation comes from DomainEvent/DomainType, which states no entry type, so the ladder cannot rank it and every domain is compared as-is.




event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
added_domain	ENST00000967050.1	IPR018298		93.0	0.0	1.0
added_domain	ENST00000967050.1	IPR000504		73.0	0.0	2.0




Transcript: ENST00000967050.1 | Protein: ENSP00000637109.1 [longest CDS]

event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
no_unique_features	ENST00000940773.1					




Transcript: ENST00000940773.1 | Protein: ENSP00000610832.1

event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
no_unique_features	ENST00000940774.1					



Transcript: ENST00000940774.1 | Protein: ENSP00000610833.1


event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
added_domain	ENST00000940784.1	IPR018298		93.0	0.0	1.0
added_domain	ENST00000940784.1	IPR000504		73.0	0.0	2.0





Transcript: ENST00000940784.1 | Protein: ENSP00000610843.1

Mark inside each domain — its tier on the InterPro entry-type ladder: 1 = Domain/Repeat · 2 = Family/Homologous superfamily · 3 = member-DB hit (G3DSA/PTHR/SSF/cd/PF) · S = site/PTM, ranked with tier 2. FILLED = kept, and compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — a 2, 5 or 3 when more than half of it is already covered by a higher tier, and an entry of ANY tier when it duplicates a longer kept entry of the same accession that overlaps it. A transcript whose domains carry NO mark has no RepresentativeDomains entry: its annotation comes from DomainEvent/DomainType, which states no entry type, so the ladder cannot rank it and every domain is compared as-is.

HNRNPH3 - H_sapiens | chr10:68,331,173-68,344,000 | 75 transcript(s) (page 13/19)





event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
no_domains_in_region	ENST00000940775.1					





Transcript: ENST00000940775.1 | Protein: ENSP00000610834.1

event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
no_domains_in_region	ENST00000480987.5					




Transcript: ENST00000480987.5 | Protein: N/A

event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
no_unique_features	ENST00000880304.1					




Transcript: ENST00000880304.1 | Protein: ENSP00000550363.1

event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
added_domain	ENST00000880298.1	IPR018298		93.0	0.0	1.0
added_domain	ENST00000880298.1	IPR000504		73.0	0.0	2.0



Transcript: ENST00000880298.1 | Protein: ENSP00000550357.1

Mark inside each domain — its tier on the InterPro entry-type ladder: 1 = Domain/Repeat · 2 = Family/Homologous superfamily · 3 = member-DB hit (G3DSA/PTHR/SSF/cd/PF) · S = site/PTM, ranked with tier 2. FILLED = kept, and compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — a 2, 5 or 3 when more than half of it is already covered by a higher tier, and an entry of ANY tier when it duplicates a longer kept entry of the same accession that overlaps it. A transcript whose domains carry NO mark has no RepresentativeDomains entry: its annotation comes from DomainEvent/DomainType, which states no entry type, so the ladder cannot rank it and every domain is compared as-is.



Transcript: ENST00000880297.1 | Protein: ENSP00000550356.1



Transcript: ENST00000967052.1 | Protein: ENSP00000637111.1




Transcript: ENST00000967051.1 | Protein: ENSP00000637110.1




Transcript: ENST00000880305.1 | Protein: ENSP00000550364.1





Mark inside each domain — its tier on the InterPro entry-type ladder: 1 = Domain/Repeat · 2 = Family/Homologous superfamily · 3 = member-DB hit (G3DSA/PTHR/SSF/cd/PF) · S = site/PTM, ranked with tier 2. FILLED = kept, and compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — a 2, 5 or 3 when more than half of it is already covered by a higher tier, and an entry of ANY tier when it duplicates a longer kept entry of the same accession that overlaps it. A transcript whose domains carry NO mark has no RepresentativeDomains entry: its annotation comes from DomainEvent/DomainType, which states no entry type, so the ladder cannot rank it and every domain is compared as-is.




event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
no_unique_features	ENST00000880299.1					



event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
no_unique_features	ENST00000486854.5					




event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
no_unique_features	ENST00000467249.1					





Mark inside each domain — its tier on the InterPro entry-type ladder: 1 = Domain/Repeat · 2 = Family/Homologous superfamily · 3 = member-DB hit (G3DSA/PTHR/SSF/cd/PF) · S = site/PTM, ranked with tier 2. FILLED = kept, and compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — a 2, S or 3 when more than half of it is already covered by a higher tier, and an entry of ANY tier when it duplicates a longer kept entry of the same accession that overlaps it. A transcript whose domains carry NO mark has no RepresentativeDomains entry: its annotation comes from DomainEvent/DomainType, which states no entry type, so the ladder cannot rank it and every domain is compared as-is.

HNRNPH3 - H_sapiens | chr10:68,331,173-68,344,000 | 75 transcript(s) (page 16/19)




event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
added_domain	ENST00000940776.1	IPR018298		93.0	0.0	1.0
added_domain	ENST00000940776.1	IPR000504		73.0	0.0	2.0




Transcript: ENST00000940776.1 | Protein: ENSP00000610835.1

event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
no_unique_features	ENST00000880301.1					




Transcript: ENST00000880301.1 | Protein: ENSP00000550360.1

event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
no_domains_in_region	ENST00000940777.1					



Transcript: ENST00000940777.1 | Protein: ENSP00000610836.1


event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
no_domains_in_region	ENST00000940785.1					





Transcript: ENST00000940785.1 | Protein: ENSP00000610844.1

Mark inside each domain — its tier on the InterPro entry-type ladder: 1 = Domain/Repeat · 2 = Family/Homologous superfamily · 3 = member-DB hit (G3DSA/PTHR/SSF/cd/PF) · S = site/PTM, ranked with tier 2. FILLED = kept, and compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — a 2, 5 or 3 when more than half of it is already covered by a higher tier, and an entry of ANY tier when it duplicates a longer kept entry of the same accession that overlaps it. A transcript whose domains carry NO mark has no RepresentativeDomains entry: its annotation comes from DomainEvent/DomainType, which states no entry type, so the ladder cannot rank it and every domain is compared as-is.

HNRNPH3 - H_sapiens | chr10:68,331,173-68,344,000 | 75 transcript(s) (page 17/19)




event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
no_unique_features	ENST00000880306.1					




Transcript: ENST00000880306.1 | Protein: ENSP00000550365.1

event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
no_unique_features	ENST00000880307.1					




Transcript: ENST00000880307.1 | Protein: ENSP00000550366.1

event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
no_unique_features	ENST00000880293.1					



Transcript: ENST00000880293.1 | Protein: ENSP00000550352.1


event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
added_domain	ENST00000880302.1	IPR018298		93.0	0.0	1.0
added_domain	ENST00000880302.1	IPR000504		73.0	0.0	2.0




Transcript: ENST00000880302.1 | Protein: ENSP00000550361.1

Mark inside each domain — its tier on the InterPro entry-type ladder: 1 = Domain/Repeat · 2 = Family/Homologous superfamily · 3 = member-DB hit (G3DSA/PTHR/SSF/cd/PF) · S = site/PTM, ranked with tier 2. FILLED = kept, and compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — a 2, 5 or 3 when more than half of it is already covered by a higher tier, and an entry of ANY tier when it duplicates a longer kept entry of the same accession that overlaps it. A transcript whose domains carry NO mark has no RepresentativeDomains entry: its annotation comes from DomainEvent/DomainType, which states no entry type, so the ladder cannot rank it and every domain is compared as-is.


HNRNPH3 - H_sapiens | chr10:68,331,173-68,344,000 | 75 transcript(s) (page 18/19)




Transcript: NM_001322449.2 | Protein: NP_001309378.1



Transcript: ENST00000940781.1 | Protein: ENSP00000610840.1



Transcript: ENST00000880308.1 | Protein: ENSP00000550367.1




Transcript: ENST00000481819.5 | Protein: N/A

Mark inside each domain — its tier on the InterPro entry-type ladder: 1 = Domain/Repeat · 2 = Family/Homologous superfamily · 3 = member-DB hit (G3DSA/PTHR/SSF/cd/PF) · S = site/PTM, ranked with tier 2. FILLED = kept, and compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — a 2, 5 or 3 when more than half of it is already covered by a higher tier, and an entry of ANY tier when it duplicates a longer kept entry of the same accession that overlaps it. A transcript whose domains carry NO mark has no RepresentativeDomains entry: its annotation comes from DomainEvent/DomainType, which states no entry type, so the ladder cannot rank it and every domain is compared as-is.

HNRNPH3 - H_sapiens | chr10:68,331,173-68,344,000 | 75 transcript(s) (page 19/19)




event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
no_unique_features	ENST00000491200.5					



Transcript: ENST00000491200.5 | Protein: N/A

event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
no_unique_features	ENST00000490442.5					



Transcript: ENST00000490442.5 | Protein: N/A

event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
transcript_doesnt_have_features	ENST00000478698.1					



Transcript: ENST00000478698.1 | Protein: N/A

Mark inside each domain — its tier on the InterPro entry-type ladder: 1 = Domain/Repeat · 2 = Family/Homologous superfamily · 3 = member-DB hit (G3DSA/PTHR/SSF/cd/PF) · S = site/PTM, ranked with tier 2. FILLED = kept, and compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — a 2, S or 3 when more than half of it is already covered by a higher tier, and an entry of ANY tier when it duplicates a longer kept entry of the same accession that overlaps it. A transcript whose domains carry NO mark has no RepresentativeDomains entry: its annotation comes from DomainEvent/DomainType, which states no entry type, so the ladder cannot rank it and every domain is compared as-is.