




HNRNPH3 - H_sapiens | chr10:68,331,465-68,343,855 | 36 transcript(s) (page 1/9)

idx	start	end
1	68337333	68337858
2	68337333	68338503
3	68337333	68339140
4	68337996	68338503
5	68338642	68339140
6	68338687	68339140





Transcript: ENST00000265866.12 | Protein: ENSP00000265866.7

event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
no_domains_in_region	ENST00000880282.1					





Transcript: ENST00000880282.1 | Protein: ENSP00000550341.1

event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
added_domain	ENST00000940766.1	IPR018298		93.0	0.0	1.0
added_domain	ENST00000940766.1	IPR000504		73.0	0.0	2.0



Transcript: ENST00000940766.1 | Protein: ENSP00000610825.1



event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
added_domain	ENST00000880280.1	IPR018298		93.0	0.0	1.0
added_domain	ENST00000880280.1	IPR000504		73.0	0.0	2.0



Transcript: ENST00000880280.1 | Protein: ENSP00000550339.1

Mark inside each domain — its tier on the InterPro entry-type ladder: 1 = Domain/Repeat · 2 = Family/Homologous superfamily · 3 = member-DB hit (G3DSA/PTHR/SSF/cd/PF) · S = site/PTM, ranked with tier 2. FILLED = kept, and compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — a 2, S or 3 when more than half of it is already covered by a higher tier, and an entry of ANY tier when it duplicates a longer kept entry of the same accession that overlaps it. A transcript whose domains carry NO mark has no RepresentativeDomains entry: its annotation comes from DomainEvent/DomainType, which states no entry type, so the ladder cannot rank it and every domain is compared as-is.

HNRNPH3 - H_sapiens | chr10:68,331,465-68,343,855 | 36 transcript(s) (page 2/9)



Transcript: ENST00000940778.1 | Protein: ENSP00000610837.1

event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
no_domains_in_region	NM_001322445.1					




Transcript: NM_001322445.1 | Protein: NP_001309374.1

event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
no_domains_in_region	ENST00000461310.5					




Transcript: ENST00000461310.5 | Protein: N/A

event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
no_domains_in_region	ENST00000940768.1					




Transcript: ENST00000940768.1 | Protein: ENSP00000610827.1


Mark inside each domain — its tier on the InterPro entry-type ladder: 1 = Domain/Repeat · 2 = Family/Homologous superfamily · 3 = member-DB hit (G3DSA/PTHR/SSF/cd/PF) · S = site/PTM, ranked with tier 2. FILLED = kept, and compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — a 2, 5 or 3 when more than half of it is already covered by a higher tier, and an entry of ANY tier when it duplicates a longer kept entry of the same accession that overlaps it. A transcript whose domains carry NO mark has no RepresentativeDomains entry: its annotation comes from DomainEvent/DomainType, which states no entry type, so the ladder cannot rank it and every domain is compared as-is.



Transcript: ENST00000880303.1 | Protein: ENSP00000550362.1



Transcript: ENST00000940782.1 | Protein: ENSP00000610841.1




Transcript: ENST00000880279.1 | Protein: ENSP00000550338.1



Transcript: NM_001322448.2 | Protein: NP_001309377.1

Mark inside each domain — its tier on the InterPro entry-type ladder: 1 = Domain/Repeat · 2 = Family/Homologous superfamily · 3 = member-DB hit (G3DSA/PTHR/SSF/cd/PF) · S = site/PTM, ranked with tier 2. FILLED = kept, and compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — a 2, 5 or 3 when more than half of it is already covered by a higher tier, and an entry of ANY tier when it duplicates a longer kept entry of the same accession that overlaps it. A transcript whose domains carry NO mark has no RepresentativeDomains entry: its annotation comes from DomainEvent/DomainType, which states no entry type, so the ladder cannot rank it and every domain is compared as-is.




Transcript: NM_001322450.2 | Protein: NP_001309379.1

event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
no_domains_in_region	NM_001322453.2					



Transcript: NM_001322453.2 | Protein: NP_001309382.1

event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
added_domain	ENST00000354695.5	IPR018298		93.0	0.0	1.0
added_domain	ENST00000354695.5	IPR000504		73.0	0.0	2.0



Transcript: ENST00000354695.5 | Protein: ENSP00000346726.5


event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
no_domains_in_region	NM_001322446.2					




Transcript: NM_001322446.2 | Protein: NP_001309375.1 [most like canonical]

Mark inside each domain — its tier on the InterPro entry-type ladder: 1 = Domain/Repeat · 2 = Family/Homologous superfamily · 3 = member-DB hit (G3DSA/PTHR/SSF/cd/PF) · S = site/PTM, ranked with tier 2. FILLED = kept, and compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — a 2, S or 3 when more than half of it is already covered by a higher tier, and an entry of ANY tier when it duplicates a longer kept entry of the same accession that overlaps it. A transcript whose domains carry NO mark has no RepresentativeDomains entry: its annotation comes from DomainEvent/DomainType, which states no entry type, so the ladder cannot rank it and every domain is compared as-is.


HNRNPH3 - H_sapiens | chr10:68,331,465-68,343,855 | 36 transcript(s) (page 5/9)




Transcript: NM_001322452.2 | Protein: NP_001309381.1



Transcript: ENST00000880292.1 | Protein: ENSP00000550351.1




Transcript: ENST00000880287.1 | Protein: ENSP00000550346.1




Transcript: NM_001322447.2 | Protein: NP_001309376.1


Mark inside each domain — its tier on the InterPro entry-type ladder: 1 = Domain/Repeat · 2 = Family/Homologous superfamily · 3 = member-DB hit (G3DSA/PTHR/SSF/cd/PF) · S = site/PTM, ranked with tier 2. FILLED = kept, and compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — a 2, 5 or 3 when more than half of it is already covered by a higher tier, and an entry of ANY tier when it duplicates a longer kept entry of the same accession that overlaps it. A transcript whose domains carry NO mark has no RepresentativeDomains entry: its annotation comes from DomainEvent/DomainType, which states no entry type, so the ladder cannot rank it and every domain is compared as-is.




Transcript: NM_001322451.2 | Protein: NP_001309380.1



Transcript: ENST00000880295.1 | Protein: ENSP00000550354.1





Transcript: ENST00000880290.1 | Protein: ENSP00000550349.1





Transcript: ENST00000880291.1 | Protein: ENSP00000550350.1

Mark inside each domain — its tier on the InterPro entry-type ladder: 1 = Domain/Repeat · 2 = Family/Homologous superfamily · 3 = member-DB hit (G3DSA/PTHR/SSF/cd/PF) · S = site/PTM, ranked with tier 2. FILLED = kept, and compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — a 2, 5 or 3 when more than half of it is already covered by a higher tier, and an entry of ANY tier when it duplicates a longer kept entry of the same accession that overlaps it. A transcript whose domains carry NO mark has no RepresentativeDomains entry: its annotation comes from DomainEvent/DomainType, which states no entry type, so the ladder cannot rank it and every domain is compared as-is.





event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
added_domain	ENST00000940771.1	IPR018298		93.0	0.0	1.0
added_domain	ENST00000940771.1	IPR000504		73.0	0.0	2.0





Transcript: ENST00000940771.1 | Protein: ENSP00000610830.1

event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
added_domain	ENST00000967050.1	IPR018298		93.0	0.0	1.0
added_domain	ENST00000967050.1	IPR000504		73.0	0.0	2.0





Transcript: ENST00000967050.1 | Protein: ENSP00000637109.1 [longest CDS]

event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
added_domain	ENST00000940784.1	IPR018298		93.0	0.0	1.0
added_domain	ENST00000940784.1	IPR000504		73.0	0.0	2.0



Transcript: ENST00000940784.1 | Protein: ENSP00000610843.1


event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
no_domains_in_region	ENST00000940775.1					




Transcript: ENST00000940775.1 | Protein: ENSP00000610834.1

Mark inside each domain — its tier on the InterPro entry-type ladder: 1 = Domain/Repeat · 2 = Family/Homologous superfamily · 3 = member-DB hit (G3DSA/PTHR/SSF/cd/PF) · S = site/PTM, ranked with tier 2. FILLED = kept, and compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — a 2, S or 3 when more than half of it is already covered by a higher tier, and an entry of ANY tier when it duplicates a longer kept entry of the same accession that overlaps it. A transcript whose domains carry NO mark has no RepresentativeDomains entry: its annotation comes from DomainEvent/DomainType, which states no entry type, so the ladder cannot rank it and every domain is compared as-is.


HNRNPH3 - H_sapiens | chr10:68,331,465-68,343,855 | 36 transcript(s) (page 8/9)




Transcript: ENST00000480987.5 | Protein: N/A



Transcript: ENST00000880298.1 | Protein: ENSP00000550357.1




Transcript: ENST00000940776.1 | Protein: ENSP00000610835.1



Transcript: ENST00000940777.1 | Protein: ENSP00000610836.1

Mark inside each domain — its tier on the InterPro entry-type ladder: 1 = Domain/Repeat · 2 = Family/Homologous superfamily · 3 = member-DB hit (G3DSA/PTHR/SSF/cd/PF) · S = site/PTM, ranked with tier 2. FILLED = kept, and compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — a 2, 5 or 3 when more than half of it is already covered by a higher tier, and an entry of ANY tier when it duplicates a longer kept entry of the same accession that overlaps it. A transcript whose domains carry NO mark has no RepresentativeDomains entry: its annotation comes from DomainEvent/DomainType, which states no entry type, so the ladder cannot rank it and every domain is compared as-is.



Transcript: ENST00000940785.1 | Protein: ENSP00000610844.1

event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
added_domain	ENST00000880302.1	IPR018298		93.0	0.0	1.0
added_domain	ENST00000880302.1	IPR000504		73.0	0.0	2.0



Transcript: ENST00000880302.1 | Protein: ENSP00000550361.1

event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
no_domains_in_region	NM_001322449.2					



Transcript: NM_001322449.2 | Protein: NP_001309378.1

event	transcript_id	domain_name	c_domain_length	t_domain_length	c_domains_number	t_domains_number
added_domain	ENST00000880308.1	IPR018298		93.0	0.0	1.0
added_domain	ENST00000880308.1	IPR000504		73.0	0.0	2.0



Transcript: ENST00000880308.1 | Protein: ENSP00000550367.1

Mark inside each domain — its tier on the InterPro entry-type ladder: 1 = Domain/Repeat · 2 = Family/Homologous superfamily · 3 = member-DB hit (G3DSA/PTHR/SSF/cd/PF) · S = site/PTM, ranked with tier 2. FILLED = kept, and compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — a 2, 5 or 3 when more than half of it is already covered by a higher tier, and an entry of ANY tier when it duplicates a longer kept entry of the same accession that overlaps it. A transcript whose domains carry NO mark has no RepresentativeDomains entry: its annotation comes from DomainEvent/DomainType, which states no entry type, so the ladder cannot rank it and every domain is compared as-is.