






ZBTB48 - H sapiens | chr1:6,579,993-6,589,280 | 33 transcript(s) (page 1/9)

idx	start	end
1	6581299	6582058
2	6580636	6582058




Transcript: ENST00000377674.9 | Protein: ENSP00000366902.4 [canonical]

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domains	canonical_domain	alternative_junction	canonical_junction
no_domains_in_region	ENST00000902995.1	1							





Transcript: ENST00000902995.1 | Protein: ENSP00000573054.1 [longest CDS]

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	alternative_domain_id	canonical_junction	alternative_junction
no_unique_junctions	ENST00000319084.9								




Transcript: ENST00000319084.9 | Protein: ENSP00000313416.5

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_canonical_domain_id	alternative_domains	canonical_junction	alternative_junction
no_unique_junctions	ENST00000435905.5								



Transcript: ENST00000435905.5 | Protein: ENSP00000416054.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.



event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	in_cds
transcript_doesnt_have_junctions	ENST00000466813.1												



Transcript: ENST00000466813.1 | Protein: ENSP00000467104.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	in_cds
transcript_doesnt_have_junctions	ENST00000466941.1												



Transcript: ENST00000466941.1 | Protein: N/A [no protein]

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	in_cds
transcript_doesnt_have_junctions	ENST00000482360.5												



Transcript: ENST00000482360.5 | Protein: N/A [no protein]

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	in_cds
transcript_doesnt_have_junctions	ENST00000488936.1												



Transcript: ENST00000488936.1 | Protein: ENSP00000466390.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

no annotated protein



No domains

The diagram shows a horizontal line representing a chromosome. On the left end is a small brown vertical bar representing the centromere. To the right of the centromere, there are several colored rectangular blocks of varying sizes, representing genes or chromosomal bands. From left to right, these are: a large purple block, a smaller red block above it, a green block, a small cyan block, a small magenta block, a small yellow block, a small blue block, a small green block, a small pink block, a small orange block, and a small grey block. A red bracket is positioned above the purple and red blocks, indicating a specific region of interest on the left arm of the chromosome.




Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.


A horizontal number line is shown, ranging from 6,580,000 to 6,589,000. Major tick marks are labeled at 6,580,000, 6,581,500, 6,583,000, 6,584,500, 6,586,000, 6,587,500, and 6,589,000. Minor tick marks are present every 100,000 units. A vertical dashed line is drawn at the 6,583,000 mark.



IPR013087
IPR013087
IPR013087
IPR013087



IPR013087 IPR013087



IPR013087
IPR013087
IPR013087
IPR013087

Only InterPro Domain and Repeat entries are drawn, and only those that are compared — so every domain in the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

A horizontal number line is shown, ranging from 6,580,000 to 6,589,000. Major tick marks are labeled at 6,580,000, 6,581,500, 6,583,000, 6,584,500, 6,586,000, 6,587,500, and 6,589,000. Minor tick marks are present every 100,000 units. A vertical dashed line is drawn at the 6,583,000 mark.



Transcript: ENST00000915765.1 | Protein: ENSP00000585824.1



Transcript: ENST00000915766.1 | Protein: ENSP00000585825.1



Transcript: ENST00000915767.1 | Protein: ENSP00000585826.1



Transcript: ENST00000953434.1 | Protein: ENSP00000623493.1


A number line is shown with major tick marks at 6,580,000, 6,581,500, 6,583,000, 6,584,500, 6,586,000, 6,587,500, and 6,589,000. Minor tick marks are placed every 100,000 units. The number 6,586,000 is marked with a red dot and a red bracket above it.



28 IPR013087



No domains





No domains



No domains

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

ZBTB48 - H_sapiens | chr1:6,579,993-6,589,280 | 33 transcript(s) (page 7/9)



Transcript: XM_047418867.1 | Protein: XP_047274823.1



Transcript: XM_047418868.1 | Protein: XP_047274824.1





Transcript: XM_047418869.1 | Protein: XP_047274825.1




Transcript: XM_047418870.1 | Protein: XP_047274826.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.


ZBTB48 - H_sapiens | chr1:6,579,993-6,589,280 | 33 transcript(s) (page 8/9)




Transcript: XM_047418875.1 | Protein: XP_047274831.1




Transcript: XM_047418878.1 | Protein: XP_047274834.1



Transcript: XM_047418880.1 | Protein: XP_047274836.1





Transcript: XM_047418882.1 | Protein: XP_047274838.1




Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

ZBTB48 - H_sapiens | chr1:6,579,993-6,589,280 | 33 transcript(s) (page 9/9)



No domains



Transcript: XM_047418886.1 | Protein: XP_047274842.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.