





TFR2 - H_sapiens | chr7:100,620,415-100,642,779 | 85 transcript(s) (page 1/22)

idx	start	end
1	100631052	100631806
2	100631885	100633001
3	100631052	100632082
4	100632149	100633001




Transcript: ENST00000223051.8 | Protein: ENSP00000223051.3 [canonical]

event	alternative_transcript_id	group	rank	domain_id	canonical	alternative	canonical	alternative	canonical	alternative	canonical	alternative	in_cds
no_domains_in_region	ENST00000855264.1	1											





Transcript: ENST00000855264.1 | Protein: ENSP00000525323.1 [longest CDS]

event	alternative_transcript_id	group	rank	domain_id	canonical	alternative	canonical	alternative	canonical	alternative	canonical	alternative	in_cds
no_domains_in_region	ENST00000855256.1	2											



Transcript: ENST00000855256.1 | Protein: ENSP00000525315.1 [longest CDS]


event	alternative_transcript_id	group	rank	domain_id	canonical	alternative	canonical	alternative	canonical	alternative	canonical	alternative	in_cds
transcript_doesnt_have_junctions	ENST00000431692.5												



Transcript: ENST00000431692.5 | Protein: ENSP00000413905.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

85 transcript(s) (page 2/22)



event	alternative_transcript_id	group	rank	domain_id canonical_domain alternative_domains alternative_domains_in_cds	canonical_junction alternative_junction alternative_junction_in_cds
transcript_doesnt_havejunctions	ENST00000461176.1				



Transcript: ENST00000461176.1 | Protein: N/A [no protein]

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction	in_cds
transcript_doesnt_have_junctions	ENST00000462090.5								



Transcript: ENST00000462090.5 | Protein: N/A [no protein]

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction	in_cds
no_uniquejunctions	ENST00000462107.1								




Transcript: ENST00000462107.1 | Protein: ENSP00000420525.1

[illegible]

Transcript: ENST00000465294.5 | Protein: N/A [no protein]

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

85 transcript(s) (page 3/22)



event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	alternative_domain_id	canonical_junction	alternative_junction	alternative_junction_in_cds
transcript_doesnt_have_junctions	ENST00000473374.5									



Transcript: ENST00000473374.5 | Protein: N/A [no protein]

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	alternative_domain_id	canonical_junction	alternative_junction_in_cds
no_unique_junctions	ENST00000473571.1								



Transcript: ENST00000473571.1 | Protein: N/A [no protein]

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	alternative_domain_id	canonical_junction_in_cds	alternative_junction_in_cds
no_unique_junctions	ENST00000473963.1								



Transcript: ENST00000473963.1 | Protein: N/A [no protein]

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domains	canonical_junction	alternative_junction_in_cds
transcript_doesnt_have_junctions	ENST00000474947.1							




Transcript: ENST00000474947.1 | Protein: N/A [no protein]

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

[illegible]

Only InterPro Domain and Repeat entries are drawn, and only those a compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

85 transcript(s) (page 5/22)

[illegible]

Transcript: ENST00000855221.1 | Protein: ENSP00000525280.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction	in_cds
no_unique_junctions	ENST00000855222.1								



Transcript: ENST00000855222.1 | Protein: ENSP00000525281.1

[illegible]

Transcript: ENST00000855223.1 | Protein: ENSP00000525282.1

[illegible]

Transcript: ENST00000855224.1 | Protein: ENSP00000525283.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3D5A/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

TFR2 - H_sapiens | chr7:100,620,415-100,642,779 | 85 transcript(s) (page 6/22)



event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	in_cds
no_unique_junctions	ENST00000855225.1												



Transcript: ENST00000855225.1 | Protein: ENSP00000525284.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	in_cds
no_unique_junctions	ENST00000855226.1												



Transcript: ENST00000855226.1 | Protein: ENSP00000525285.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	in_cds
no_unique_junctions	ENST00000855227.1												



Transcript: ENST00000855227.1 | Protein: ENSP00000525286.1


event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	in_cds
no_unique_junctions	ENST00000855228.1												



Transcript: ENST00000855228.1 | Protein: ENSP00000525287.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

85 transcript(s) (page 7/22)



event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction	in_cds
no_unique_junctions	ENST00000855229.1								



Transcript: ENST00000855229.1 | Protein: ENSP00000525288.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction	in_cds
no_unique_junctions	ENST00000855230.1								



Transcript: ENST00000855230.1 | Protein: ENSP00000525289.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction	in_cds
no_unique_junctions	ENST00000855231.1								




Transcript: ENST00000855231.1 | Protein: ENSP00000525290.1

[illegible]

Transcript: ENST00000855232.1 | Protein: ENSP00000525291.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

85 transcript(s) (page 8/22)



event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction	in_cds
no_unique_junctions	ENST00000855233.1								



Transcript: ENST00000855233.1 | Protein: ENSP00000525292.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction	in_cds
no_unique_junctions	ENST00000855234.1								



Transcript: ENST00000855234.1 | Protein: ENSP00000525293.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction	in_cds
no_unique_junctions	ENST00000855235.1								



Transcript: ENST00000855235.1 | Protein: ENSP00000525294.1


event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	alternative_domain_id	canonical_junction	alternative_junction_in_cds
no_unique_junctions	ENST00000855236.1								



Transcript: ENST00000855236.1 | Protein: ENSP00000525295.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

85 transcript(s) (page 9/22)

[illegible]

Transcript: ENST00000855237.1 | Protein: ENSP00000525296.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction	in_cds
no_unique_junctions	ENST00000855238.1								



Transcript: ENST00000855238.1 | Protein: ENSP00000525297.1

[illegible]

Transcript: ENST00000855239.1 | Protein: ENSP00000525298.1



[illegible]

Transcript: ENST00000855240.1 | Protein: ENSP00000525299.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3D5A/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

The left number line shows a decreasing trend in the number of people. The values are 100,642,000, 100,639,000, 100,633,000, 100,627,000, and 100,621,000. The right number line shows an increasing trend in the number of seats, with values 200, 400, 600, and 800.

A diagram of a protein structure represented as a horizontal line with various colored vertical bars indicating domains. A red bracket is positioned above the line, spanning from the first blue domain to the first brown domain.



A diagram of a protein structure represented as a horizontal line with various colored blocks (domains) and a red bracket indicating a specific region.



Transcript: ENST00000855243.1 | Protein: ENSP00000525302.1



Transcript: ENST00000855244.1 | Protein: ENSP00000525303.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.




Transcript: ENST00000855245.1 | Protein: ENSP00000525304.1



Transcript: ENST00000855246.1 | Protein: ENSP00000525305.1




Transcript: ENST00000855247.1 | Protein: ENSP00000525306.1




No domains

Transcript: ENST00000855248.1 | Protein: ENSP00000525307.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.




No domains



No domains

No domains




No domains

No domains



No domains

No domains



No domains

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3D5A/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

The diagram shows a protein structure with a red box highlighting a specific region. The red box is labeled "No domains".



event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction	in_cds
no_unique_junctions	ENST00000855254.1								



event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	alternative_domain_id	canonical_junction	alternative_junction	in_cds
no_unique_junctions	ENST00000855255.1									

[illegible]

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.


The left number line shows a decreasing trend in the number of people. The values are 100,642,000, 100,639,000, 100,633,000, 100,627,000, and 100,621,000. The right number line shows an increasing trend in the number of seats, with values 200, 400, 600, and 800.

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3D5A/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

The left number line represents the number of days. It has major tick marks at 100,642,000, 100,636,000, 100,630,000, and 100,624,000. There are four intermediate tick marks between these major values, dividing each 6,000-unit interval into five 1,200-unit intervals. The values at these intermediate marks are 100,639,000, 100,633,000, 100,627,000, and 100,621,000.


The right number line represents the number of hours. It has major tick marks at 200, 400, 600, and 800. There are four intermediate tick marks between these major values, dividing each 200-unit interval into five 40-unit intervals.

The diagram shows a protein structure with a red bracket highlighting a specific region. A legend bar at the bottom is labeled "No domains".




Transcript: ENST00000855262.1 | Protein: ENSP00000525321.1

The diagram shows a protein structure with a legend indicating 'No domains'. The legend consists of a horizontal bar with various colored segments (blue, purple, grey, red, green, orange, pink, brown, magenta, white, dark blue, yellow, cyan, green, red, white) and the text 'No domains' below it.




Transcript: ENST00000855263.1 | Protein: ENSP00000525322.1



Transcript: ENST00000855265.1 | Protein: ENSP00000525324.1


The diagram shows a protein structure with a red bracket highlighting a specific region. A legend bar at the bottom is labeled "No domains" and contains a series of colored segments: blue, purple, grey, red, blue, brown, purple, pink, green, yellow, olive, green, red, and white.



Transcript: ENST00000855266.1 | Protein: ENSP00000525325.1

Only InterPro Domain and Repeat entries are drawn, and only those that are compared — so every domain in the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

TFR2 - H_sapiens | chr7:100,620,415-100,642,779 | 85 transcript(s) (page 16/22)



Transcript: ENST00000855267.1 | Protein: ENSP00000525326.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction	in_cds
no_unique_junctions	ENST00000855268.1								



Transcript: ENST00000855268.1 | Protein: ENSP00000525327.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domains	canonical_junction	alternative_junction_in_cds
no_unique_junctions	ENST00000855269.1							



Transcript: ENST00000855269.1 | Protein: ENSP00000525328.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction	in_cds
no_unique_junctions	ENST00000855270.1								



Transcript: ENST00000855270.1 | Protein: ENSP00000525329.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3D5A/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

The left number line shows a decreasing trend in the number of people. The values are 100,642,000, 100,639,000, 100,633,000, 100,627,000, and 100,621,000. The right number line shows an increasing trend in the number of seats, with values 200, 400, 600, and 800.

The diagram shows a protein structure with a red bracket highlighting a specific region. A legend bar at the bottom is labeled "No domains" and contains a series of colored segments: teal, purple, grey, red, blue, green, brown, pink, yellow, cyan, light green, and red.

Transcript: ENST00000855271.1 | Protein: ENSP00000525330.1

Transcript: ENST00000855272.1 | Protein: ENSP00000525331.1

The diagram shows a protein structure with a red bracket highlighting a specific region. A legend bar at the bottom is labeled "No domains".

Transcript: ENST00000855273.1 | Protein: ENSP00000525332.1

The diagram shows a protein structure represented by a horizontal black line. Various colored vertical bars are placed along this line, indicating different domains or regions. A red bracket is positioned above one of the bars. To the right of the main structure, there is a legend bar consisting of a sequence of colored squares. Below this legend bar, the text "No domains" is written.

Transcript: ENST00000855274.1 | Protein: ENSP00000525333.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

The left number line shows a decreasing trend in the number of people. The values are 100,642,000, 100,639,000, 100,633,000, 100,627,000, and 100,621,000. The right number line shows an increasing trend in the number of seats, with values 200, 400, 600, and 800.

Diagram illustrating a protein structure with various domains highlighted in different colors. A red bracket indicates a specific region of interest. A legend on the right shows a color scale for domain prediction, ranging from blue (No domains) to red (No domains).

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction_in_cds
no_uniquejunctions	ENST0000085276.1							

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction	in_cds
no_unique_junctions	ENST00000855277.1								

A diagram of a protein structure represented as a horizontal black line. Various colored vertical bars of different heights are placed along the line, representing domains or regions. A red bracket is positioned above the line, spanning from the first blue bar to the first brown bar. To the right of the main diagram, there is a separate, more detailed color-coded bar with the text "No domains" written below it.

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction	in_cds
no_unique_junctions	ENST00000855278.1								

The diagram shows a protein structure with a red bracket highlighting a specific region. Below the structure is a legend bar with various colored segments, labeled "No domains".

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

The left number line shows a decreasing trend in the number of people. The values are 100,642,000, 100,639,000, 100,633,000, 100,627,000, and 100,621,000. The right number line shows an increasing trend in the number of seats, with values 200, 400, 600, and 800.

The diagram shows a protein structure with various domains highlighted in different colors. A color key on the right indicates the domains: blue, pink, grey, red, green, cyan, light blue, brown, purple, light pink, green, yellow, red, cyan, green, red, and white. The text "No domains" is written below the key.

Transcript: ENST00000855279.1 | Protein: ENSP00000525338.1

The diagram shows a protein structure with a red box highlighting a specific region. A legend bar at the bottom is labeled "No domains".

Transcript: ENST00000855280.1 | Protein: ENSP00000525339.1

Diagram illustrating a protein structure with a red box highlighting a specific region. A legend bar at the bottom right shows various colored blocks and the text "No domains".


Transcript: ENST00000855281.1 | Protein: ENSP00000525340.1

The diagram shows a protein structure represented by a horizontal black line. Above the line, several colored vertical bars indicate different domains or regions. A red bracket is positioned above one of the bars. To the right of the main structure, a legend bar displays a sequence of colored squares corresponding to the domains. Below the legend bar, the text "No domains" is written.


Transcript: ENST00000855282.1 | Protein: ENSP00000525341.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

TFR2 - H_sapiens | chr7:100,620,415-100,642,779 | 85 transcript(s) (page 20/22)




event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction_in_cds
no_unique_junctions	ENST00000855283.1							




Transcript: ENST00000855283.1 | Protein: ENSP00000525342.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction	in_cds
no_unique_junctions	ENST00000855284.1								



Transcript: ENST00000855284.1 | Protein: ENSP00000525343.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction_in_cds
no_uniquejunctions	ENST00000855285.1							



Transcript: ENST00000855285.1 | Protein: ENSP00000525344.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_domain_id	alternative_domain_id	canonical_junction_in_cds	alternative_junction_in_cds
no_unique_junctions	ENST0000085286.1									



Transcript: ENST00000855286.1 | Protein: ENSP00000525345.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

The left number line represents the number of days, with major tick marks at 100,642,000, 100,636,000, 100,630,000, and 100,624,000. Minor tick marks are placed every 10,000 days. The right number line represents the number of hours, with major tick marks at 200, 400, 600, and 800. Minor tick marks are placed every 20 hours.



event	alternative_transcript_id	group	rank	domain_id_canonical_domain_alternative_domains	canonical_junction_alternative_junction_in_cds
no_unique_junctions	ENST00000958153.1				

[illegible]



event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction_in_cds
no_uniquejunctions	ENST00000958155.1							

The diagram shows a protein structure with a red bracket indicating a specific region. Below the structure, a bar chart displays the number of domains for each protein. The text "No domains" is written below the bar chart.




Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

TFR2 - H_sapiens | chr7:100,620,415-100,642,779 | 85 transcript(s) (page 22/22)



No domains



Transcript: NM_001206855.3 | Protein: NP_001193784.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.