


idx	start	end
1	35575942	35576994
2	35575942	35580036



Amino Acid Position



event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domains	domains	junction	alternative_junction	in_cds
no_domains_in_region	ENST00000893102.1	1								



event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	alternative_domain_id	canonical_junction	alternative_junction	in_cds
no_unique_junctions	ENST00000536438.5									


[illegible]

Transcript: ENST00000539068.5 | Protein: ENSP00000441205.1

The left number line has major ticks at 35,720,000, 35,680,000, 35,640,000, and 35,600,000. The right number line has major ticks at 100, 200, 300, and 400.

Transcript: ENST00000542713.1 | Protein: ENSP00000442340.1

Transcript: ENST00000893093.1 | Protein: ENSP00000563152.1



The diagram shows a horizontal black line representing a protein structure. Above the line, there are several vertical colored bars of different heights and colors (yellow, blue, green, pink, orange, teal, purple, grey, red, magenta, and white). Below the line, there are several vertical colored bars of different heights and colors (yellow, blue, green, pink, orange, teal, purple, grey, red, magenta, and white). A legend on the right side of the diagram shows a row of colored squares corresponding to the colors used in the diagram. The legend is labeled "No domains" and includes a white square at the end.


Transcript: ENST00000893094.1 | Protein: ENSP00000563153.1

The diagram shows a protein structure represented by a horizontal line with vertical tick marks. A color key at the top right identifies the domains: yellow, blue, green, pink, orange, teal, purple, grey, red, and light pink. The label "No domains" is placed below the color key.

Transcript: ENST00000893095.1 | Protein: ENSP00000563154.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

FKBP5 - H_sapiens | chr6:35,572,944-35,728,622 | 73 transcript(s) (page 3/19)



event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	in_cds
no_unique_junctions	ENST00000893096.1												




Transcript: ENST00000893096.1 | Protein: ENSP00000563155.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	in_cds
no_unique_junctions	ENST00000893097.1												




Transcript: ENST00000893097.1 | Protein: ENSP00000563156.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	in_cds
no_unique_junctions	ENST00000893098.1												



Transcript: ENST00000893098.1 | Protein: ENSP00000563157.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	in_cds
no_unique_junctions	ENST00000893099.1												



Transcript: ENST00000893099.1 | Protein: ENSP00000563158.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

FKBP5 - H_sapiens | chr6:35,572,944-35,728,622 | 73 transcript(s) (page 4/19)



event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	in_cds
no_unique_junctions	ENST00000893100.1												



Transcript: ENST00000893100.1 | Protein: ENSP00000563159.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	in_cds
no_unique_junctions	ENST00000893101.1												



Transcript: ENST00000893101.1 | Protein: ENSP00000563160.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	in_cds
no_unique_junctions	ENST00000893103.1												



Transcript: ENST00000893103.1 | Protein: ENSP00000563162.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	in_cds
no_unique_junctions	ENST00000893104.1												



Transcript: ENST00000893104.1 | Protein: ENSP00000563163.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

The left number line has major ticks at 35,720,000, 35,680,000, 35,640,000, and 35,600,000. The right number line has major ticks at 100, 200, 300, and 400.

No domains

No domains

The diagram shows a protein structure with a color-coded domain map. The map is a horizontal bar with segments of different colors: orange, blue, green, pink, brown, teal, purple, grey, red, and white. The text "No domains" is written below the map. The protein structure is represented by a black line with vertical bars of various colors (green, red, orange, blue, green, orange, teal, purple, grey, red, purple) indicating specific regions or domains.



No domains

The diagram shows a protein structure represented by a horizontal line with vertical bars indicating specific regions. A color key at the top right identifies the regions: yellow, blue, green, pink, orange, teal, purple, grey, red, and white. Below the key, the text "No domains" is written.

No domains

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

35,720,000 35,700,000 35,680,000 35,660,000 35,640,000 35,620,000 35,600,000 35,580,000

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_junction	alternative_junction	in_cds
no_unique_junctions	ENST00000893109.1										

100 200 300 400

No domains

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	alternative_domain	alternative_domain	canonical_junction	alternative_junction	in_cds
transcript_doesnt_have_junctions	ENST00000893110.1										

No domains

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_domain_id	alternative_domain_id	canonical_domain_id	alternative_junction	in_cds
no_unique_junctions	ENST00000893111.1										

No domains

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domains	canonical_junction	alternative_junction	in_cds
no_unique_junctions	ENST00000893112.1								


No domains

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

Transcript: ENST00000893113.1 | Protein: ENSP00000563172.1

The diagram shows a protein structure represented by a horizontal line with vertical bars indicating domains. A color key at the top right identifies the domains: orange, blue, green, pink, brown, teal, purple, grey, red, and dark green. The text "No domains" is written below the key.

Transcript: ENST00000893114.1 | Protein: ENSP00000563173.1



The diagram shows a horizontal line representing a protein structure. Above the line, there are several vertical colored bars of different heights and colors (yellow, blue, green, pink, orange, teal, purple, grey, red, dark green, white). Below the line, there are several vertical colored bars of different heights and colors (yellow, blue, green, pink, orange, teal, purple, grey, red, dark green, white). The text "No domains" is written below the diagram.

Transcript: ENST00000893115.1 | Protein: ENSP00000563174.1

The diagram shows a protein structure represented by a horizontal line with several vertical bars of different colors (yellow, blue, orange, green, purple, grey, red, dark green) indicating domains. A legend on the right shows a sequence of colored blocks corresponding to the domains, with the text "No domains" below it.

Transcript: ENST00000893116.1 | Protein: ENSP00000563175.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

The left number line has major ticks at 35,720,000, 35,680,000, 35,640,000, and 35,600,000. The right number line has major ticks at 100, 200, 300, and 400.

The diagram shows a protein structure represented by a horizontal line with vertical bars indicating domains. The domains are color-coded: yellow, blue, green, pink, orange, teal, purple, grey, red, and magenta. A legend on the right shows a sequence of colored blocks with the text "No domains" below it.

The diagram shows a protein structure with various domains. A horizontal line represents the protein backbone, with colored vertical bars indicating specific domains. Above the line, a series of colored blocks (yellow, blue, green, pink, orange, teal, purple, grey, red, dark red, black) represent different domains. The text "No domains" is written below the line, indicating that the protein does not contain any domains.

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

[illegible]

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_junction	alternative_junction	in_cds
no_unique_junctions	ENST00000893122.1										

No domains

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_domain_id	alternative_domain_id	canonical_domain_id	alternative_domain_id	canonical_domain_id
no_unique_junctions	ENST00000893123.1										

No domains

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	alternative_domain	canonical_junction	alternative_junction	in_cds
no_unique_junctions	ENST00000893124.1									

No domains

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

FKBP5 - H_sapiens | chr6:35,572,944-35,728,622 | 73 transcript(s) (page 10/19)



event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	in_cds
no_unique_junctions	ENST00000893125.1												



Transcript: ENST00000893125.1 | Protein: ENSP00000563184.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	in_cds
no_unique_junctions	ENST00000893127.1												



Transcript: ENST00000893127.1 | Protein: ENSP00000563185.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	in_cds
no_unique_junctions	ENST00000893128.1												




Transcript: ENST00000893128.1 | Protein: ENSP00000563187.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	in_cds
no_unique_junctions	ENST00000893131.1												



Transcript: ENST00000893131.1 | Protein: ENSP00000563189.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

[illegible]

The diagram shows a horizontal black line representing a protein structure. Above the line, there are several vertical colored bars of different heights and colors: orange, blue, green, pink, brown, teal, purple, grey, red, and yellow. To the right of the diagram, there is a color key with a row of colored squares and the text "No domains" below it.

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domains	canonical_junction	alternative_junction	in_cds
no_unique_junctions	ENST00000893136.1								

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_junction_id	alternative_junction_id	in_cds
no_unique_junctions	ENST00000893138.1								


Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

The diagram shows a protein structure with a color-coded domain map. The map consists of a horizontal bar with segments in yellow, blue, green, pink, orange, teal, purple, grey, red, and dark grey. Below the bar, the text "No domains" is written.




event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction	in_cds
no_unique_junctions	ENST00000893142.1								

The diagram shows a protein structure with a color key and a 'No domains' label. The color key consists of a horizontal bar divided into segments of yellow, blue, green, pink, orange, teal, purple, grey, red, and black. Below the color key, the text 'No domains' is written. The protein structure is represented by a horizontal line with vertical bars of various colors (yellow, blue, green, pink, orange, teal, purple, grey, red, black) indicating different domains or regions. A red vertical bar is also present at the end of the structure.




event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_junction	alternative_junction	in_cds
no_unique_junctions	ENST00000893144.1								

The diagram shows a protein structure with a color key and a label. The color key consists of a horizontal bar with segments of yellow, blue, green, pink, orange, teal, purple, grey, red, and white. Below the bar is the text "No domains". The protein structure is represented by a horizontal line with vertical bars of various colors (yellow, blue, green, pink, orange, teal, purple, grey, red, and white) indicating different regions or domains.



event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domains	canonical_junction	alternative_junction	in_cds
no_unique_junctions	ENST00000893146.1								

The diagram shows a protein structure with a color key and a label. The color key consists of a horizontal bar divided into segments of yellow, blue, green, pink, orange, teal, purple, grey, red, and white. Below the key is the text "No domains". The protein structure is represented by a horizontal line with vertical bars of various colors (grey, green, blue, orange, teal, purple, red, orange) indicating specific regions or domains.



Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.



event	alternative_transcript_id	group	rank	domain_id	canonical	alternative	canonical	alternative	canonical	alternative	canonical	alternative	in_cds
no_unique_junctions	ENST00000893148.1												



Transcript: ENST00000893148.1 | Protein: ENSP00000563207.1

event	alternative_transcript_id	group	rank	domain_id	canonical	alternative	canonical	alternative	canonical	alternative	canonical	alternative	in_cds
no_unique_junctions	ENST00000893150.1												




Transcript: ENST00000893150.1 | Protein: ENSP00000563209.1

event	alternative_transcript_id	group	rank	domain_id	canonical	alternative	canonical	alternative	canonical	alternative	canonical	alternative	in_cds
no_unique_junctions	ENST00000925704.1												



Transcript: ENST00000925704.1 | Protein: ENSP00000595763.1

event	alternative_transcript_id	group	rank	domain_id	canonical	alternative	canonical	alternative	canonical	alternative	canonical	alternative	in_cds
no_unique_junctions	ENST00000956371.1												



Transcript: ENST00000956371.1 | Protein: ENSP00000626430.1

No domains

No domains

No domains


The diagram shows a protein structure with a color key and a label. The color key consists of a horizontal bar divided into segments of yellow, blue, green, pink, orange, teal, purple, grey, red, and dark red. Below the key is the text "No domains". The protein structure is represented by a horizontal line with vertical tick marks of various colors (purple, teal, orange, blue, green, orange, teal, purple, grey, red, dark red) corresponding to the segments in the color key.

No domains

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.


[illegible]

Transcript: ENST00000956376.1 | Protein: ENSP00000626435.1



The diagram shows a horizontal black line representing a protein structure. Above the line, there are several vertical colored bars of different heights and colors (red, orange, yellow, green, blue, purple, brown, grey, black, white). To the right of the line, there is a color key with a row of colored squares and the text "No domains" below it.

Transcript: ENST00000956377.1 | Protein: ENSP00000626436.1



The diagram shows a protein structure represented by a horizontal line with various colored segments. A color key on the right indicates the domains: Orange, Blue, Green, Pink, Brown, Teal, Purple, Grey, Red, and Yellow. The text "No domains" is written below the key.

Transcript: ENST00000956378.1 | Protein: ENSP00000626437.1

Transcript: ENST00000956379.1 | Protein: ENSP00000626438.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

The left number line has major ticks at 35,720,000, 35,680,000, 35,640,000, and 35,600,000. The right number line has major ticks at 100, 200, 300, and 400.

No domains

The diagram shows a protein structure with a legend indicating "No domains". The legend consists of a horizontal bar divided into colored segments: yellow, blue, green, pink, orange, teal, purple, grey, red, and light blue. The protein structure is represented by a horizontal line with vertical bars indicating the positions of various residues or domains. The vertical bars are colored to match the segments in the legend. The text "No domains" is written below the legend bar.

No domains

The diagram shows a protein structure with a color-coded domain map. The domain map is a horizontal bar with segments of different colors: orange, blue, green, pink, brown, teal, purple, grey, red, and dark red. Below the domain map, the text "No domains" is written. The protein structure is represented by a horizontal line with vertical bars indicating the position of each domain. The bars are colored to match the domain map. The structure shows a long, thin protein with several domains of varying sizes. The domains are located at the N-terminus, followed by a large domain, and then several smaller domains towards the C-terminus.

No domains

FKBP5 - H_sapiens | chr6:35,572,944-35,728,622 | 73 transcript(s) (page 17/19)



event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	in_cds
no_unique_junctions	ENST00000956384.1												



Transcript: ENST00000956384.1 | Protein: ENSP00000626443.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	in_cds
no_unique_junctions	ENST00000956385.1												



Transcript: ENST00000956385.1 | Protein: ENSP00000626444.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	in_cds
no_unique_junctions	ENST00000956386.1												



Transcript: ENST00000956386.1 | Protein: ENSP00000626445.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	in_cds
no_unique_junctions	ENST00000956387.1												





Transcript: ENST00000956387.1 | Protein: ENSP00000626446.1



Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

The left number line has major ticks at 35,720,000, 35,680,000, 35,640,000, and 35,600,000. The right number line has major ticks at 100, 200, 300, and 400.

The diagram shows a protein structure with a color key and a label. The color key consists of a horizontal bar divided into segments of different colors: orange, blue, green, pink, brown, teal, purple, grey, red, and white. Below the color key is the text "No domains". The protein structure is represented by a horizontal line with several vertical bars of different colors (orange, blue, green, brown, teal, purple, grey, red) indicating specific regions or domains. A red vertical bar is also present at the end of the structure.



[illegible]

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_junction	alternative_junction	in_cds
no_unique_junctions	ENST00000956390.1								


[illegible]

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

FKBP5 - H_sapiens | chr6:35,572,944-35,728,622 | 73 transcript(s) (page 19/19)



event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain
no_unique_junctions	ENST00000956392.1											



No domains

Transcript: ENST00000956392.1 | Protein: ENSP00000626451.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.