






idx	start	end
1	164743875	164800534
2	164743875	164841156



event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domains	canonical_junction	alternative_junction_in_cds
no_domains_in_region	ENST00000629362.2	1						



event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domains	canonical_junction	alternative_junction_in_cds
no_domains_in_region	ENST00000445474.2	1						

[illegible]

92
IPR019025

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

A horizontal number line with tick marks. The values 164,825,000 and 164,675,000 are labeled above the line. The values 164,800,000 and 164,750,000 are labeled below the line. Dashed vertical lines connect the top and bottom labels. The line shows that 164,825,000 is greater than 164,675,000.




no annotated protein



Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.




event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	in_cds
transcript_doesnt_have_features	ENST00000439313.5												



IPR019025

Transcript: ENST00000439313.5 | Protein: ENSP00000397835.1


event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	in_cds
transcript_doesnt_have_features	ENST00000444537.5												



No domains

Transcript: ENST00000444537.5 | Protein: ENSP00000409237.1


event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	in_cds
no_unique_features	ENST00000448708.5												



IPR019025

Transcript: ENST00000448708.5 | Protein: ENSP00000406062.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	in_cds
transcript_doesnt_have_features	ENST00000452626.5												




No domains


Transcript: ENST00000452626.5 | Protein: N/A [no protein]

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.


Figure 1 displays two dot plots. The left plot shows the number of unique features (no_unique_features) for each alternative transcript (alternative_transcript_id). The right plot shows the number of alternative junctions (alternative_junction) for each alternative transcript (alternative_junction_id).




event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_domain_id	junction_id	alternative_junction_id	in_cds
transcript_doesnt_have_features	ENST00000456693.5									



event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction	in_cds
transcript_doesnt_have_features	ENST00000460238.1								



event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction_in_cds
transcript_doesnt_have_features	ENST00000474975.1							



Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

[illegible]

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domains	canonical_junction	alternative_junction_in_cds
no_unique_features	ENST00000483743.6							

No domains

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domains	alternative_domains	canonical_junction	alternative_junction_in_cds
transcript_doesnt_have_features	ENST00000489955.1								

no annotated protein

No domains


event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domains	alternative_domains	canonical_junction	alternative_junction_in_cds
transcript_doesnt_have_features	ENST00000491126.6								

no annotated protein


No domains

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.


event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domains	canonical_junction	alternative_junction	in_cds
transcript_doesnt_have_features	ENST00000493713.1								




event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction	in_cds
transcript_doesnt_have_features	ENST00000493868.5								



event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_junction	alternative_junction	in_cds
transcript_doesnt_have_features	ENST00000493921.1								




event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction	in_cds
transcript_doesnt_have_features	ENST00000495084.1								




Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

A horizontal number line with tick marks. The values are labeled as follows:

- 164,825,000 (top left)
- 164,800,000 (bottom left)
- 164,775,000 (top left-center)
- 164,750,000 (bottom center)
- 164,725,000 (top right-center)
- 164,700,000 (bottom right)
- 164,675,000 (top right)



event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_junction_in_cds	alternative_junction_in_cds
no_unique_features	ENST00000861276.1							



event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	alternative_domain_id	canonical_junction	alternative_junction_in_cds
no_unique_features	ENST00000861277.1								



event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	alternative_domain_id	canonical_junction	alternative_junction_in_cds
no_unique_features	ENST00000861278.1								



Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

A horizontal number line with tick marks. The values 164,825,000 and 164,675,000 are labeled above the line. The values 164,800,000, 164,750,000, and 164,700,000 are labeled below the line. Vertical dashed lines extend from the bottom labels to the top labels, showing that 164,825,000 is 25,000 units above 164,800,000, and 164,675,000 is 25,000 units above 164,650,000. The distance between 164,800,000 and 164,750,000 is 50,000 units, and the distance between 164,750,000 and 164,700,000 is also 50,000 units.



No domains



Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

A horizontal number line with tick marks. The values are labeled as follows:

- 164,825,000 (above the first tick mark)
- 164,800,000 (below the second tick mark)
- 164,775,000 (above the third tick mark)
- 164,750,000 (below the fourth tick mark)
- 164,725,000 (above the fifth tick mark)
- 164,700,000 (below the sixth tick mark)
- 164,675,000 (above the seventh tick mark)



event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domains	canonical_junction	alternative_junction_in_cds
no_unique_features	ENST00000861284.1							



event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domains	canonical_junction	alternative_junction_in_cds
no_unique_features	ENST00000861285.1							



event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_junction	alternative_junction_in_cds
transcript_doesnt_have_features	ENST00000861286.1							



Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

A horizontal number line with tick marks. The values are labeled as follows:

Position	Value
1st (leftmost)	164,825,000
2nd	164,800,000
3rd	164,775,000
4th	164,750,000
5th	164,725,000
6th	164,700,000
7th (rightmost)	164,675,000



event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domains	canonical_junction	alternative_junction_in_cds
no_unique_features	ENST00000861288.1							

[illegible]

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_domain_id	alternative_domain_id	canonical_junction_in_cds	alternative_junction_in_cds
no_unique_features	ENST00000926848.1									



Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

A horizontal number line with tick marks. The values are labeled as follows:

- 164,825,000 (top left)
- 164,800,000 (bottom left)
- 164,775,000 (top left-center)
- 164,750,000 (bottom center)
- 164,725,000 (top right-center)
- 164,700,000 (bottom right)
- 164,675,000 (top right)



event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domains	canonical_domain	alternative_domains	canonical_junction	alternative_junction_in_cds
no_unique_features	ENST00000926850.1									



event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	alternative_domain_id	canonical_junction	alternative_junction_in_cds
no_unique_features	ENST00000946162.1								



event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	alternative_domain_id	canonical_junction	alternative_junction_in_cds
no_unique_features	ENST00000946163.1								



Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

[illegible]

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.