



idx	start	end
1	35575942	35576994
2	35575942	35580036




event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	alternative_domain	canonical_junction	alternative_junction
no_domains_in_region	ENST00000893102.1	1							



event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction
no_unique_features	ENST00000536438.5							



event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domains	canonical_junction	alternative_junction
no_unique_features	ENST00000539068.5							



Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

35,720,000 35,700,000 35,680,000 35,660,000 35,640,000 35,620,000 35,600,000 35,580,000

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_junction	alternative_junction	in_cds
transcript_doesnt_have_features	ENST00000542713.1										

100 200 300 400

No domains

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction	in_cds
no_unique_features	ENST00000893093.1										

No domains

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction	in_cds
no_unique_features	ENST00000893094.1										


No domains

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction	in_cds
no_unique_features	ENST00000893095.1										


No domains

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.


FKBP5 - H_sapiens | chr6:35,572,944-35,728,622 | 73 transcript(s) (page 3/19)




Transcript: ENST00000893096.1 | Protein: ENSP00000563155.1



Transcript: ENST00000893097.1 | Protein: ENSP00000563156.1



Transcript: ENST00000893098.1 | Protein: ENSP00000563157.1



Transcript: ENST00000893099.1 | Protein: ENSP00000563158.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

[illegible]

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_junction	alternative_junction	in_cds
no_unique_features	ENST00000893101.1										

No domains

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_domain_id	alternative_domain_id	canonical_domain_id	alternative_junction_in_cds
no_unique_features	ENST00000893103.1									

No domains

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	alternative_domain	canonical_junction	alternative_junction	in_cds
no_unique_features	ENST00000893104.1									

No domains

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

The left number line has major ticks at 35,720,000, 35,680,000, 35,640,000, and 35,600,000. The right number line has major ticks at 100, 200, 300, and 400.

The diagram shows a protein structure with a color-coded domain legend. The legend includes a yellow box, a blue box, a green box, a pink box, an orange box, a teal box, a purple box, a grey box, a red box, and a white box. The text "No domains" is written below the legend.

No domains

The diagram shows a protein structure with a color-coded domain map. The map is a horizontal bar with segments of different colors: yellow, blue, green, pink, orange, teal, purple, grey, red, and white. The text "No domains" is written below the map.

No domains

The diagram shows a protein structure represented by a horizontal line with vertical bars indicating specific regions. A color key at the top right identifies the domains: yellow, blue, green, pink, orange, teal, purple, grey, red, and white. The text "No domains" is written below the key.

No domains

The diagram shows a protein structure with a color key and a 'No domains' label. The color key consists of a horizontal bar with segments of yellow, blue, green, pink, orange, teal, purple, grey, red, and white. Below the bar is the text 'No domains'. The protein structure is represented by a horizontal line with vertical bars of various colors (yellow, blue, green, orange, teal, purple, grey, red) indicating different domains or regions. A red vertical bar is also present at the end of the structure.

No domains

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

Genomic coordinates (35,720,000 to 35,580,000) and a table showing transcript features (event, alternative_transcript_id, group, rank, domain_id, canonical_domain, alternative_domain, canonical_junction, alternative_junction, in_cds). The transcript is labeled 'no_unique_features' and 'ENST00000893109.1'. A diagram below the table shows the transcript structure with exons and introns, and a color-coded bar indicates the domain structure.

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_junction	alternative_junction	in_cds
no_unique_features	ENST00000893109.1								

Diagram illustrating the transcript structure with exons and introns, and a color-coded bar indicating the domain structure.

No domains

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_junction	alternative_junction	in_cds
transcript_doesnt_have_features	ENST00000893110.1										

No domains

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_domain_id	alternative_domain_id	canonical_domain_id	alternative_domain_id	canonical_domain_id
no_unique_features	ENST00000893111.1										

No domains

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	alternative_domain	alternative_domain	canonical_junction	alternative_junction	in_cds
no_unique_features	ENST00000893112.1										

No domains

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

Genomic coordinates (35,720,000 to 35,580,000) and a table showing transcript features (event, alternative_transcript_id, group, rank, domain_id, canonical_domain, alternative_domain, canonical_junction, alternative_junction, in_cds). The transcript is labeled 'no_unique_features' and 'ENST00000893113.1'. A diagram below the table shows the transcript structure with exons and introns, and a color-coded bar indicates the domain structure (No domains).

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction	in_cds
no_unique_features	ENST00000893114.1										

No domains

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_domain_id	alternative_domain_id	canonical_domain_id	alternative_junction_in_cds
no_unique_features	ENST00000893115.1									

No domains

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction	in_cds
no_unique_features	ENST00000893116.1										

No domains

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.


No domains

The diagram shows a protein structure represented by a horizontal line with vertical bars indicating specific regions. A color key at the top right identifies the regions: yellow, blue, green, pink, orange, teal, purple, grey, red, and white. The label "No domains" is placed below the color key.

No domains

No domains

The left number line has major ticks at 35,720,000, 35,680,000, 35,640,000, and 35,600,000. The right number line has major ticks at 100, 200, 300, and 400.



The diagram shows a horizontal black line representing a protein structure. Above the line, there are several vertical colored bars of different heights and colors (yellow, blue, green, pink, orange, teal, purple, grey, red, and black). To the right of the diagram, there is a color key with a horizontal bar divided into segments of the same colors as the bars in the diagram. Below the color key, the text "No domains" is written.

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

Genomic coordinates (35,720,000 to 35,580,000) and a table showing transcript details (event, alternative_transcript_id, group, rank, domain_id, canonical_domain, alternative_domain, canonical_junction, alternative_junction, in_cds). The transcript is labeled 'no_unique_features' and 'ENST00000893125.1'. A diagram below the table shows the transcript structure with exons and introns, and a color-coded bar indicates the domain structure.

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_junction	alternative_junction	in_cds
no_unique_features	ENST00000893125.1								

Diagram illustrating the transcript structure with exons and introns, and a color-coded bar indicating the domain structure.

No domains

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_junction	alternative_junction	in_cds
no_unique_features	ENST00000893127.1										

No domains

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction	in_cds
no_unique_features	ENST00000893128.1								

No domains

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_junction	alternative_junction	in_cds
no_unique_features	ENST00000893131.1										

No domains

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

Figure 1: Schematic representation of the experimental design. The top part shows a horizontal timeline with colored vertical lines representing different experimental conditions. The bottom part shows a horizontal bar with colored segments representing different domains, with the text "No domains" below it.

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_junction	alternative_junction	in_cds
no_unique_features	ENST00000893134.1								

The diagram shows a protein structure represented by a horizontal line with vertical bars indicating domains. A color key at the top right identifies the domains: yellow, blue, green, pink, orange, teal, purple, grey, red, and light orange. The text "No domains" is written below the key.

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_junction	alternative_junction	in_cds
no_unique_features	ENST00000893136.1								

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domains	canonical_junction	alternative_junction	in_cds
no_unique_features	ENST00000893138.1								

The diagram shows a protein structure with a color key and a label. The color key consists of a horizontal bar with segments of yellow, blue, green, pink, orange, teal, purple, grey, red, and black. Below the key is the text "No domains". The protein structure is represented by a horizontal line with vertical bars of various colors (yellow, blue, green, orange, teal, purple, grey, red, pink) indicating different domains or regions. A red vertical bar is also present at the end of the structure.

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.



event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain
no_unique_features	ENST00000893140.1													



Transcript: ENST00000893140.1 | Protein: ENSP00000563199.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain
no_unique_features	ENST00000893142.1													



Transcript: ENST00000893142.1 | Protein: ENSP00000563201.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain
no_unique_features	ENST00000893144.1													



Transcript: ENST00000893144.1 | Protein: ENSP00000563203.1




event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain
no_unique_features	ENST00000893146.1													



Transcript: ENST00000893146.1 | Protein: ENSP00000563205.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

The diagram shows a protein structure with a color key and a label. The color key consists of a horizontal bar with segments of yellow, blue, green, pink, orange, teal, light blue, grey, red, and light grey. Below the key is the text "No domains". The protein structure is represented by a horizontal line with vertical colored bars indicating domains. The colors of the bars correspond to the segments in the color key.



Transcript: ENST00000956371.1 | Protein: ENSP00000626430.1

Only InterPro Domain and Repeat entries are drawn, and only those a compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

FKBP5 - H_sapiens | chr6:35,572,944-35,728,622 | 73 transcript(s) (page 14/19)



event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	in_cds
no_unique_features	ENST00000956372.1												



Transcript: ENST00000956372.1 | Protein: ENSP00000626431.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	in_cds
no_unique_features	ENST00000956373.1												



Transcript: ENST00000956373.1 | Protein: ENSP00000626432.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	in_cds
no_unique_features	ENST00000956374.1												



Transcript: ENST00000956374.1 | Protein: ENSP00000626433.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	in_cds
no_unique_features	ENST00000956375.1												



Transcript: ENST00000956375.1 | Protein: ENSP00000626434.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

FKBP5 - H_sapiens | chr6:35,572,944-35,728,622 | 73 transcript(s) (page 15/19)



event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	in_cds
no_unique_features	ENST00000956376.1												



Transcript: ENST00000956376.1 | Protein: ENSP00000626435.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	in_cds
no_unique_features	ENST00000956377.1												



Transcript: ENST00000956377.1 | Protein: ENSP00000626436.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	in_cds
no_unique_features	ENST00000956378.1												



Transcript: ENST00000956378.1 | Protein: ENSP00000626437.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	in_cds
no_unique_features	ENST00000956379.1												




Transcript: ENST00000956379.1 | Protein: ENSP00000626438.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

The left number line has major ticks at 35,720,000, 35,680,000, 35,640,000, and 35,600,000. The right number line has major ticks at 100, 200, 300, and 400.

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_junction	alternative_junction	in_cds
no_unique_features	ENST00000956381.1								



The diagram shows a horizontal black line representing a protein structure. Above the line, there are several vertical colored bars of different heights and colors (red, blue, green, orange, purple, brown, grey, pink, yellow, light blue). To the right of the main structure, there is a legend bar with colored segments corresponding to the colors in the diagram. Below the legend bar, the text "No domains" is written.

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction	in_cds
no_unique_features	ENST00000956382.1								


event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction	in_cds
no_unique_features	ENST00000956383.1								

The diagram shows a protein structure represented by a horizontal line with vertical bars indicating domains. A color key at the top right identifies the domains: yellow, blue, green, pink, orange, teal, purple, grey, red, and olive. The text "No domains" is written below the key.

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

The left number line has major ticks at 35,720,000, 35,680,000, 35,640,000, and 35,600,000. The right number line has major ticks at 100, 200, 300, and 400.



No domains



The diagram shows a protein structure with a color-coded domain map. The map is a horizontal bar with segments of different colors: yellow, blue, green, pink, orange, teal, purple, grey, red, and white. The text "No domains" is written below the map.



The diagram shows a protein structure with a color key and a label. The color key consists of a horizontal bar divided into segments of yellow, blue, green, pink, orange, teal, purple, grey, red, and light orange. Below the key is the text "No domains". The protein structure is represented by a horizontal line with vertical bars of various colors (yellow, blue, green, pink, orange, teal, purple, grey, red, light orange) indicating different domains or regions. The structure is labeled "No domains".



Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

FKBP5 - H_sapiens | chr6:35,572,944-35,728,622 | 73 transcript(s) (page 18/19)



event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	in_cds
no_unique_features	ENST00000956388.1												



Transcript: ENST00000956388.1 | Protein: ENSP00000626447.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	in_cds
no_unique_features	ENST00000956389.1												



Transcript: ENST00000956389.1 | Protein: ENSP00000626448.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	in_cds
no_unique_features	ENST00000956390.1												



Transcript: ENST00000956390.1 | Protein: ENSP00000626449.1



event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	in_cds
no_unique_features	ENST00000956391.1												




Transcript: ENST00000956391.1 | Protein: ENSP00000626450.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

FKBP5 - H_sapiens | chr6:35,572,944-35,728,622 | 73 transcript(s) (page 19/19)



event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain
no_unique_features	ENST00000956392.1											



No domains

Transcript: ENST00000956392.1 | Protein: ENSP00000626451.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.