



idx	start	end
1	343908	344335
2	343908	372664




Amino Acid Position



event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_junction	alternative_junction	in_cds
dropped_domain	XM_011513562.4	1		IPR001909		72.0		1.0	0.0		
dropped_domain	XM_011513562.4	1		IPR013087		224.0		8.0	0.0		



event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	alternative_domain_id	canonical_junction	alternative_junction	in_cds
longer	ENST00000885053.1	1		IPR001909		72.0	75.0	1.0	1.0	
increased_domain_number	ENST00000885053.1	1		IPR013087		224.0	252.0	8.0	9.0	



event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction	in_cds
transcript_doesnt_have_features	ENST00000366506.4								





Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

Figure 1: Schematic representation of the data structure. The top part shows a genomic track with coordinates from 342,000 to 384,000. Below it is a table with columns: event, alternative_transcript_id, group, rank, domain_id, canonical_domain, alternative_domain, canonical_domain_junction, alternative_domain_junction, and junction_in_cds. The first row of data shows 'no_unique_features' for event, 'ENST00000503699.1' for alternative_transcript_id, and empty cells for the other columns.





Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

A horizontal number line from 0 to 100. A red bracket is placed above the line from 0 to 10. A green bracket is placed above the line from 10 to 20. A blue bracket is placed above the line from 20 to 100.




Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

ZNF141 - H_sapiens | chr4:337,799-384,868 | 14 transcript(s) (page 4/4)




event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction_in_cds
no_unique_features	XM_017008591.3							



No domains

Transcript: XM_017008591.3 | Protein: XP_016864080.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domains	canonical_junction	alternative_junction	in_cds
no_unique_features	XM_047416147.1								



No domains

Transcript: XM_047416147.1 | Protein: XP_047272103.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.