





**ZBTB48 - H sapiens | chr1:6,579,993-6,589,280 | 2 transcript(s)**

| idx | start   | end     |
|-----|---------|---------|
| 1   | 6581299 | 6582058 |
| 2   | 6580636 | 6582058 |



Transcript: ENST00000377674.9 | Protein: ENSP00000366902.4 [canonical]

| event                | alternative_transcript_id | group | rank | domain_id | canonical_domain | alternative_domain | canonical_domain | alternative_domain | canonical_junction | alternative_junction |
|----------------------|---------------------------|-------|------|-----------|------------------|--------------------|------------------|--------------------|--------------------|----------------------|
| no_domains_in_region | ENST00000902995.1         | 1     |      |           |                  |                    |                  |                    |                    |                      |



Transcript: ENST00000902995.1 | Protein: ENSP00000573054.1 [longest CDS]

Only InterPro Domain and Repeat entries are drawn, and only those a compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous\_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.