




ZBTB48 - H sapiens | chr1:6,579,993-6,589,280 | 33 transcript(s) (page 1/9)

idx	start	end
1	6581299	6582058
2	6580636	6582058



Genomic Position (bp)





Amino Acid Position




Transcript: ENST00000377674.9 | Protein: ENSP00000366902.4 [canonical]

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domains	canonical_domain	alternative_junction	canonical_junction
no_domains_in_region	ENST00000902995.1	1							



Transcript: ENST00000902995.1 | Protein: ENSP00000573054.1 [longest CDS]



event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	alternative_domain_id	canonical_junction	alternative_junction
no_unique_features	ENST00000319084.9								



No domains

Transcript: ENST00000319084.9 | Protein: ENSP00000313416.5


event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	alternative_domain_id	canonical_junction	alternative_junction
no_unique_features	ENST00000435905.5								



No domains

Transcript: ENST00000435905.5 | Protein: ENSP00000416054.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.



event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	in_cds
transcript_doesnt_have_features	ENST00000466813.1												



Transcript: ENST00000466813.1 | Protein: ENSP00000467104.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	in_cds
transcript_doesnt_have_features	ENST00000466941.1												



Transcript: ENST00000466941.1 | Protein: N/A [no protein]

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	in_cds
transcript_doesnt_have_features	ENST00000482360.5												



Transcript: ENST00000482360.5 | Protein: N/A [no protein]

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	in_cds
transcript_doesnt_have_features	ENST00000488936.1												



Transcript: ENST00000488936.1 | Protein: ENSP00000466390.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

no annotated protein

No domains

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction	in_cds
no_unique_features	ENST00000902993.1								



event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_canonical_domain_id	canonical_junction	alternative_junction_in_cds
transcript_doesnt_have_features	ENST00000902994.1							

[illegible]

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.


A horizontal number line is shown, ranging from 6,580,000 to 6,589,000. Major tick marks are labeled at 6,580,000, 6,581,500, 6,583,000, 6,584,500, 6,586,000, 6,587,500, and 6,589,000. Minor tick marks are present every 100,000 units. A vertical dashed line is drawn at the 6,583,000 mark.



IPR013087
IPR013087
IPR013087
IPR013087




No domains



No domains

The diagram illustrates a protein structure. On the left, a large green rectangular domain is shown. To its right is a long, thin horizontal line representing a protein tail. A zoomed-in view of the tail is shown on the right, featuring a series of small, colored rectangular blocks (purple, yellow, blue, green, pink, orange, blue) arranged in a row. Below this zoomed-in view, the text "No domains" is written.



Transcript: ENST00000915766.1 | Protein: ENSP00000585825.1



28 IPR013087

Transcript: ENST00000915767.1 | Protein: ENSP00000585826.1

A diagram of a chromosome, represented as a horizontal black line. On the left end, there are several small, overlapping colored rectangles: a small yellow one, a small grey one, a large green one, and a small red one. A red line forms a loop above the chromosome, starting from the top of the large green rectangle, going up and then down to the top of a smaller green rectangle further along the chromosome. To the right of this, there is a single blue vertical band. Further right, there are two vertical bands: an orange one and a dark blue one. To their right are three vertical bands: a green one, a pink one, and a brown one. On the far right, there is a large purple rectangle.



Transcript: ENST00000953434.1 | Protein: ENSP00000623493.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.








Diagram illustrating a protein structure with a red box highlighting a specific region. Below the structure, a legend indicates the color coding for domains: No domains (grey), Green, Cyan, Magenta, Orange, Dark Blue, Light Green, Pink, Brown, and Blue.



Transcript: ENST00000953435.1 | Protein: ENSP00000623494.1



Transcript: NM_001278647.2 | Protein: NP_001265576.1



Transcript: XM_017001111.3 | Protein: XP_016856600.1





Diagram illustrating a protein structure with a red box highlighting a specific region. The legend below the diagram indicates the color coding for different domains: No domains (grey), Green, Blue, Red, Orange, Yellow, and Light Blue.




No domains

Transcript: XM_047418865.1 | Protein: XP_047274821.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3D5A/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

ZBTB48 - H_sapiens | chr1:6,579,993-6,589,280 | 33 transcript(s) (page 7/9)



Transcript: XM_047418867.1 | Protein: XP_047274823.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction	in_cds
transcript_doesnt_have_features	XM_047418868.1								




Transcript: XM_047418868.1 | Protein: XP_047274824.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_canonical_domain_id	canonical_junction	alternative_junction_in_cds
transcript_doesnt_have_features	XM_047418869.1							



Transcript: XM_047418869.1 | Protein: XP_047274825.1


event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_canonical_domain_id	domain_junction	alternative_junction	in_cds
transcript_doesnt_have_features	XM_047418870.1								



Transcript: XM_047418870.1 | Protein: XP_047274826.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

ZBTB48 - H_sapiens | chr1:6,579,993-6,589,280 | 33 transcript(s) (page 8/9)



Transcript: XM_047418875.1 | Protein: XP_047274831.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	alternative_domain_id	canonical_junction	alternative_junction_in_cds
transcript_doesnt_have_features	XM_047418878.1								



Transcript: XM_047418878.1 | Protein: XP_047274834.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domains	canonical_junction	alternative_junction_in_cds
transcript_doesnt_have_features	XM_047418880.1							



Transcript: XM_047418880.1 | Protein: XP_047274836.1



event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	alternative_domain_id	junction_in_cds
transcript_doesnt_have_features	XM_047418882.1							




Transcript: XM_047418882.1 | Protein: XP_047274838.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.


ZBTB48 - H_sapiens | chr1:6,579,993-6,589,280 | 33 transcript(s) (page 9/9)



event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_domain_id	alternative_domain_id	canonical_domain_id	alternative_function_in_cds
transcript_doesnt_have_features	XM_047418886.1									



No domains



Transcript: XM_047418886.1 | Protein: XP_047274842.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.