







idx	start	end
1	30724596	30730753
2	30724596	30920153




Transcript: ENST00000695919.1 | Protein: ENSP00000512266.1 [canonical]

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_start	alternative_domain_start	canonical_domain_end	alternative_domain_end	canonical_junction	alternative_junction	in_cds
unchanged_domains	ENST00000361762.3	1		IPR002126	387.0	387.0	3.0	3.0			
unchanged	ENST00000361762.3	1		IPR013585	212.0	212.0	1.0	1.0			




Transcript: ENST00000361762.3 | Protein: ENSP00000355243.2 [longest CDS]

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_start	alternative_domain_start	canonical_domain_end	alternative_domain_end	canonical_junction	alternative_junction	in_cds
transcript_doesnt_have_features	ENST00000507864.1										



Transcript: ENST00000507864.1 | Protein: N/A [no protein]


event	alternative_transcript_id	group	rank	domain_id	canonical_domain_start	alternative_domain_start	canonical_domain_end	alternative_domain_end	canonical_junction	alternative_junction	in_cds
no_unique_features	ENST00000509759.2										



Transcript: ENST00000509759.2 | Protein: ENSP00000483285.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

14 transcript(s) (page 2/4)




main_id	canonical_domain	alternative_domains	canonical_domain	alternative_domains	canonical_junction	alternative_junction



No domains

main_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_junction	alternative_junction



main_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_junction	alternative_junction



No domains


main_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_junction	alternative_junction




No domains

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.


event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction	in_cds
transcript_doesnt_have_features	ENST00000621961.2								




event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction	in_cds
no_unique_features	ENST00000695920.1								



event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction	in_cds
transcript_doesnt_have_features	ENST00000695921.1								



event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domains	alternative_domains	alternative_domains	junction_in_cds
no_unique_features	ENST00000695922.1								



Only InterPro Domain and Repeat entries are drawn, and only those that are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3D5A/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

Two horizontal scales are shown. The left scale is labeled 'Genomic Position (bp)' and has major tick marks at 30,780,000, 30,840,000, 30,900,000, 30,960,000, 31,020,000, 31,080,000, and 31,140,000. The right scale is labeled 'Amino Acid Position' and has major tick marks at 250, 500, 750, 1000, and 1250.

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_domain_id	alternative_domain_id	canonical_junction_in_cds	alternative_junction_in_cds
transcript_doesnt_have_features	ENST00000946629.1									

