





idx	start	end
1	24886220	24888534
2	24888605	24895688
3	24888605	24890918
4	24890989	24893303




Transcript: ENST00000682740.1 | Protein: ENSP00000508087.1 [canonical]

event	alternative_transcript_id	group	rank	domain_id	canonical	alternative	canonical	alternative	canonical	alternative	canonical	alternative	in_cds
reduced_domain_number	ENST00000415508.6	1		IPR043628	144.0	96.0	6.0	4.0					




Transcript: ENST00000415508.6 | Protein: ENSP00000397895.2 [longest CDS]

event	alternative_transcript_id	group	rank	domain_id	canonical	alternative	canonical	alternative	canonical	alternative	canonical	alternative	in_cds
transcript_doesnt_have_features	ENST00000382296.4												



Transcript: ENST00000382296.4 | Protein: ENSP00000371733.3

event	alternative_transcript_id	group	rank	domain_id	canonical	alternative	canonical	alternative	canonical	alternative	canonical	alternative	in_cds
transcript_doesnt_have_features	ENST00000382314.6												



Transcript: ENST00000382314.6 | Protein: ENSP00000371751.3



Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

A horizontal number line with major tick marks every 10,000 units. The labels above the line are 24,840,000, 24,860,000, 24,880,000, and 24,900,000. The labels below the line are 24,850,000, 24,870,000, and 24,890,000. Vertical dashed grid lines extend from each tick mark.



Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.


DAZ4 - H_sapiens | chrY:24,833,819-24,907,040 | 9 transcript(s) (page 3/3)



event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain
transcript_doesnt_have_features	NM_001005375.3											



No domains



Transcript: NM_001005375.3 | Protein: NP_001005375.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.