



TFR2 - H_sapiens | chr7:100,620,415-100,642,779 | 85 transcript(s) (page 1/22)

idx	start	end
1	100631052	100631806
2	100631885	100633001
3	100631052	100632082
4	100632149	100633001



Genomic Position (bp)



Amino Acid Position



No domains

Transcript: ENST00000223051.8 | Protein: ENSP00000223051.3 [canonical]

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_domain_id	alternative_domain_id	canonical_junction_id	alternative_junction_id	in_cds
no_domains_in_region	ENST00000855264.1	1									



No domains

Transcript: ENST00000855264.1 | Protein: ENSP00000525323.1 [longest CDS]

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_domain_id	alternative_domain_id	canonical_junction_id	alternative_junction_id	in_cds
no_domains_in_region	ENST00000855256.1	2									



No domains

Transcript: ENST00000855256.1 | Protein: ENSP00000525315.1 [longest CDS]

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_domain_id	alternative_domain_id	canonical_junction_id	alternative_junction_id	in_cds
transcript_doesnt_have_features	ENST00000431692.5										




No domains

Transcript: ENST00000431692.5 | Protein: ENSP00000413905.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

85 transcript(s) (page 2/22)



event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction	in_cds
transcript_doesnt_have_features	ENST00000461176.1								



Transcript: ENST00000461176.1 | Protein: N/A [no protein]

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction	in_cds
transcript_doesnt_have_features	ENST00000462090.5								



Transcript: ENST00000462090.5 | Protein: N/A [no protein]

[illegible]

Transcript: ENST00000462107.1 | Protein: ENSP00000420525.1


event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	alternative_domain_id	canonical_junction	alternative_junction	in_cds
transcript_doesnt_have_features	ENST00000465294.5									



Transcript: ENST00000465294.5 | Protein: N/A [no protein]

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

85 transcript(s) (page 3/22)



event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	alternative_domain_id	canonical_junction	alternative_junction	alternative_junction_in_cds
transcript_doesnt_have_features	ENST00000473374.5									



Transcript: ENST00000473374.5 | Protein: N/A [no protein]

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	alternative_domain_id	canonical_junction	alternative_junction_in_cds
no_unique_features	ENST00000473571.1								




Transcript: ENST00000473571.1 | Protein: N/A [no protein]

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	alternative_domain_id	canonical_junction	alternative_junction_in_cds
no_unique_features	ENST00000473963.1								



Transcript: ENST00000473963.1 | Protein: N/A [no protein]


event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction_in_cds
transcript_doesnt_have_features	ENST00000474947.1							



Transcript: ENST00000474947.1 | Protein: N/A [no protein]

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

TFR2 - H_sapiens | chr7:100,620,415-100,642,779 | 85 transcript(s) (page 4/22)




event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	alternative_domain_id	canonical_junction_in_cds	alternative_junction_in_cds
transcript_doesnt_have_features	ENST00000475011.1								





Transcript: ENST00000475011.1 | Protein: N/A [no protein]

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_junction_id	alternative_junction_id	in_cds
no_unique_features	ENST00000476304.5								




Transcript: ENST00000476304.5 | Protein: N/A [no protein]

[illegible]

Transcript: ENST00000490084.5 | Protein: ENSP00000418942.1


event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	alternative_domain_id	canonical_junction	alternative_junction_in_cds
no_unique_features	ENST00000855220.1								



Transcript: ENST00000855220.1 | Protein: ENSP00000525279.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

85 transcript(s) (page 5/22)

[illegible]

No domains

Transcript: ENST00000855221.1 | Protein: ENSP00000525280.1

[illegible]

No domains

Transcript: ENST00000855222.1 | Protein: ENSP00000525281.1

[illegible]

No domains

Transcript: ENST00000855223.1 | Protein: ENSP00000525282.1


[illegible]

No domains

Transcript: ENST00000855224.1 | Protein: ENSP00000525283.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

TFR2 - H_sapiens | chr7:100,620,415-100,642,779 | 85 transcript(s) (page 6/22)



Transcript: ENST00000855225.1 | Protein: ENSP00000525284.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	alternative_domain_id	canonical_junction	alternative_junction_in_cds
no_unique_features	ENST00000855226.1								



Transcript: ENST00000855226.1 | Protein: ENSP00000525285.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domains	canonical_junction	alternative_junction_in_cds
no_unique_features	ENST00000855227.1							



Transcript: ENST00000855227.1 | Protein: ENSP00000525286.1


event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_canonical_domain_id	alternative_domains	canonical_junction	alternative_junction_in_cds
no_unique_features	ENST00000855228.1								



Transcript: ENST00000855228.1 | Protein: ENSP00000525287.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

TFR2 - H_sapiens | chr7:100,620,415-100,642,779 | 85 transcript(s) (page 7/22)



event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	in_cds
no_unique_features	ENST00000855229.1												



Transcript: ENST00000855229.1 | Protein: ENSP00000525288.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	in_cds
no_unique_features	ENST00000855230.1												



Transcript: ENST00000855230.1 | Protein: ENSP00000525289.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	in_cds
no_unique_features	ENST00000855231.1												



Transcript: ENST00000855231.1 | Protein: ENSP00000525290.1


event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	in_cds
no_unique_features	ENST00000855232.1												



Transcript: ENST00000855232.1 | Protein: ENSP00000525291.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

85 transcript(s) (page 8/22)



event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction	in_cds
no_unique_features	ENST00000855233.1								



Transcript: ENST00000855233.1 | Protein: ENSP00000525292.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction	in_cds
no_unique_features	ENST00000855234.1								



Transcript: ENST00000855234.1 | Protein: ENSP00000525293.1

[illegible]

Transcript: ENST00000855235.1 | Protein: ENSP00000525294.1


event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	alternative_domain_id	canonical_junction	alternative_junction	in_cds
no_unique_features	ENST00000855236.1									



Transcript: ENST00000855236.1 | Protein: ENSP00000525295.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

85 transcript(s) (page 9/22)



event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction	in_cds
no_unique_features	ENST00000855237.1								



Transcript: ENST00000855237.1 | Protein: ENSP00000525296.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domains	canonical_domain	alternative_domains	junction_in_cds
no_unique_features	ENST00000855238.1								



Transcript: ENST00000855238.1 | Protein: ENSP00000525297.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_canonical_domain_id	canonical_junction	alternative_junction_in_cds
no_unique_features	ENST00000855239.1							



Transcript: ENST00000855239.1 | Protein: ENSP00000525298.1


event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction	in_cds
no_unique_features	ENST00000855240.1									




Transcript: ENST00000855240.1 | Protein: ENSP00000525299.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3D5A/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

TFR2 - H_sapiens | chr7:100,620,415-100,642,779 | 85 transcript(s) (page 10/22)




event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction	in_cds
no_unique_features	ENST00000855241.1								




Transcript: ENST00000855241.1 | Protein: ENSP00000525300.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction	in_cds
no_unique_features	ENST00000855242.1								



Transcript: ENST00000855242.1 | Protein: ENSP00000525301.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction_in_cds
no_unique_features	ENST00000855243.1							



Transcript: ENST00000855243.1 | Protein: ENSP00000525302.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_junction_in_cds	alternative_junction_in_cds
no_unique_features	ENST00000855244.1							



Transcript: ENST00000855244.1 | Protein: ENSP00000525303.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

The left number line shows a decreasing trend in the number of people. The values are 100,642,000, 100,639,000, 100,633,000, 100,627,000, and 100,621,000. The right number line shows an increasing trend in the number of seats, with values 200, 400, 600, and 800.

Transcript: ENST00000855245.1 | Protein: ENSP00000525304.1

Diagram illustrating a protein structure with a red box highlighting a specific region. A legend bar at the bottom right shows various colored blocks and the text "No domains".

Transcript: ENST00000855246.1 | Protein: ENSP00000525305.1


Transcript: ENST00000855247.1 | Protein: ENSP00000525306.1

The diagram shows a protein structure with a red bracket indicating a domain. A legend bar at the bottom is labeled "No domains".

Transcript: ENST00000855248.1 | Protein: ENSP00000525307.1

Only InterPro Domain and Repeat entries are drawn, and only those that are compared — so every domain in the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

85 transcript(s) (page 12/22)

[illegible]

Transcript: ENST00000855249.1 | Protein: ENSP00000525308.1

[illegible]

Transcript: ENST00000855250.1 | Protein: ENSP00000525309.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	alternative_domain_id	canonical_junction	alternative_junction	in_cds
transcript_doesnt_have_features	ENST00000855251.1									




Transcript: ENST00000855251.1 | Protein: ENSP00000525310.1

[illegible]

Transcript: ENST00000855252.1 | Protein: ENSP00000525311.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3D5A/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

TFR2 - H_sapiens | chr7:100,620,415-100,642,779 | 85 transcript(s) (page 13/22)




event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction	in_cds
no_unique_features	ENST0000085253.1								




Transcript: ENST0000085253.1 | Protein: ENSP00000525312.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_junction_id	alternative_junction_id	in_cds
no_unique_features	ENST00000855254.1								



Transcript: ENST00000855254.1 | Protein: ENSP00000525313.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction_in_cds
no_unique_features	ENST0000085255.1							



Transcript: ENST00000855255.1 | Protein: ENSP00000525314.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction_in_cds
no_unique_features	ENST00000855257.1							



Transcript: ENST00000855257.1 | Protein: ENSP00000525316.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

The left number line represents the number of days, with major tick marks at 100,642,000, 100,636,000, 100,630,000, and 100,624,000. Minor tick marks are placed every 10,000 days. The right number line represents the number of hours, with major tick marks at 200, 400, 600, and 800. Minor tick marks are placed every 20 hours.

A diagram of a protein structure represented as a horizontal line with various colored blocks (domains) and a red bracket indicating a specific region of interest.



Transcript: ENST00000855258.1 | Protein: ENSP00000525317.1

[illegible]

Transcript: ENST00000855259.1 | Protein: ENSP00000525318.1

The diagram shows a protein structure with various domains represented by colored blocks. A red bracket highlights a specific region. To the right, a section labeled "No domains" shows a continuous sequence of colored blocks without domain boundaries.



Transcript: ENST00000855260.1 | Protein: ENSP00000525319.1



No domains

Transcript: ENST00000855261.1 | Protein: ENSP00000525320.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

The diagram shows a protein structure with a legend bar at the top right. The legend bar is labeled "No domains" and contains a series of colored segments: blue, purple, grey, red, orange, teal, brown, magenta, pink, green, yellow, dark purple, light blue, dark green, and red. The protein structure is represented by a black line with various colored segments and a red bracket indicating a specific region.

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction	in_cds
no_unique_features	ENST00000855263.1								


The diagram shows a protein structure with a legend indicating 'No domains'. The legend consists of a horizontal bar with various colored segments (green, purple, grey, red, orange, pink, brown, magenta, white, blue, yellow, cyan, green, red, white) and the text 'No domains' below it.

[illegible]


event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction	in_cds
no_unique_features	ENST00000855266.1								

The diagram shows a protein structure with a red bracket indicating a domain. Below the structure, a bar chart displays the number of domains for each protein. The bar chart is labeled "No domains" and shows a distribution of domain counts across various protein types.

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.



No domains



No domains

No domains

No domains

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

The left number line shows a decreasing trend in the number of people. The values are 100,642,000, 100,639,000, 100,633,000, 100,627,000, and 100,621,000. The right number line shows an increasing trend in the number of seats, with values 200, 400, 600, and 800.

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction_in_cds
no_unique_features	ENST00000855272.1							

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction	in_cds
no_unique_features	ENST00000855273.1								

No domains

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction	in_cds
no_unique_features	ENST00000855274.1								

Diagram illustrating a protein structure with a red box highlighting a specific region. A legend below the diagram shows a color-coded bar with the text "No domains".

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

The left number line represents the number of days, with major tick marks at 100,642,000, 100,636,000, 100,630,000, and 100,624,000. Minor tick marks are placed every 10,000 days. The right number line represents the number of hours, with major tick marks at 200, 400, 600, and 800. Minor tick marks are placed every 20 hours.

The diagram shows a protein structure with a horizontal line representing the backbone. Above the line, there are several vertical bars of different colors (blue, brown, purple, red, green, orange, yellow, cyan, magenta, pink, light blue, dark blue, red, white) representing domains. A red bracket is drawn above the line, spanning from the first domain to the last domain. Below the line, the text "No domains" is written.



Transcript: ENST00000855275.1 | Protein: ENSP00000525334.1



Transcript: ENST00000855276.1 | Protein: ENSP00000525335.1

A diagram of a protein structure represented as a horizontal line with various colored blocks (domains) and a red box highlighting a specific region. The red box is located above the line, spanning a few domains. The domains are represented by vertical bars of different colors: light blue, dark blue, purple, green, yellow, orange, red, brown, pink, light green, and dark green. The red box is positioned over the orange, red, and brown domains.



Transcript: ENST00000855277.1 | Protein: ENSP00000525336.1

The diagram shows a protein structure with a red box highlighting a specific region. The red box is labeled "No domains".




No domains

Transcript: ENST00000855278.1 | Protein: ENSP00000525337.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3D5A/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

TFR2 - H_sapiens | chr7:100,620,415-100,642,779 | 85 transcript(s) (page 19/22)



Transcript: ENST00000855279.1 | Protein: ENSP00000525338.1

[illegible]

Transcript: ENST00000855280.1 | Protein: ENSP00000525339.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction	in_cds
no_unique_features	ENST00000855281.1								



Transcript: ENST00000855281.1 | Protein: ENSP00000525340.1


event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction_in_cds
no_unique_features	ENST00000855282.1							



Transcript: ENST00000855282.1 | Protein: ENSP00000525341.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

TFR2 - H_sapiens | chr7:100,620,415-100,642,779 | 85 transcript(s) (page 20/22)



Transcript: ENST00000855283.1 | Protein: ENSP00000525342.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domains	canonical_domain	alternative_domains	junction_in_cds
no_unique_features	ENST00000855284.1								



Transcript: ENST00000855284.1 | Protein: ENSP00000525343.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction	in_cds
no_unique_features	ENST00000855285.1								



Transcript: ENST00000855285.1 | Protein: ENSP00000525344.1


event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_domain_id	alternative_domain_id	canonical_junction_in_cds	alternative_junction_in_cds
no_unique_features	ENST00000855286.1									




Transcript: ENST00000855286.1 | Protein: ENSP00000525345.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

TFR2 - H_sapiens | chr7:100,620,415-100,642,779 | 85 transcript(s) (page 21/22)




event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_junction_id	alternative_junction_id	in_cds
no_unique_features	ENST00000958152.1								




Transcript: ENST00000958152.1 | Protein: ENSP00000628211.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_domain_id	alternative_domain_id	canonical_junction_in_cds	alternative_junction_in_cds
no_unique_features	ENST00000958153.1									




Transcript: ENST00000958153.1 | Protein: ENSP00000628212.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	alternative_domain	canonical_junction	alternative_junction_in_cds
no_unique_features	ENST00000958154.1								



Transcript: ENST00000958154.1 | Protein: ENSP00000628213.1



event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	alternative_domain_id	canonical_junction	alternative_junction_in_cds
no_unique_features	ENST00000958155.1								




Transcript: ENST00000958155.1 | Protein: ENSP00000628214.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain in the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

TFR2 - H_sapiens | chr7:100,620,415-100,642,779 | 85 transcript(s) (page 22/22)



event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	alternative_domain_id	canonical_junction	alternative_junction	in_cds
no_unique_features	NM_001206855.3									



No domains

Transcript: NM_001206855.3 | Protein: NP_001193784.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.