



idx	start	end
1	35575942	35576994
2	35575942	35580036




event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domains	canonical_junction	alternative_junction
no_domains_in_region	ENST00000893102.1	1						



event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction
no_unique_features	ENST00000536438.5							



event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domains	canonical_junction	alternative_junction
no_unique_features	ENST00000539068.5							



Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

35,720,000 35,700,000 35,680,000 35,660,000 35,620,000 35,580,000

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain
transcript_doesnt_have_features	ENST00000542713.1														

100 200 300 400

No domains

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_domain_id	alternative_domain_id	canonical_domain_id	alternative_domain_id
no_unique_features	ENST00000893093.1									

No domains


event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_domain_id	alternative_domain_id	canonical_domain_id	alternative_junction_in_cds
no_unique_features	ENST00000893094.1									

No domains

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	alternative_domain	canonical_junction	alternative_junction	in_cds
no_unique_features	ENST00000893095.1									

No domains

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.



event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	in_cds
no_unique_features	ENST00000893096.1												



Transcript: ENST00000893096.1 | Protein: ENSP00000563155.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	in_cds
no_unique_features	ENST00000893097.1												



Transcript: ENST00000893097.1 | Protein: ENSP00000563156.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	in_cds
no_unique_features	ENST00000893098.1												



Transcript: ENST00000893098.1 | Protein: ENSP00000563157.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	in_cds
no_unique_features	ENST00000893099.1												



Transcript: ENST00000893099.1 | Protein: ENSP00000563158.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

The left number line has major ticks at 35,720,000, 35,680,000, 35,640,000, and 35,600,000. The right number line has major ticks at 100, 200, 300, and 400.

The diagram shows a protein structure represented by a horizontal line with vertical bars indicating domains. A color key on the right identifies the domains: yellow, blue, green, pink, orange, teal, purple, grey, red, and cyan. The text "No domains" is written below the key.

The diagram shows a protein structure represented by a horizontal line with various colored segments and vertical bars. A legend on the right indicates that the colored segments represent different domains, with the text "No domains" below it.

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

The diagram shows a horizontal black line representing a protein structure. Above the line, there are several vertical colored bars of different heights and colors (green, red, blue, green, orange, teal, purple, brown, red, purple). To the right of the main structure, there is a color key bar with segments of orange, blue, green, pink, brown, teal, purple, grey, red, and dark red. Below the key bar, the text "No domains" is written.

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_junction	alternative_junction	in_cds
no_unique_features	ENST00000893106.1								

The diagram shows a protein structure with a color-coded domain map. The map is a horizontal bar with segments of different colors: yellow, blue, green, pink, orange, teal, purple, grey, red, and white. The text "No domains" is written below the map. The protein structure is represented by a black line with vertical colored bars indicating the position of each domain. The colors of the bars correspond to the colors in the domain map.

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_junction	alternative_junction	in_cds
no_unique_features	ENST00000893107.1								

The diagram shows a protein structure with a color key and a 'No domains' label. The color key consists of a horizontal bar with segments of yellow, blue, green, pink, orange, teal, purple, grey, red, and black. Below the bar, the text 'No domains' is written. The protein structure is represented by a horizontal line with vertical bars of various colors (green, red, blue, green, orange, teal, purple, grey, red) indicating different domains or regions.

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domains	canonical_junction	alternative_junction	in_cds
no_unique_features	ENST00000893108.1								

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

35,720,000 35,700,000 35,680,000 35,660,000 35,640,000 35,620,000 35,600,000 35,580,000

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_junction	alternative_junction	in_cds
no_unique_features	ENST00000893109.1										

100 200 300 400

No domains

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	alternative_domain	alternative_domain	canonical_junction	alternative_junction	in_cds
transcript_doesnt_have_features	ENST00000893110.1										

No domains

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	alternative_domain	alternative_domain	canonical_junction	alternative_junction	in_cds
no_unique_features	ENST00000893111.1										

No domains

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	alternative_domain	canonical_junction	alternative_junction	in_cds
no_unique_features	ENST00000893112.1									

No domains

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

Genomic coordinates (35,720,000 to 35,580,000) and a table showing transcript features (event, alternative_transcript_id, group, rank, domain_id, canonical_domain, alternative_domain, canonical_junction, alternative_junction, in_cds). The transcript is labeled 'no_unique_features' and 'ENST00000893113.1'. A diagram below the table shows the transcript structure with exons and introns, and a color-coded bar indicates the domain structure.

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_junction	alternative_junction	in_cds
no_unique_features	ENST00000893114.1										

No domains

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_domain_id	alternative_domain_id	canonical_domain_id	alternative_junction_in_cds
no_unique_features	ENST00000893115.1									

No domains

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction	in_cds
no_unique_features	ENST00000893116.1										

No domains

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

The left number line has major ticks at 35,720,000, 35,680,000, 35,640,000, and 35,600,000. The right number line has major ticks at 100, 200, 300, and 400.

The diagram shows a protein structure represented by a horizontal line with various colored segments. A color key at the top right identifies the segments: yellow, blue, green, pink, orange, teal, purple, grey, red, and white. The text "No domains" is written below the key.

No domains

The diagram shows a protein structure represented by a horizontal line with various colored segments. A color key at the top right identifies the segments: yellow, blue, green, pink, orange, teal, purple, grey, red, and white. The text "No domains" is written below the key.

No domains

No domains

The diagram shows a protein structure represented by a horizontal line with vertical bars indicating specific regions. A color key at the top right identifies the regions: yellow, blue, green, pink, orange, teal, purple, grey, red, and white. The label "No domains" is placed below the color key.

No domains

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

FKBP5 - H_sapiens | chr6:35,572,944-35,728,622 | 73 transcript(s) (page 9/19)



event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	in_cds
no_unique_features	ENST00000893121.1												



Transcript: ENST00000893121.1 | Protein: ENSP00000563180.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	in_cds
no_unique_features	ENST00000893122.1												



Transcript: ENST00000893122.1 | Protein: ENSP00000563181.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	in_cds
no_unique_features	ENST00000893123.1												



Transcript: ENST00000893123.1 | Protein: ENSP00000563182.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	in_cds
no_unique_features	ENST00000893124.1												



Transcript: ENST00000893124.1 | Protein: ENSP00000563183.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

Genomic coordinates (35,720,000 to 35,580,000) and a table showing transcript features for ENST00000893125.1. The table includes columns for event, alternative_transcript_id, group, rank, domain_id, canonical_domain, alternative_domain, canonical_junction, and alternative_junction_in_cds. A visualization below the table shows a protein structure with domains and junctions.

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_junction	alternative_junction_in_cds
no_unique_features	ENST00000893125.1							

Protein structure visualization showing domains (colored blocks) and junctions (vertical lines). The text "No domains" is displayed below the structure.

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_junction	alternative_junction	in_cds
no_unique_features	ENST00000893127.1										

No domains

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction	in_cds
no_unique_features	ENST00000893128.1										

No domains

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_domain_id	alternative_domain_id	canonical_domain_id	alternative_domain_id
no_unique_features	ENST00000893131.1									

No domains

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

The left number line has major ticks at 35,720,000, 35,680,000, 35,640,000, and 35,600,000. The right number line has major ticks at 100, 200, 300, and 400.

Figure 1: Schematic representation of the experimental design. The top part shows a horizontal timeline with colored segments (yellow, orange, blue, green, pink, brown, teal, grey) representing different experimental conditions. The bottom part shows a horizontal timeline with a single grey segment labeled "No domains".

[illegible]

The diagram shows a protein structure represented by a horizontal line with vertical bars indicating domains. A color key at the top right identifies the domains: yellow, blue, green, pink, orange, teal, purple, grey, red, and light orange. The text "No domains" is written below the key.

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_junction	alternative_junction	in_cds
no_unique_features	ENST00000893136.1								

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domains	canonical_junction	alternative_junction	in_cds
no_unique_features	ENST00000893138.1								

The diagram shows a protein structure with a color-coded domain map. The map is a horizontal bar with segments of different colors: yellow, blue, green, pink, orange, teal, purple, grey, red, and black. The text "No domains" is written below the map. The protein structure is represented by a black line with vertical bars indicating the positions of the domains. The domains are color-coded to match the segments in the map: yellow, blue, green, pink, orange, teal, purple, grey, red, and black.


Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

The diagram shows a protein structure with a color-coded domain map. The map is a horizontal bar with segments of different colors: orange, blue, green, pink, brown, teal, purple, grey, red, and dark grey. Below the map, the text "No domains" is written.





event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction	in_cds
no_unique_features	ENST00000893142.1								

The diagram shows a protein structure represented by a horizontal line with vertical bars indicating specific residues. A color scale is provided at the top right, ranging from yellow (low) to black (high). The legend indicates that the color scale represents the number of domains, with the text "No domains" written below the scale.




event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction	in_cds
no_unique_features	ENST00000893144.1								

The diagram shows a protein structure with a color key and a label. The color key consists of a horizontal bar divided into segments of yellow, blue, green, pink, orange, teal, purple, grey, red, and white. Below the bar is the text "No domains". The protein structure is represented by a horizontal line with vertical bars of various colors (pink, blue, green, orange, teal, purple, grey, red) indicating specific regions or domains.




[illegible]

The diagram shows a horizontal line representing a protein structure. Above the line, there are several vertical colored bars of different heights and colors (yellow, blue, green, pink, orange, teal, purple, grey, red, orange, white). To the right of the line, there is a color key with a horizontal bar divided into segments of the same colors as the bars above. Below the color key, the text "No domains" is written.



Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.


The diagram shows a protein structure represented by a horizontal line with vertical tick marks indicating specific residues. A color key at the top right identifies the residues by color: yellow, blue, green, pink, orange, teal, light blue, grey, red, and light grey. The text "No domains" is written below the color key.



Transcript: ENST00000956371.1 | Protein: ENSP00000626430.1

Only InterPro Domain and Repeat entries are drawn, and only those a compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

The left number line has major ticks at 35,720,000, 35,680,000, 35,640,000, and 35,600,000. The right number line has major ticks at 100, 200, 300, and 400.



No domains

The diagram shows a protein structure with a color-coded domain map. The domain map is a horizontal bar with segments of different colors: yellow, blue, green, pink, orange, teal, purple, grey, red, and dark red. Below the domain map, the text "No domains" is written. The protein structure is represented by a horizontal line with vertical bars indicating the positions of various domains. The domains are color-coded to match the domain map: yellow, blue, green, pink, orange, teal, purple, grey, red, and dark red. The domains are arranged in a linear sequence along the protein structure.

No domains

The diagram shows a protein structure with a color key and a 'No domains' label. The color key consists of a horizontal bar divided into segments of yellow, blue, green, pink, orange, teal, purple, grey, red, and white. Below the bar, the text 'No domains' is written. The protein structure is represented by a horizontal line with vertical colored bars indicating domains. The colors of the bars correspond to the color key: yellow, blue, green, pink, orange, teal, purple, grey, red, and white. The bars are arranged in a sequence that matches the color key, with the red bar at the end.

No domains



The diagram shows a protein structure represented by a horizontal line with vertical bars indicating specific regions. A color key at the top right identifies the regions: yellow, blue, green, pink, orange, teal, purple, grey, red, and white. The label "No domains" is placed below the color key.

No domains

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.



The left number line has major ticks at 35,720,000, 35,680,000, 35,640,000, and 35,600,000. The right number line has major ticks at 100, 200, 300, and 400.

The diagram shows a protein structure with a color-coded domain map. The map is a horizontal bar with segments of different colors: orange, blue, green, pink, brown, teal, purple, grey, red, and black. Below the map, the text "No domains" is written.

[illegible]

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction	in_cds
no_unique_features	ENST00000956378.1								

The diagram shows a protein structure with a color key and a label. The color key consists of a horizontal bar divided into segments of yellow, blue, green, pink, orange, teal, purple, grey, red, and tan. Below the key is the text "No domains". The protein structure is represented by a horizontal line with vertical bars of various colors (red, blue, green, orange, teal, purple, grey, red, tan) indicating specific regions or domains.


[illegible]

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

The left number line has major ticks at 35,720,000, 35,680,000, 35,640,000, and 35,600,000. The right number line has major ticks at 100, 200, 300, and 400.

[illegible]


The diagram shows a protein structure with a color-coded domain map. The map consists of a horizontal bar with segments in yellow, blue, green, pink, orange, teal, purple, grey, red, and light blue. Below the bar, the text "No domains" is written.

[illegible]

A horizontal line with vertical tick marks of various colors (blue, yellow, orange, green, red, purple, grey) and a legend bar on the right labeled "No domains".


[illegible]

The diagram shows a protein structure with a color key and a 'No domains' label. The color key consists of a horizontal bar divided into segments of yellow, blue, green, pink, orange, teal, purple, grey, red, and olive. Below the bar, the text 'No domains' is written. The protein structure is represented by a horizontal line with vertical bars of various colors (yellow, blue, green, pink, orange, teal, purple, grey, red, olive) indicating different domains or regions. A red vertical bar is also present at the end of the structure.




Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

The left number line has major ticks at 35,720,000, 35,680,000, 35,640,000, and 35,600,000. The right number line has major ticks at 100, 200, 300, and 400.


[illegible]

The diagram shows a protein structure with a color key. The color key consists of a horizontal bar with segments of different colors: yellow, blue, green, pink, orange, teal, purple, grey, red, and white. Below the bar, the text "No domains" is written. The protein structure is represented by a horizontal line with vertical bars of various colors (green, blue, orange, teal, purple, grey, red, pink) indicating different domains or regions.




event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction	in_cds
no_unique_features	ENST00000956386.1								

The diagram shows a protein structure represented by a horizontal line with vertical bars indicating domains. A color key at the top right identifies the domains: yellow, blue, green, pink, orange, teal, purple, grey, red, and light orange. The text "No domains" is written below the key.



event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_canonical_domain_id	canonical_junction	alternative_junction	in_cds
no_unique_features	ENST00000956387.1								



Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

FKBP5 - H_sapiens | chr6:35,572,944-35,728,622 | 73 transcript(s) (page 18/19)



event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	in_cds
no_unique_features	ENST00000956388.1												



Transcript: ENST00000956388.1 | Protein: ENSP00000626447.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	in_cds
no_unique_features	ENST00000956389.1												



Transcript: ENST00000956389.1 | Protein: ENSP00000626448.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	in_cds
no_unique_features	ENST00000956390.1												



Transcript: ENST00000956390.1 | Protein: ENSP00000626449.1



event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	in_cds
no_unique_features	ENST00000956391.1												




Transcript: ENST00000956391.1 | Protein: ENSP00000626450.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

FKBP5 - H_sapiens | chr6:35,572,944-35,728,622 | 73 transcript(s) (page 19/19)



event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain
no_unique_features	ENST00000956392.1											



No domains

Transcript: ENST00000956392.1 | Protein: ENSP00000626451.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.