




ZBTB48 - H sapiens | chr1:6,579,993-6,589,280 | 33 transcript(s) (page 1/9)

idx	start	end
1	6581299	6582058
2	6580636	6582058



Genomic Position (bp)





Amino Acid Position




Transcript: ENST00000377674.9 | Protein: ENSP00000366902.4 [canonical]

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction
no_domains_in_region	ENST00000902995.1	1							



Transcript: ENST00000902995.1 | Protein: ENSP00000573054.1 [longest CDS]


event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	alternative_domain_id	canonical_junction	alternative_junction
no_unique_features	ENST00000319084.9								



No domains

Transcript: ENST00000319084.9 | Protein: ENSP00000313416.5

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	alternative_domain_id	canonical_junction	alternative_junction
no_unique_features	ENST00000435905.5								




No domains

Transcript: ENST00000435905.5 | Protein: ENSP00000416054.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

ZBTB48 - H_sapiens | chr1:6,579,993-6,589,280 | 33 transcript(s) (page 2/9)



event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	alternative_domain_id	canonical_junction	alternative_junction	alternative_junction_in_cds
transcript_doesnt_have_features	ENST00000466813.1									



Transcript: ENST00000466813.1 | Protein: ENSP00000467104.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	alternative_domain_id	canonical_junction	alternative_junction_in_cds
transcript_doesnt_have_features	ENST00000466941.1								



Transcript: ENST00000466941.1 | Protein: N/A [no protein]

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domains	canonical_junction	alternative_junction_in_cds
transcript_doesnt_have_features	ENST00000482360.5							



Transcript: ENST00000482360.5 | Protein: N/A [no protein]

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domains	canonical_junction	alternative_junction_in_cds
transcript_doesnt_have_features	ENST00000488936.1							



Transcript: ENST00000488936.1 | Protein: ENSP00000466390.1

Only InterPro Domain and Repeat entries are drawn, and only those that are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

no annotated protein

No domains

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_junction	alternative_junction	in_cds
no_unique_features	ENST00000902993.1								



Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

A horizontal number line representing the range from 6,580,000 to 6,589,000. Major tick marks are labeled at 6,580,000, 6,583,000, 6,586,000, and 6,589,000. Minor tick marks are placed every 100,000 units, with labels at 6,581,500, 6,584,500, and 6,587,500.

A horizontal number line with major tick marks at 150, 300, 450, 600, and 750. The labels are placed below the line and are rotated 45 degrees clockwise.



Diagram illustrating a single node (28) and a cluster of four nodes (29, 28, 28, 29) connected to a common bus, with labels IPR013087.


A horizontal bar chart with a segmented bar and a legend. The segmented bar consists of eight colored segments: green, purple, yellow, blue, light green, pink, orange, and grey. The legend is located to the right of the bar and contains eight entries, each with a colored square and a label: 'Green' (green), 'Purple' (purple), 'Yellow' (yellow), 'Blue' (blue), 'Light Green' (light green), 'Pink' (pink), 'Orange' (orange), and 'Grey' (grey).



IPR013087
IPR013087
IPR013087
IPR013087
IPR013087



No domains



Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

Transcript: ENST00000915765.1 | Protein: ENSP00000585824.1

No domains

Transcript: ENST00000915766.1 | Protein: ENSP00000585825.1


28 IPR013087

Transcript: ENST00000915767.1 | Protein: ENSP00000585826.1


Transcript: ENST00000953434.1 | Protein: ENSP00000623493.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain in the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.


ZBTB48 - H_sapiens | chr1:6,579,993-6,589,280 | 33 transcript(s) (page 6/9)



event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction	in_cds
no_unique_features	ENST00000953435.1								




Transcript: ENST00000953435.1 | Protein: ENSP00000623494.1

[illegible]


Transcript: NM_001278647.2 | Protein: NP_001265576.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction	in_cds
no_unique_features	XM_017001111.3								



Transcript: XM_017001111.3 | Protein: XP_016856600.1


event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction	in_cds
no_unique_features	XM_047418865.1								



Transcript: XM_047418865.1 | Protein: XP_047274821.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

ZBTB48 - H_sapiens | chr1:6,579,993-6,589,280 | 33 transcript(s) (page 7/9)



event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction	junction_in_cds
transcript_doesnt_have_features	XM_047418867.1								



Transcript: XM_047418867.1 | Protein: XP_047274823.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction_in_cds
transcript_doesnt_have_features	XM_047418868.1							



Transcript: XM_047418868.1 | Protein: XP_047274824.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domains	canonical_junction	alternative_junction_in_cds
transcript_doesnt_have_features	XM_047418869.1							



Transcript: XM_047418869.1 | Protein: XP_047274825.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domains	canonical_junction	alternative_junction_in_cds
transcript_doesnt_have_features	XM_047418870.1							



Transcript: XM_047418870.1 | Protein: XP_047274826.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

6,580,000 6,583,000 6,586,000 6,589,000

6,581,500 6,584,500 6,587,500

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction	in_cds
no_unique_features	XM_047418875.1										

150 300 450 600 750

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction	in_cds
transcript_doesnt_have_features	XM_047418878.1										

No domains

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	alternative_domain_id	alternative_domain_id	alternative_domain_id	alternative_domain_id
transcript_doesnt_have_features	XM_047418880.1									



No domains

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	alternative_domain	alternative_domain	alternative_domain	alternative_domain	alternative_domain
transcript_doesnt_have_features	XM_047418882.1										


No domains

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

ZBTB48 - H_sapiens | chr1:6,579,993-6,589,280 | 33 transcript(s) (page 9/9)



event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	alternative_domain_id	canonical_junction	alternative_junction	in_cds
transcript_doesnt_have_features	XM_047418886.1									



No domains



Transcript: XM_047418886.1 | Protein: XP_047274842.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.