





idx	start	end
1	926088	959437
2	943314	959437



No domains

Transcript: ENST00000448903.7 | Protein: ENSP00000413234.3 [canonical]

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_junction	alternative_junction	in_cds
no_domains_in_region	ENST00000530801.6	1									



No domains

Transcript: ENST00000530801.6 | Protein: ENSP00000434553.2 [longest CDS]


event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_junction	alternative_junction	in_cds
no_unique_features	ENST00000332231.9										



115
IPR003164

Transcript: ENST00000332231.9 | Protein: ENSP00000327694.5

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_junction	alternative_junction	in_cds
transcript_doesnt_have_features	ENST00000524559.2										



No domains

Transcript: ENST00000524559.2 | Protein: ENSP00000434432.2

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

[illegible]

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	alternative_domain	canonical_junction	alternative_junction	in_cds
transcript_doesnt_have_features	ENST00000525796.5									

no annotated protein

No domains

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domains	canonical_junction	alternative_junction_in_cds
transcript_doesnt_have_features	ENST00000525891.5							

no annotated protein

No domains

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction_in_cds
transcript_doesnt_have_features	ENST00000526376.1									

no annotated protein

No domains

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.



event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	in_cds
transcript_doesnt_have_features	ENST00000526401.6												



Transcript: ENST00000526401.6 | Protein: N/A [no protein]

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	in_cds
transcript_doesnt_have_features	ENST00000526753.6												



Transcript: ENST00000526753.6 | Protein: ENSP00000435863.2

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	in_cds
transcript_doesnt_have_features	ENST00000527024.2												



Transcript: ENST00000527024.2 | Protein: ENSP00000434563.2

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	in_cds
transcript_doesnt_have_features	ENST00000527917.1												



Transcript: ENST00000527917.1 | Protein: N/A [no protein]

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_junction	alternative_junction	in_cds
no_unique_features	ENST00000528815.5								



event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_junction	alternative_junction	in_cds
transcript_doesnt_have_features	ENST00000528816.2								



event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_junction	alternative_junction	in_cds
transcript_doesnt_have_features	ENST00000529427.1								



Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	alternative_domain	canonical_junction	alternative_junction	in_cds
transcript_doesnt_have_features	ENST00000529438.5									

no annotated protein

No domains

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	alternative_domain_id	canonical_junction	alternative_junction_in_cds
transcript_doesnt_have_features	ENST00000529818.6								

No domains

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_junction	alternative_junction_in_cds
no_unique_features	ENST00000529858.6									

The diagram shows a genomic track with several exons represented by colored vertical bars (purple, green, blue, yellow, orange) connected by black horizontal lines representing introns. A red bracket is positioned above the first two exons.

no annotated protein

No domains

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction	in_cds
transcript_doesnt_have_features	ENST00000531497.2										

no annotated protein

No domains

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.



event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	in_cds
transcript_doesnt_have_features	ENST00000531548.6												



Transcript: ENST00000531548.6 | Protein: ENSP00000433498.2

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	in_cds
transcript_doesnt_have_features	ENST00000534328.6												



Transcript: ENST00000534328.6 | Protein: ENSP00000436059.2

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	in_cds
transcript_doesnt_have_features	ENST00000534485.6												



Transcript: ENST00000534485.6 | Protein: ENSP00000435756.2

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	in_cds
transcript_doesnt_have_features	ENST00000685443.1												



Transcript: ENST00000685443.1 | Protein: N/A [no protein]

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.



event	alternative_transcript_id	group	rank	domain_id	canonical	alternative	canonical	alternative	canonical	alternative	canonical	alternative	in_cds
transcript_doesnt_have_features	ENST00000686734.1												



Transcript: ENST00000686734.1 | Protein: N/A [no protein]

event	alternative_transcript_id	group	rank	domain_id	canonical	alternative	canonical	alternative	canonical	alternative	canonical	alternative	in_cds
transcript_doesnt_have_features	ENST00000687570.1												



Transcript: ENST00000687570.1 | Protein: N/A [no protein]

event	alternative_transcript_id	group	rank	domain_id	canonical	alternative	canonical	alternative	canonical	alternative	canonical	alternative	in_cds
no_unique_features	ENST00000687792.1												



Transcript: ENST00000687792.1 | Protein: ENSP00000508951.1

event	alternative_transcript_id	group	rank	domain_id	canonical	alternative	canonical	alternative	canonical	alternative	canonical	alternative	in_cds
no_unique_features	ENST00000687890.1												



Transcript: ENST00000687890.1 | Protein: ENSP00000510756.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.



event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	in_cds
transcript_doesnt_have_features	ENST00000688472.1												



Transcript: ENST00000688472.1 | Protein: N/A [no protein]

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	in_cds
transcript_doesnt_have_features	ENST00000688709.1												



Transcript: ENST00000688709.1 | Protein: N/A [no protein]

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	in_cds
transcript_doesnt_have_features	ENST00000688963.1												



Transcript: ENST00000688963.1 | Protein: ENSP00000510620.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	in_cds
transcript_doesnt_have_features	ENST00000689771.1												



Transcript: ENST00000689771.1 | Protein: N/A [no protein]

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	alternative_domain	canonical_junction	alternative_junction	in_cds
transcript_doesnt_have_features	ENST00000689772.1									

no annotated protein

No domains

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domains	canonical_junction	alternative_junction_in_cds
transcript_doesnt_have_features	ENST00000690846.1							

no annotated protein

No domains

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domains	canonical_junction	alternative_junction_in_cds
transcript_doesnt_have_features	ENST00000691652.1							



No domains

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	alternative_domain	canonical_junction	alternative_junction	in_cds
no_unique_features	ENST00000693238.1									

No domains

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_start	alternative_domain_start	canonical_domain_end	alternative_domain_end	canonical_junction_in_cds	alternative_junction_in_cds
no_unique_features	ENST00000860665.1									

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domains	canonical_domain_id	alternative_domains	canonical_junction	alternative_junction	in_cds
no_unique_features	ENST00000860666.1										

No domains

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_domain_id	alternative_domain_id	canonical_domain_id
no_unique_features	ENST00000860667.1								


event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	alternative_domain_id	canonical_junction	alternative_junction_in_cds
no_unique_features	ENST00000860668.1								

No domains

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.



event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain
no_unique_features	ENST00000860669.1											




Transcript: ENST00000860669.1 | Protein: ENSP00000530728.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain
no_unique_features	ENST00000916663.1											



Transcript: ENST00000916663.1 | Protein: ENSP00000586722.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain
no_unique_features	ENST00000947238.1											



Transcript: ENST00000947238.1 | Protein: ENSP00000617297.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain
transcript_doesnt_have_features	XM_011519929.2											



Transcript: XM_011519929.2 | Protein: XP_011518231.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

[illegible]

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	alternative_domain_id	canonical_junction	alternative_junction	in_cds
transcript_doesnt_have_features	XM_047426479.1									

No domains

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	alternative_domain	alternative_domain	canonical_junction	alternative_junction	in_cds
transcript_doesnt_have_features	XM_047426480.1										


No domains

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	alternative_domain	alternative_domain	canonical_junction	alternative_junction_in_cds
transcript_doesnt_have_features	XM_047426481.1									

No domains

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

AP2A2 - H sapiens | chr11:924,880-1,012,245 | 51 transcript(s) (page 13/13)



Transcript: XM_047426482.1 | Protein: XP_047282438.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	alternative_domain_id	canonical_junction	alternative_junction	in_cds
transcript_doesnt_have_features	XM_047426484.1									



Transcript: XM_047426484.1 | Protein: XP_047282440.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction	in_cds
transcript_doesnt_have_features	XM_047426485.1								



Transcript: XM_047426485.1 | Protein: XP_047282441.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.