



LRIG3 - H_sapiens | chr12:58,872,036-58,920,551 | 10 transcript(s) (page 1/3)

idx	start	end
1	58879105	58880369
2	58879105	58880581



Genomic Position (bp)





Amino Acid Position

No domains



Transcript: ENST00000320743.8 | Protein: ENSP00000326759.3 [canonical]

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_junction_id	alternative_junction_id	in_cds
added_domain	ENST00000433272.6	1		IPR003591		27.0	0.0	1.0	




Transcript: ENST00000433272.6 | Protein: ENSP00000413143.2 [longest CDS]

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction	in_cds
no_unique_features	ENST00000379141.8								



Transcript: ENST00000379141.8 | Protein: ENSP00000368436.4


[illegible]

Transcript: ENST00000547329.1 | Protein: N/A [no protein]

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.


no annotated protein

No domains




no annotated protein


No domains



Category	Value
No domains	10





No domains




Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3D5A/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.


LRIG3 - H_sapiens | chr12:58,872,036-58,920,551 | 10 transcript(s) (page 3/3)



event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction_in_cds
transcript_doesnt_have_features	ENST00000552646.1							




No domains



Transcript: ENST00000552646.1 | Protein: N/A [no protein]

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domains	canonical_domain_id	junction_id	alternative_junction_in_cds
transcript_doesnt_have_features	ENST00000900032.1								



Transcript: ENST00000900032.1 | Protein: ENSP00000570091.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3D5A/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.