





SEPTIN9 - H_sapiens | chr17:77,280,568-77,500,596 | 50 transcript(s) (page 1/13)

idx	start	end
1	77488864	77490742
2	77488864	77490748




Transcript: ENST00000427177.6 | Protein: ENSP00000391249.1 [canonical]

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_junction	alternative_junction	in_cds
added_domain	ENST00000873887.1	1		IPR030379			275.0	0.0	1.0		



Transcript: ENST00000873887.1 | Protein: ENSP00000543946.1 [longest CDS]

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_junction	alternative_junction	in_cds
no_unique_features	ENST00000329047.13										



Transcript: ENST00000329047.13 | Protein: ENSP00000329161.8

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_junction	alternative_junction	in_cds
no_unique_features	ENST00000423034.6										



Transcript: ENST00000423034.6 | Protein: ENSP00000405877.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

The left number line has major tick marks at 77,290,000, 77,320,000, 77,350,000, 77,380,000, 77,410,000, 77,440,000, and 77,500,000. The right number line has major tick marks at 150, 300, 450, 600, and 750.

The diagram shows a horizontal line representing a protein sequence. A red arrow points to a specific region on the right side of the line. Above the line, there are several vertical colored bars (green, orange, blue, red, purple, yellow) corresponding to different domains. A legend bar at the top right is labeled "No domains" and contains several colored segments (orange, green, purple, grey, blue, green, brown, purple, yellow).

Transcript: ENST00000427180.5 | Protein: ENSP00000504196.1

The diagram shows a protein structure with a color-coded domain map. The map is a horizontal bar with segments of different colors: pink, orange, green, purple, blue, brown, and red. The text "No domains" is written below the map.

Transcript: ENST00000427674.6 | Protein: ENSP00000403194.1

Transcript: ENST00000431235.6 | Protein: ENSP00000406987.2

Transcript: ENST00000449803.6 | Protein: ENSP00000400181.2

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

SEPTIN9 - H_sapiens | chr17:77,280,568-77,500,596 | 50 transcript(s) (page 3/13)



event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain
no_unique_features	ENST00000541152.6											



Transcript: ENST00000541152.6 | Protein: ENSP00000438089.2

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain
transcript_doesnt_have_features	ENST00000585638.1											



Transcript: ENST00000585638.1 | Protein: N/A [no protein]

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain
transcript_doesnt_have_features	ENST00000585929.5											



Transcript: ENST00000585929.5 | Protein: ENSP00000467780.1


event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain
no_unique_features	ENST00000585930.5											



Transcript: ENST00000585930.5 | Protein: ENSP00000468120.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

SEPTIN9 - H_sapiens | chr17:77,280,568-77,500,596 | 50 transcript(s) (page 4/13)



event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	in_cds
transcript_doesnt_have_features	ENST00000586128.5												



No domains

Transcript: ENST00000586128.5 | Protein: ENSP00000467792.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	in_cds
transcript_doesnt_have_features	ENST00000586433.5												



No domains

Transcript: ENST00000586433.5 | Protein: ENSP00000468110.1


event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	in_cds
transcript_doesnt_have_features	ENST00000586456.1												



No domains

Transcript: ENST00000586456.1 | Protein: N/A [no protein]

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	in_cds
transcript_doesnt_have_features	ENST00000586521.5												



No domains

Transcript: ENST00000586521.5 | Protein: ENSP00000466170.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

no annotated protein
No domains

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction	in_cds
transcript_doesnt_have_features	ENST00000587237.1								

no annotated protein

No domains

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction	in_cds
transcript_doesnt_have_features	ENST00000587514.1								

no annotated protein


No domains

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction	in_cds
transcript_doesnt_have_features	ENST00000588575.1								

Diagram illustrating the concept of domains. A horizontal line is shown with four vertical tick marks (green, red, blue, and purple) indicating specific points. To the right, a bar chart is shown with four colored segments (green, red, blue, and purple) corresponding to the tick marks. The text "No domains" is written below the bar chart.

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

SEPTIN9 - H_sapiens | chr17:77,280,568-77,500,596 | 50 transcript(s) (page 6/13)



event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	in_cds
no_unique_features	ENST00000588690.6												



Transcript: ENST00000588690.6 | Protein: ENSP00000468668.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	in_cds
no_unique_features	ENST00000588958.6												



Transcript: ENST00000588958.6 | Protein: ENSP00000464832.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	in_cds
transcript_doesnt_have_features	ENST00000589070.1												



Transcript: ENST00000589070.1 | Protein: ENSP00000465332.1


event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	in_cds
transcript_doesnt_have_features	ENST00000589140.1												




Transcript: ENST00000589140.1 | Protein: ENSP00000466997.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.


SEPTIN9 - H_sapiens | chr17:77,280,568-77,500,596 | 50 transcript(s) (page 7/13)




Transcript: ENST00000589246.1 | Protein: N/A [no protein]



Transcript: ENST00000589250.6 | Protein: N/A [no protein]



Transcript: ENST00000589920.5 | Protein: N/A [no protein]



Transcript: ENST00000590059.5 | Protein: ENSP00000466164.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

no annotated protein

No domains

No domains

no annotated protein

No domains

No domains

no annotated protein
No domains

No domains

No domains


Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

The left number line has major tick marks at 77,290,000, 77,320,000, 77,350,000, 77,380,000, 77,410,000, 77,440,000, and 77,500,000. The right number line has major tick marks at 150, 300, 450, 600, and 750.



no annotated protein

No domains


event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction	in_cds
transcript_doesnt_have_features	ENST00000590917.5								



event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_canonical_domain_id	canonical_junction	alternative_junction_in_cds
transcript_doesnt_have_features	ENST00000590938.5							

[illegible]

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.



The diagram shows a horizontal line representing a protein structure. A red box highlights a specific region. To the right, a legend bar displays colored segments: orange, teal, purple, grey, blue, green, brown, and pink. Below the legend bar, the text "No domains" is written.

Transcript: ENST00000591088.5 | Protein: ENSP00000466247.1

The diagram shows a horizontal black line representing a protein sequence. A red arrow points to a specific region on the right side of the line. Above the line, there are several vertical colored bars (green, orange, teal, purple, blue, brown, magenta) representing different domains. The text "No domains" is written below the line, indicating that the region pointed to by the red arrow does not contain any domains.

Transcript: ENST00000591198.5 | Protein: ENSP00000468406.1

The diagram consists of a horizontal black line. A vertical line intersects it. To the right of the intersection, there is a small horizontal bar with three colored segments: orange, teal, and purple. Below this bar, the text "No domains" is written.

Transcript: ENST00000591472.6 | Protein: ENSP00000468410.2


Transcript: ENST00000591704.5 | Protein: ENSP00000465415.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

The left number line has major tick marks at 77,290,000, 77,320,000, 77,350,000, 77,380,000, 77,410,000, 77,440,000, and 77,500,000. The right number line has major tick marks at 150, 300, 450, 600, and 750.

Transcript: ENST00000591833.5 | Protein: ENSP00000466684.1

Transcript: ENST00000591934.1 | Protein: ENSP00000468504.1



no annotated protein

No domains

No domains

Transcript: ENST00000592098.1 | Protein: N/A [no protein]

no annotated protein

No domains


No domains

Transcript: ENST00000592407.1 | Protein: N/A [no protein]


Only InterPro Domain and Repeat entries are drawn, and only those are compared — no other domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

no annotated protein


No domains

[illegible]


event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_junction_in_cds	alternative_junction_in_cds
no_unique_features	ENST00000592951.5							




event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domains	canonical_junction	alternative_junction_in_cds
no_unique_features	ENST00000593189.6							



Only InterPro Domain and Repeat entries are drawn, and only those that are compared — so every domain in the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.




event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain
no_unique_features	ENST00000675703.1											



No domains

Transcript: ENST00000675703.1 | Protein: N/A [no protein]

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain
no_unique_features	ENST00000873888.1											



Transcript: ENST00000873888.1 | Protein: ENSP00000543947.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.