





SORL1 - H_sapiens | chr11:121,452,313-121,633,763 | 15 transcript(s) (page 1/4)

idx	start	end
1	121452616	121470007
2	121452616	121478118




Transcript: ENST00000260197.12 | Protein: ENSP00000260197.6 [canonical]

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	in_cds
longer	ENST00000905167.1	1		IPR006581	664.0	673.0	1.0	1.0					




Transcript: ENST00000905167.1 | Protein: ENSP00000905167.1 [longest CDS]

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	in_cds
transcript_doesnt_have_features	ENST00000524633.1												



Transcript: ENST00000524633.1 | Protein: N/A [no protein]


event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	in_cds
transcript_doesnt_have_features	ENST00000524873.1												



Transcript: ENST00000524873.1 | Protein: N/A [no protein]


Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

A horizontal number line with major tick marks at 121,500,000 and 121,550,000. There are four additional tick marks between these two major values, dividing the interval into five equal parts. The values of these tick marks are labeled above the line: 121,475,000, 121,525,000, 121,575,000, and 121,625,000. The labels for the major values are placed below the line.



No domains


event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domains	canonical_junction	alternative_junction_in_cds
transcript_doesnt_have_features	ENST00000527934.1							




No domains

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

SORL1 - H_sapiens | chr11:121,452,313-121,633,763 | 15 transcript(s) (page 3/4)




Transcript: ENST00000529445.1 | Protein: N/A [no protein]



Transcript: ENST00000530365.1 | Protein: N/A [no protein]




Transcript: ENST00000532451.1 | Protein: N/A [no protein]



Transcript: ENST00000532694.5 | Protein: ENSP00000432131.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

A horizontal number line with tick marks at 400, 800, 1200, 1600, and 2000. The numbers are written below the line and are rotated diagonally.



chain_id	Amino-Acid Position		Amino-Acid Position		Amino-Acid Position	
	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain

[illegible]

chain_id	canonical_domain	alternative_domains	canonical_domain	alternative_domains	canonical_junction	alternative_junction



No domains

chain_id	canonical_domain	alternative_domains	canonical_domain	alternative_domains	canonical_junction	alternative_junction



The diagram illustrates the evolution of a chromosome. It starts with a single chromosome containing segments 1 and 664. This chromosome then splits into two chromosomes, each containing segments 37 and 39. Finally, these two chromosomes merge back into a single chromosome, which now contains segments 93 and 96.

6581 2172 2172 2961 2961 2961