




SEPTIN9 - H_sapiens | chr17:77,280,568-77,500,596 | 50 transcript(s) (page 1/13)

idx	start	end
1	77488864	77490742
2	77488864	77490748




Transcript: ENST00000427177.6 | Protein: ENSP00000391249.1 [canonical]

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_junction	alternative_junction	in_cds
added_domain	ENST00000873887.1	1		IPR030379			275.0	0.0	1.0		



Transcript: ENST00000873887.1 | Protein: ENSP00000543946.1 [longest CDS]

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_junction	alternative_junction	in_cds
no_unique_features	ENST00000329047.13										



Transcript: ENST00000329047.13 | Protein: ENSP00000329161.8


event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_junction	alternative_junction	in_cds
no_unique_features	ENST00000423034.6										




Transcript: ENST00000423034.6 | Protein: ENSP00000405877.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.


SEPTIN9 - H_sapiens | chr17:77,280,568-77,500,596 | 50 transcript(s) (page 2/13)




Transcript: ENST00000427180.5 | Protein: ENSP00000504196.1



Transcript: ENST00000427674.6 | Protein: ENSP00000403194.1



Transcript: ENST00000431235.6 | Protein: ENSP00000406987.2



Transcript: ENST00000449803.6 | Protein: ENSP00000400181.2

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

The left number line has major tick marks at 77,290,000, 77,320,000, 77,350,000, 77,380,000, 77,410,000, 77,440,000, and 77,500,000. The right number line has major tick marks at 150, 300, 450, 600, and 750.

Transcript: ENST00000541152.6 | Protein: ENSP00000438089.2

no annotated protein

No domains


Transcript: ENST00000585638.1 | Protein: N/A [no protein]

Transcript: ENST00000585929.5 | Protein: ENSP00000467780.1

Diagram illustrating a horizontal line with a red vertical line and a blue vertical line. The red vertical line is labeled "No domains".

Transcript: ENST00000585930.5 | Protein: ENSP00000468120.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.



The diagram shows a horizontal line with a small colored segment (orange, green, blue) on the right side, labeled "No domains".

Transcript: ENST00000586128.5 | Protein: ENSP00000467792.1

A horizontal line represents a linear chromosome. A vertical line in the center represents the centromere. To the right of the centromere, there are four adjacent colored rectangles representing domains: orange, green, purple, and blue. The text "No domains" is written below the blue domain.

Transcript: ENST00000586433.5 | Protein: ENSP00000468110.1

no annotated protein

No domains

Transcript: ENST00000586456.1 | Protein: N/A [no protein]

Transcript: ENST00000586521.5 | Protein: ENSP00000466170.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

The left number line has major tick marks at 77,290,000, 77,320,000, 77,350,000, 77,380,000, 77,410,000, 77,440,000, and 77,500,000. The right number line has major tick marks at 150, 300, 450, 600, and 750.

no annotated protein

No domains

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction	in_cds
transcript_doesnt_have_features	ENST00000587237.1								

no annotated protein

No domains

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_domain_junction	alternative_junction	in_cds
transcript_doesnt_have_features	ENST00000587514.1								

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_domain_id	junction_in_cds
transcript_doesnt_have_features	ENST00000588575.1							

Diagram illustrating a horizontal line with three vertical tick marks (green, red, blue) and a legend bar with three colored segments (green, red, blue) labeled "No domains".

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3D5A/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

The diagram shows a horizontal line representing a protein sequence. A red arrow points to a specific domain, which is labeled "No domains".

Transcript: ENST00000588690.6 | Protein: ENSP00000468668.1

Transcript: ENST00000588958.6 | Protein: ENSP00000464832.1

Transcript: ENST00000589070.1 | Protein: ENSP00000465332.1

Diagram illustrating the concept of domains. A horizontal line is shown with two vertical tick marks, one purple and one grey. To the right, a bar chart shows a single grey bar labeled "No domains".

Transcript: ENST00000589140.1 | Protein: ENSP00000466997.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

no annotated protein

No domains

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	alternative_domain_id	canonical_junction	alternative_junction	in_cds
no_unique_features	ENST00000589250.6									

no annotated protein

No domains

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	alternative_domain_id	canonical_junction	alternative_junction	in_cds
transcript_doesnt_have_features	ENST00000589920.5									

no annotated protein

No domains

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	alternative_domain_id	canonical_junction	alternative_junction	in_cds
transcript_doesnt_have_features	ENST00000590059.5									

Diagram illustrating a horizontal line with three vertical tick marks (green, blue, orange) and a legend with three colored squares (green, blue, orange) labeled "No domains".

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

no annotated protein

No domains

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_domain_id	alternative_domain_id	canonical_domain_id	junction_in_cds
transcript_doesnt_have_features	ENST00000590576.5									

no annotated protein

No domains

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction	in_cds
transcript_doesnt_have_features	ENST00000590586.1								

no annotated protein


No domains

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction_in_cds
transcript_doesnt_have_features	ENST00000590595.1									



The diagram consists of two parts. On the left, a horizontal black line has two vertical tick marks: a purple one on the left and a red one on the right. On the right, there is a bar chart with a single brown bar. Below the bar chart, the text "No domains" is written in a black, italicized font.

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

SEPTIN9 - H_sapiens | chr17:77,280,568-77,500,596 | 50 transcript(s) (page 9/13)





event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	in_cds
transcript_doesnt_have_features	ENST00000590825.1												





Transcript: ENST00000590825.1 | Protein: N/A [no protein]

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	in_cds
transcript_doesnt_have_features	ENST00000590917.5												





Transcript: ENST00000590917.5 | Protein: ENSP00000467619.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	in_cds
transcript_doesnt_have_features	ENST00000590938.5												



Transcript: ENST00000590938.5 | Protein: ENSP00000466201.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	in_cds
transcript_doesnt_have_features	ENST00000591020.5												




Transcript: ENST00000591020.5 | Protein: ENSP00000467908.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

A diagram of a protein structure, likely a helix, with a red box highlighting a specific region. The structure is shown as a horizontal line with vertical bars representing side chains. The red box is located on the right side of the structure, highlighting a specific region.

Transcript: ENST00000591088.5 | Protein: ENSP00000466247.1



No domains

Transcript: ENST00000591198.5 | Protein: ENSP00000468406.1

The diagram shows a horizontal line with a vertical line intersecting it. To the right of the intersection, there is a small colored bar with the text "No domains" below it.

Transcript: ENST00000591472.6 | Protein: ENSP00000468410.2

No domains

Transcript: ENST00000591704.5 | Protein: ENSP00000465415.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

Transcript: ENST00000591833.5 | Protein: ENSP00000466684.1

Diagram illustrating a horizontal line with two vertical tick marks, one blue and one pink, and a legend bar with a blue and pink segment labeled "No domains".

Transcript: ENST00000591934.1 | Protein: ENSP00000468504.1

no annotated protein

No domains

No domains

Transcript: ENST00000592098.1 | Protein: N/A [no protein]

no annotated protein

No domains

No domains


Transcript: ENST00000592407.1 | Protein: N/A [no protein]

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.


no annotated protein

No domains


event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domains	canonical_junction	alternative_junction	in_cds
no_unique_features	ENST00000592481.6								




event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction_in_cds
no_unique_features	ENST00000592951.5							




event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	alternative_domain_id	canonical_junction	alternative_junction_in_cds
no_unique_features	ENST00000593189.6								



Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.




event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain
no_unique_features	ENST00000675703.1											



No domains

Transcript: ENST00000675703.1 | Protein: N/A [no protein]

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain
no_unique_features	ENST00000873888.1											



Transcript: ENST00000873888.1 | Protein: ENSP00000543947.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.