




ZBTB48 - H sapiens | chr1:6,579,993-6,589,280 | 33 transcript(s) (page 1/9)

idx	start	end
1	6581299	6582058
2	6580636	6582058



Genomic Position (bp)





Amino Acid Position




Transcript: ENST00000377674.9 | Protein: ENSP00000366902.4 [canonical]

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	alternative_domain_id	canonical_junction	alternative_junction
no_domains_in_region	ENST00000902995.1	1							



Transcript: ENST00000902995.1 | Protein: ENSP00000573054.1 [longest CDS]



event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	alternative_domain_id	canonical_junction	alternative_junction
no_unique_features	ENST00000319084.9								



No domains

Transcript: ENST00000319084.9 | Protein: ENSP00000313416.5


event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	alternative_domain_id	canonical_junction	alternative_junction
no_unique_features	ENST00000435905.5								



No domains

Transcript: ENST00000435905.5 | Protein: ENSP00000416054.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.



event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	in_cds
transcript_doesnt_have_features	ENST00000466813.1												



Transcript: ENST00000466813.1 | Protein: ENSP00000467104.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	in_cds
transcript_doesnt_have_features	ENST00000466941.1												



Transcript: ENST00000466941.1 | Protein: N/A [no protein]

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	in_cds
transcript_doesnt_have_features	ENST00000482360.5												



Transcript: ENST00000482360.5 | Protein: N/A [no protein]

event	alternative_transcript_id	group	rank	domain_id	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	canonical_domain	alternative_domain	in_cds
transcript_doesnt_have_features	ENST00000488936.1												




Transcript: ENST00000488936.1 | Protein: ENSP00000466390.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

no annotated protein

No domains

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction	in_cds
no_unique_features	ENST00000902993.1								



event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction	in_cds
no_unique_features	ENST00000902996.1									



Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction	in_cds
transcript_doesnt_have_features	ENST00000902998.1								



event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction_in_cds
no_unique_features	ENST00000902999.1							




event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction	in_cds
transcript_doesnt_have_features	ENST00000915764.1								



No domains

The diagram illustrates a protein structure. On the left, a large green rectangular domain is shown. To its right is a long, thin horizontal line representing a protein tail. A zoomed-in view of the tail is shown on the right, featuring a series of small, colored rectangular blocks (purple, yellow, blue, green, pink, orange, blue) arranged in a row. Below this zoomed-in view, the text "No domains" is written, indicating that these blocks do not represent distinct protein domains.



Transcript: ENST00000915766.1 | Protein: ENSP00000585825.1



28 IPR013087

Transcript: ENST00000915767.1 | Protein: ENSP00000585826.1

A diagram of a linear chromosome. It features a horizontal black line representing the chromosome axis. On the left, there is a small yellow segment, followed by a grey segment, and then a large green segment. A red line forms a loop above the chromosome, connecting a point on the green segment to a point further to the right. Below the green segment is a small green rectangle. Further to the right on the chromosome axis, there is a blue vertical line, followed by an orange vertical line, a dark blue vertical line, a green vertical line, a pink vertical line, a brown vertical line, and finally a purple vertical line on the far right.



Transcript: ENST00000953434.1 | Protein: ENSP00000623493.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.







Diagram illustrating a protein structure with a red box highlighting a specific region. Below the structure, a legend indicates the color coding for domains: No domains (grey), Green, Cyan, Magenta, Orange, Dark Blue, Light Green, Pink, Brown, and Blue.



The diagram shows a horizontal black line representing a chromosome. On the left, there is a small pink vertical band, followed by a small green vertical band, and then a large green rectangular block. Above the large green block, a red line forms a loop that connects to a smaller green rectangular block on the right. Further to the right, there are several vertical colored bands: a cyan band, a purple band, an orange band, a blue band, a green band, a pink band, and a brown band. The chromosome ends with a grey rectangular block on the far right.



A horizontal number line with several colored blocks and a red bracket. From left to right: a small pink block, a small green block, a large green block, a red bracket above the line spanning the width of the large green block, a small green block, a blue block, and a pink block.



Transcript: XM_017001111.3 | Protein: XP_016856600.1


A horizontal number line with several colored blocks placed along it. From left to right, there is a small pink block, a small green block, a large green block, a red bracket above the line spanning the width of the large green block, and a small green block. To the right of these, there are several vertical colored bars: a cyan bar, a purple bar, an orange bar, a blue bar, a green bar, and a light blue bar.



Transcript: XM_047418865.1 | Protein: XP_047274821.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3D5A/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

ZBTB48 - H_sapiens | chr1:6,579,993-6,589,280 | 33 transcript(s) (page 7/9)



Transcript: XM_047418867.1 | Protein: XP_047274823.1


event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domains	canonical_junction	alternative_junction_in_cds
transcript_doesnt_have_features	XM_047418668.1							



Transcript: XM_047418868.1 | Protein: XP_047274824.1

[illegible]


Transcript: XM_047418869.1 | Protein: XP_047274825.1

[illegible]




Transcript: XM_047418870.1 | Protein: XP_047274826.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.

ZBTB48 - H_sapiens | chr1:6,579,993-6,589,280 | 33 transcript(s) (page 8/9)





event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_junction_id	alternative_junction_id	junction_in_cds
no_unique_features	XM_047418875.1								




Transcript: XM_047418875.1 | Protein: XP_047274831.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	canonical_junction	alternative_junction_in_cds
transcript_doesnt_have_features	XM_047418878.1							





Transcript: XM_047418878.1 | Protein: XP_047274834.1

event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_canonical_domain_id	alternative_domains	canonical_junction	alternative_junction_in_cds
transcript_doesnt_have_features	XM_047418880.1								



Transcript: XM_047418880.1 | Protein: XP_047274836.1



event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	alternative_domain_id	canonical_junction_in_cds	alternative_junction_in_cds
transcript_doesnt_have_features	XM_047418882.1								



Transcript: XM_047418882.1 | Protein: XP_047274838.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.


ZBTB48 - H_sapiens | chr1:6,579,993-6,589,280 | 33 transcript(s) (page 9/9)



event	alternative_transcript_id	group	rank	domain_id	canonical_domain_id	alternative_domain_id	alternative_domain_id	canonical_junction	alternative_junction	in_cds
transcript_doesnt_have_features	XM_047418886.1									



No domains



Transcript: XM_047418886.1 | Protein: XP_047274842.1

Only InterPro Domain and Repeat entries are drawn, and only those are compared — so every domain the events table names appears here. Neither drawn nor compared: InterPro Family and Homologous_superfamily entries, the residue features (active/binding/conserved site, PTM), and member-database signatures (G3DSA/PTHR/SSF/cd/PF), which are not curated structural units. FILLED = compared. HOLLOW = removed before the comparison, so no row of the events table can refer to it — an entry that duplicates a longer kept entry of the same accession overlapping it.